Length of Stay by Operation, Canada, 1982

A Companion Volume To
Length of Stay
by Diagnosis,
Canada, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients. 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data edits, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	24	9.9	3,434	426	12.4
25-49	194	76	39.2	6,680	2,572	38.5
50-99	174	47	27.0	12,300	3,224	26.2
100-199	120	36	30.0	16,507	5,183	31.4
200-299	74	14	18.9	17,869	3,279	18.4
300-399	58	11	19.0	20,119	3,775	18.8
400-499	20	2	10.0	8,981	967	10.8
500 or more	37	10	27.0	25,481	6,985	27.4
Total	919	220	23.9	111,371	26,411	23.7
Province or Territory						
Alberta	125	111	88.8	11,653	11,322	97.2
British Columbia	111	41	36.9	12,355	4,632	37.5
Manitoba	78	0	–	5,150	0	–
New Brunswick	33	32	97.0	3,924	3,864	98.5
Newfoundland	35	8	22.9	2,588	1,522	58.8
Nova Scotia	48	16	33.3	4,833	3,357	69.5
Ontario	207	0	–	37,688	0	–
Prince Edward Island	9	0	–	644	0	–
Quebec	138	1	.7	26,125	534	2.0
Saskatchewan	132	9	6.8	6,260	1,079	17.2
Northwest Territories	3	2	66.6	151	101	66.9
Yukon	0	0	–	0	0	–
Total	919	220	23.9	111,371	26,411	23.7

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] Canadian Hospital Directory, 1980, Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. Generally "principal procedure" is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one Uniform Hospital Discharge Data Set (UHDDS)[2] Class 1 procedure. A Class 1 procedure is defined as a procedure with an operative anesthetic risk or one that requires highly trained personnel or special facilities or equipment. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those patients whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* procedure codes included in that *List B* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1982* or *Length of Stay by Operation, Canada, 1982*.

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR], or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — *see* Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58886	3.9	17	1	1	3	5	7	10	20
20-34	94904	4.3	13	<1	1	4	5	7	9	18
35-49	32927	5.4	27	<1	1	4	7	11	14	25
50-64	27378	6.8	44	1	2	5	9	14	18	32
65+	26189	8.6	75	1	2	6	11	18	24	49
2. MULTIPLE DX										
0-19 YRS	45845	6.2	68	1	1	4	7	12	19	49
20-34	82193	6.2	44	1	2	5	7	10	16	38
35-49	39270	8.1	73	1	2	6	10	16	23	49
50-64	47231	10.6	114	1	2	8	13	22	31	63
65+	70988	14.0	192	2	3	10	18	32	47	99+
TOT. SINGLE DX	240284	5.1	29	1	1	4	6	10	14	27
" MULTIPLE DX	285527	9.1	111	1	2	6	11	20	30	69
TOTAL 0-19 YRS	104731	4.9	40	1	1	3	6	9	14	34
20-34	177097	5.1	29	1	1	4	6	9	12	28
35-49	72197	6.9	54	1	1	5	8	13	19	40
50-64	74609	9.2	91	1	2	7	12	19	27	54
65+	97177	12.5	166	2	2	9	16	28	41	99+
GRAND TOTAL	**525811**	**7.3**	**77**	**1**	**1**	**5**	**8**	**15**	**23**	**53**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	14.2	167	2	2	10	20	42	59	99+
20-34	34	17.5	104	6	8	15	21	31	42	44
35-49	32	16.7	200	2	6	13	20	32	40	76
50-64	47	18.9	113	6	7	17	26	38	40	44
65+	25	18.4	224	5	7	14	22	35	56	61
2. MULTIPLE DX										
0-19 YRS	41	30.6	449	8	10	24	40	66	79	82
20-34	47	25.2	305	8	9	21	34	61	71	99+
35-49	68	22.1	253	6	7	20	31	43	80	99+
50-64	92	28.5	382	7	9	22	38	56	72	97
65+	74	27.9	389	5	9	23	42	72	99+	99+
TOT. SINGLE DX	164	17.3	153	3	6	15	21	36	43	74
" MULTIPLE DX	322	26.8	358	6	9	21	37	58	81	99+
TOTAL 0-19 YRS	67	24.2	401	2	3	19	36	53	77	97
20-34	81	21.9	234	7	9	18	28	51	65	99+
35-49	100	20.3	241	5	6	16	27	40	60	99+
50-64	139	25.2	311	7	8	20	35	51	58	93
65+	99	25.5	362	5	8	21	36	68	93	99+
GRAND TOTAL	**486**	**23.6**	**308**	**5**	**8**	**19**	**34**	**52**	**71**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.6	6	8	8	11	13	14	14	14
20-34	9	18.2	94	7	7	19	23	33	36	36
35-49	8	7.5	18	2	2	8	10	13	14	14
50-64	8	11.4	16	6	6	11	15	17	17	17
65+	9	16.0	56	5	7	14	21	28	28	28
2. MULTIPLE DX										
0-19 YRS	22	24.1	388	5	6	19	33	49	64	81
20-34	36	20.2	279	5	6	16	29	38	78	99+
35-49	14	33.6	725	2	8	26	65	82	95	99+
50-64	21	31.6	432	9	12	24	40	60	80	89
65+	28	31.3	567	6	7	23	49	77	97	99+
TOT. SINGLE DX	41	13.0	53	4	6	11	16	23	28	36
" MULTIPLE DX	121	27.0	457	6	7	21	37	69	84	99+
TOTAL 0-19 YRS	29	20.8	327	6	7	12	30	46	53	81
20-34	45	19.8	240	5	7	17	28	36	59	99+
35-49	22	24.1	621	1	2	14	47	73	88	99+
50-64	29	26.0	398	7	8	21	32	52	73	89
65+	37	27.6	483	6	7	20	36	67	91	99+
GRAND TOTAL	**162**	**23.5**	**391**	**5**	**7**	**17**	**32**	**52**	**81**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	7.7	10	3	3	7	10	12	12	14
20-34	24	6.3	8	2	2	7	8	10	11	11
35-49	11	8.1	10	4	4	7	11	12	12	12
50-64	5	11.6	40	4	4	10	16	21	21	21
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	44	12.1	119	4	4	10	12	19	40	53
20-34	35	13.9	321	3	4	9	13	27	60	91
35-49	13	16.4	146	6	7	11	24	54	90	99+
50-64	16	13.7	109	4	5	9	18	27	39	44
65+	4	6.3	15	3	3	5	9	12	12	12
TOT. SINGLE DX	70	7.6	13	2	3	7	10	12	12	20
" MULTIPLE DX	112	13.2	179	4	5	9	13	27	47	94
TOTAL 0-19 YRS	73	10.4	80	3	4	8	12	16	33	52
20-34	59	10.8	206	2	3	8	11	16	29	89
35-49	24	12.6	98	4	5	10	13	28	62	99+
50-64	21	13.2	91	4	5	9	16	25	35	44
65+	5	6.8	13	3	3	5	10	12	12	12
GRAND TOTAL	**182**	**11.0**	**122**	**3**	**4**	**9**	**12**	**21**	**32**	**84**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	11.2	20	4	5	11	14	18	19	19
20-34	9	11.4	51	4	4	9	16	23	26	26
35-49	5	11.8	43	6	6	8	19	19	19	19
50-64	2	21.5	1	21	21	21	22	22	22	22
65+	3	19.0	37	12	12	22	23	23	23	23
2. MULTIPLE DX										
0-19 YRS	37	24.8	480	5	7	19	33	74	97	99+
20-34	14	13.6	42	5	7	13	16	23	27	28
35-49	14	20.9	182	7	7	21	27	58	89	99+
50-64	16	22.4	161	4	9	20	25	32	53	62
65+	16	29.2	358	7	10	38	62	99+	99+	99+
TOT. SINGLE DX	30	12.8	41	4	5	11	19	22	23	26
" MULTIPLE DX	97	22.9	313	6	8	19	31	63	99+	99+
TOTAL 0-19 YRS	48	21.7	406	5	6	14	28	61	93	99+
20-34	23	12.8	45	4	4	11	16	23	27	28
35-49	19	18.5	158	6	7	17	25	45	79	99+
50-64	18	22.3	142	5	11	21	24	31	50	62
65+	19	27.6	317	7	11	23	50	99+	99+	99+
GRAND TOTAL	**127**	**20.6**	**266**	**5**	**7**	**17**	**26**	**59**	**98**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	6.3	14	2	3	5	9	12	13	14
20-34	8	10.8	110	3	3	8	12	29	35	35
35-49	5	11.2	40	3	3	12	16	19	19	19
50-64	4	27.5	800	9	9	16	45	69	69	69
65+	2	20.0	200	10	10	20	30	30	30	30
2. MULTIPLE DX										
0-19 YRS	99	12.6	215	2	3	8	14	24	47	83
20-34	32	19.4	291	5	6	14	23	56	71	99+
35-49	22	15.3	107	2	3	13	25	29	36	38
50-64	15	21.0	202	5	6	17	34	42	45	46
65+	10	16.8	83	7	7	14	24	29	33	33
TOT. SINGLE DX	35	11.2	157	3	3	9	12	22	34	69
" MULTIPLE DX	178	15.1	213	2	3	10	20	34	51	85
TOTAL 0-19 YRS	115	11.7	192	2	3	8	12	22	43	82
20-34	40	17.7	263	3	5	14	22	54	65	99+
35-49	27	14.5	96	2	3	12	21	27	35	38
50-64	19	22.4	298	5	7	17	34	44	59	69
65+	12	17.3	88	7	8	14	25	31	33	33
GRAND TOTAL	**213**	**14.5**	**205**	**3**	**3**	**10**	**18**	**32**	**48**	**82**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	23.3	184	15	15	16	33	39	39	39
20-34	51	11.9	28	6	7	11	15	18	22	32
35-49	96	13.8	69	5	6	12	16	24	35	45
50-64	119	12.3	54	6	7	10	15	19	25	51
65+	48	16.5	61	8	8	15	22	26	30	42
2. MULTIPLE DX										
0-19 YRS	5	26.4	491	6	6	13	50	51	51	51
20-34	43	20.5	283	7	8	15	23	37	53	99
35-49	111	16.9	100	7	8	14	21	32	38	52
50-64	176	17.4	126	7	9	15	22	30	45	99+
65+	93	22.5	215	8	9	17	29	45	52	67
TOT. SINGLE DX	317	13.5	59	6	7	12	16	22	28	44
" MULTIPLE DX	428	18.8	162	7	8	15	23	37	50	85
TOTAL 0-19 YRS	8	25.3	336	6	8	15	44	51	51	51
20-34	94	15.8	162	7	7	13	17	30	37	82
35-49	207	15.5	88	6	7	13	18	28	37	49
50-64	295	15.4	103	7	7	13	18	26	36	91
65+	141	20.4	170	8	9	16	25	38	50	66
GRAND TOTAL	**745**	**16.5**	**125**	**7**	**7**	**13**	**19**	**30**	**39**	**66**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	7.7	52	<1	1	5	10	21	23	23
20-34	39	7.6	36	2	2	6	10	16	22	26
35-49	71	7.6	52	2	2	5	10	17	21	39
50-64	37	10.7	141	2	2	5	16	29	37	51
65+	5	7.5	96	2	2	3	8	25	27	27
2. MULTIPLE DX										
0-19 YRS	27	18.3	252	5	6	15	26	65	99+	99+
20-34	36	15.1	160	2	3	12	28	45	99+	99+
35-49	47	14.4	204	2	3	10	19	28	67	99+
50-64	39	18.8	157	4	5	15	29	41	46	99+
65+	16	19.8	236	3	4	16	32	49	82	99+
TOT. SINGLE DX	165	8.3	70	2	2	5	11	19	26	42
" MULTIPLE DX	165	16.8	194	2	4	13	25	45	77	99+
TOTAL 0-19 YRS	39	15.1	213	1	2	3	21	39	88	99+
20-34	75	11.2	109	2	2	9	14	36	45	99+
35-49	118	10.3	123	2	2	8	13	22	28	79
50-64	76	14.9	164	2	2	10	22	35	46	87
65+	22	16.5	224	2	2	13	26	47	67	99+
GRAND TOTAL	**330**	**12.5**	**150**	**2**	**2**	**9**	**17**	**32**	**46**	**99+**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	4.9	7	2	2	4	6	9	10	10
20-34	43	5.6	63	<1	1	2	6	15	20	45
35-49	43	4.9	21	1	1	3	6	11	17	19
50-64	72	4.3	30	<1	1	3	4	9	14	36
65+	34	4.9	26	2	2	3	4	8	19	25
2. MULTIPLE DX										
0-19 YRS	11	12.2	210	1	1	4	22	37	41	41
20-34	30	9.9	346	1	1	3	7	23	58	88
35-49	38	7.6	38	1	2	6	9	17	22	26
50-64	55	7.8	119	1	2	5	10	16	60	99+
65+	34	10.1	141	1	2	6	11	28	53	99+
TOT. SINGLE DX	203	4.8	33	<1	1	3	5	10	17	32
" MULTIPLE DX	168	8.9	150	1	2	5	10	22	41	99+
TOTAL 0-19 YRS	22	8.5	117	1	2	4	9	28	37	41
20-34	73	7.3	182	<1	1	3	6	16	30	81
35-49	81	6.1	31	1	2	4	8	14	18	25
50-64	127	5.8	71	<1	1	3	6	12	20	99+
65+	68	7.5	90	1	2	4	8	20	29	92
GRAND TOTAL	**371**	**6.7**	**90**	**1**	**1**	**3**	**7**	**15**	**25**	**81**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	3.7	14	<1	<1	2	4	8	15	15
20-34	209	2.6	7	<1	<1	2	3	4	7	15
35-49	272	2.8	9	<1	<1	2	3	4	7	15
50-64	273	3.1	20	<1	1	2	3	5	10	16
65+	132	3.1	9	<1	1	2	3	6	9	16
2. MULTIPLE DX										
0-19 YRS	43	3.8	12	<1	1	3	5	7	10	20
20-34	140	4.7	51	1	1	2	4	11	14	47
35-49	106	5.3	57	1	1	3	5	12	18	48
50-64	191	5.6	41	<1	1	3	6	13	21	30
65+	137	7.1	58	1	1	4	10	18	24	52
TOT. SINGLE DX	912	2.9	13	<1	<1	2	3	5	8	15
" MULTIPLE DX	617	5.6	49	<1	1	3	6	13	20	39
TOTAL 0-19 YRS	69	3.8	13	<1	<1	3	5	8	11	19
20-34	349	3.4	26	<1	<1	2	3	6	12	26
35-49	378	3.5	24	<1	<1	2	3	7	11	21
50-64	464	4.1	31	<1	1	2	4	10	13	28
65+	269	5.1	38	<1	1	3	5	12	19	34
GRAND TOTAL	**1529**	**4.0**	**29**	**<1**	**1**	**2**	**4**	**9**	**13**	**28**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	9.7	12	6	6	10	12	13	13	13
20-34	13	7.3	13	2	3	7	9	13	15	16
35-49	15	8.8	26	2	4	8	11	12	21	24
50-64	26	8.7	30	3	4	7	10	17	19	26
65+	32	13.6	67	5	6	12	16	24	36	38
2. MULTIPLE DX										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	18	10.4	96	3	3	8	10	23	37	43
35-49	16	14.1	221	2	3	10	14	41	52	56
50-64	45	15.0	163	4	6	11	19	27	40	74
65+	105	17.5	139	6	8	15	21	31	48	99+
TOT. SINGLE DX	89	10.3	45	3	4	9	13	17	24	38
" MULTIPLE DX	185	15.9	150	4	6	13	20	29	44	95
TOTAL 0-19 YRS	4	13.0	53	6	6	11	18	23	23	23
20-34	31	9.1	63	3	3	7	9	14	27	43
35-49	31	11.5	130	2	3	9	13	22	42	56
50-64	71	12.7	123	3	4	9	15	24	29	69
65+	137	16.6	125	5	8	14	20	30	41	99+
GRAND TOTAL	**274**	**14.1**	**123**	**4**	**5**	**11**	**17**	**27**	**37**	**84**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	4.0	5	2	2	3	5	8	8	8
35-49	10	6.5	33	1	1	5	8	15	20	20
50-64	11	12.2	34	3	3	15	17	18	18	18
65+	3	5.7	41	1	1	3	10	13	13	13
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	13.5	303	<1	1	9	16	32	60	66
35-49	15	12.7	92	2	2	11	18	30	32	33
50-64	17	19.9	400	6	7	14	21	40	73	89
65+	21	14.0	152	2	3	10	16	33	43	52
TOT. SINGLE DX	31	7.9	36	1	2	5	13	17	18	20
" MULTIPLE DX	67	14.9	229	2	2	11	17	31	44	85
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	19	10.5	224	1	2	5	11	23	47	66
35-49	25	10.2	77	1	2	8	14	20	31	33
50-64	28	16.9	265	3	5	14	17	26	48	89
65+	24	13.0	144	2	3	10	16	31	41	52
GRAND TOTAL	**98**	**12.7**	**178**	**2**	**2**	**10**	**16**	**24**	**35**	**78**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	6.3	28	3	4	5	6	9	10	36
20-34	187	4.9	3	3	3	4	6	7	7	14
35-49	203	5.2	5	3	4	5	6	7	8	11
50-64	160	5.7	6	3	3	5	7	8	10	18
65+	81	6.5	8	2	4	6	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	6	7.3	16	3	3	6	12	12	12	12
20-34	85	6.7	36	3	3	5	7	10	15	40
35-49	98	7.5	41	3	4	6	7	13	18	41
50-64	164	7.2	30	3	4	6	7	12	18	32
65+	75	9.0	48	4	4	7	10	14	28	86
TOT. SINGLE DX	668	5.4	7	3	3	5	6	8	9	16
" MULTIPLE DX	428	7.5	37	3	4	6	8	13	19	41
TOTAL 0-19 YRS	43	6.4	27	3	4	5	7	9	12	36
20-34	272	5.4	15	3	3	5	6	8	10	21
35-49	301	5.9	18	3	4	5	6	8	10	31
50-64	324	6.4	19	3	4	5	7	9	15	26
65+	156	7.7	29	3	4	7	8	13	16	46
GRAND TOTAL	**1096**	**6.2**	**20**	**3**	**4**	**5**	**7**	**9**	**13**	**31**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	2.9	3	1	1	2	4	6	7	8
20-34	41	3.4	4	<1	1	3	4	6	7	11
35-49	28	5.1	4	2	3	5	6	8	9	10
50-64	22	6.7	40	1	2	5	6	14	22	30
65+	14	6.0	8	2	2	6	7	11	12	12
2. MULTIPLE DX										
0-19 YRS	14	7.8	29	2	3	6	9	18	20	20
20-34	17	8.8	40	3	4	7	12	16	24	28
35-49	26	9.1	70	1	3	6	13	25	29	31
50-64	55	11.1	86	3	4	8	14	21	31	97
65+	40	16.0	167	5	6	12	18	36	45	59
TOT. SINGLE DX	161	4.2	11	1	1	4	5	7	9	17
" MULTIPLE DX	152	11.5	101	3	4	8	14	23	33	59
TOTAL 0-19 YRS	70	3.8	12	1	1	3	4	8	9	20
20-34	58	5.0	21	1	1	4	5	11	13	27
35-49	54	7.0	39	2	3	5	7	14	24	31
50-64	77	9.8	77	2	3	7	13	20	29	88
65+	54	13.4	145	3	5	9	15	31	39	59
GRAND TOTAL	**313**	**7.7**	**68**	**1**	**2**	**5**	**9**	**17**	**25**	**54**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	13	16.8	69	6	8	17	21	30	32	33
35-49	9	12.2	25	5	5	13	17	18	18	18
50-64	7	15.4	62	7	7	15	20	27	29	29
65+	4	12.8	191	2	2	8	21	33	33	33
2. MULTIPLE DX										
0-19 YRS	5	13.6	61	5	5	16	19	23	23	23
20-34	20	21.9	141	9	11	18	24	40	50	57
35-49	23	17.5	57	7	9	15	22	28	32	37
50-64	21	20.2	143	8	8	17	29	36	43	50
65+	14	22.8	341	9	10	19	23	33	73	84
TOT. SINGLE DX	35	14.2	68	3	5	13	18	29	32	33
" MULTIPLE DX	83	19.9	147	7	9	17	23	34	40	75
TOTAL 0-19 YRS	7	11.1	60	3	3	7	17	22	23	23
20-34	33	19.9	116	8	10	17	23	34	43	57
35-49	32	16.0	53	6	7	15	19	25	30	37
50-64	28	19.0	124	7	8	16	27	34	39	50
65+	18	20.6	313	4	7	17	23	31	64	84
GRAND TOTAL	**118**	**18.2**	**129**	**6**	**7**	**17**	**23**	**31**	**37**	**66**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	1.3		<1	<1	1	1	2	3	4
20-34	20	3.0	24	<1	<1	1	2	6	15	23
35-49	24	2.4	4	<1	<1	1	3	5	7	9
50-64	27	2.8	18	<1	<1	<1	3	6	12	21
65+	34	4.2	18	<1	1	2	5	10	13	21
2. MULTIPLE DX										
0-19 YRS	11	2.1	1	1	1	2	3	4	4	4
20-34	10	4.1	13	<1	<1	2	8	10	11	11
35-49	5	4.6	21	<1	<1	2	9	11	11	11
50-64	26	5.3	37	<1	<1	3	7	15	18	27
65+	43	9.6	74	1	2	6	16	28	30	99+
TOT. SINGLE DX	161	2.5	12	<1	<1	1	2	5	9	21
" MULTIPLE DX	95	6.7	53	<1	<1	4	9	17	28	68
TOTAL 0-19 YRS	67	1.4	1	<1	<1	1	2	2	3	4
20-34	30	3.3	21	<1	<1	2	3	9	11	23
35-49	29	2.8	7	<1	<1	2	3	7	9	11
50-64	53	4.0	29	<1	<1	2	4	11	16	27
65+	77	7.2	57	<1	2	4	10	20	29	81
GRAND TOTAL	**256**	**4.1**	**31**	**<1**	**<1**	**2**	**4**	**11**	**17**	**30**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	2.7	4	<1	1	2	3	6	7	11
20-34	32	2.2	3	<1	<1	2	3	4	6	9
35-49	62	2.0	3	<1	<1	1	2	4	5	11
50-64	81	3.0	4	<1	<1	2	3	6	8	11
65+	146	3.3	9	1	2	2	3	6	9	21
2. MULTIPLE DX										
0-19 YRS	110	3.8	21	<1	1	2	5	8	12	28
20-34	133	4.1	18	<1	1	3	5	9	13	27
35-49	80	5.3	38	<1	<1	3	7	11	15	39
50-64	100	4.9	126	<1	1	3	4	7	14	98
65+	151	9.0	160	1	2	4	11	24	44	99+
TOT. SINGLE DX	391	2.9	6	<1	<1	2	3	5	8	12
" MULTIPLE DX	574	5.6	82	<1	1	3	6	13	22	95
TOTAL 0-19 YRS	180	3.4	15	<1	1	2	4	7	9	23
20-34	165	3.7	16	<1	<1	2	4	8	12	25
35-49	142	3.9	26	<1	<1	2	5	8	12	21
50-64	181	4.1	73	<1	1	2	4	7	10	85
65+	297	6.2	94	1	2	3	6	14	25	99+
GRAND TOTAL	**965**	**4.5**	**53**	**<1**	**1**	**3**	**5**	**9**	**14**	**56**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.8	3	1	1	2	3	5	7	7
20-34	25	3.7	4	1	2	3	4	7	8	10
35-49	32	3.4	2	2	2	3	4	5	7	10
50-64	49	4.1	7	2	2	3	4	9	11	13
65+	63	4.1	6	2	2	3	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	12	4.7	3	2	2	4	7	7	7	7
20-34	16	3.3	4	1	1	3	4	6	8	9
35-49	14	5.1	19	1	2	3	7	12	16	17
50-64	29	6.0	26	2	2	4	8	13	16	23
65+	44	6.3	32	2	2	4	8	13	18	29
TOT. SINGLE DX	183	3.8	6	2	2	3	4	7	10	13
" MULTIPLE DX	115	5.5	23	2	2	4	7	12	16	25
TOTAL 0-19 YRS	26	3.7	4	1	1	3	5	7	7	7
20-34	41	3.5	4	1	2	3	4	7	8	10
35-49	46	3.9	8	2	2	3	4	7	10	17
50-64	78	4.8	15	2	2	3	5	11	13	21
65+	107	5.0	18	2	2	3	6	11	13	24
GRAND TOTAL	**298**	**4.5**	**13**	**2**	**2**	**3**	**5**	**9**	**12**	**19**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	7	1.9		<1	<1	2	2	3	3	3
35-49	5	2.2		<1	<1	2	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	5	6.8	31	<1	<1	6	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	4	2.3	6	<1	<1	1	4	6	6	6
20-34	7	4.3	10	<1	<1	4	7	9	9	9
35-49	2	5.0		5	5	5	5	5	5	5
50-64	5	5.8	21	1	1	5	10	12	12	12
65+	6	2.5	1	<1	<1	3	3	4	4	4
TOT. SINGLE DX	22	3.2	11	<1	<1	2	3	7	12	14
" MULTIPLE DX	24	3.9	9	<1	<1	3	6	9	10	12
TOTAL 0-19 YRS	7	2.1	3	<1	<1	2	2	5	6	6
20-34	14	3.1	6	<1	<1	2	4	7	9	9
35-49	7	3.0	2	<1	<1	3	4	5	5	5
50-64	7	5.0	17	1	1	4	8	11	12	12
65+	11	4.5	18	<1	<1	3	5	12	14	14
GRAND TOTAL	**46**	**3.5**	**10**	**<1**	**<1**	**2**	**5**	**9**	**11**	**14**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.2	8	1	1	7	8	8	8	8
20-34	25	6.6	4	4	5	6	7	9	11	14
35-49	13	5.2	4	1	2	6	6	8	9	9
50-64	14	7.9	45	2	4	6	8	13	26	30
65+	26	6.0	6	2	3	6	7	9	11	13
2. MULTIPLE DX										
0-19 YRS	6	6.0	3	3	3	6	7	8	8	8
20-34	18	7.9	29	2	3	7	9	11	21	27
35-49	8	7.0	14	2	3	6	8	13	15	15
50-64	21	10.1	140	2	3	6	10	21	41	55
65+	49	8.2	27	3	4	7	9	14	18	30
TOT. SINGLE DX	83	6.4	12	2	3	6	7	9	11	25
" MULTIPLE DX	102	8.3	48	3	3	7	9	14	21	42
TOTAL 0-19 YRS	11	6.1	5	1	2	7	8	8	8	8
20-34	43	7.2	15	3	4	6	8	10	13	27
35-49	21	5.9	9	1	2	6	7	9	12	15
50-64	35	9.2	101	2	3	6	9	15	30	55
65+	75	7.5	21	3	4	6	8	13	16	29
GRAND TOTAL	**185**	**7.5**	**33**	**2**	**3**	**6**	**8**	**12**	**15**	**30**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.6	6	1	1	3	5	8	9	9
20-34	38	2.3	5	<1	<1	2	2	4	5	14
35-49	50	2.0	1	<1	<1	2	2	4	5	6
50-64	54	2.3	1	<1	<1	2	3	4	5	7
65+	40	3.3	7	<1	<1	3	4	6	10	13
2. MULTIPLE DX										
0-19 YRS	30	6.3	14	1	2	6	9	11	13	17
20-34	34	5.4	13	1	2	5	7	9	14	17
35-49	15	4.1	7	1	1	3	5	6	11	12
50-64	13	6.5	25	1	2	5	11	15	15	15
65+	33	6.6	124	1	1	3	7	11	37	54
TOT. SINGLE DX	198	2.5	4	<1	<1	2	3	5	6	13
" MULTIPLE DX	125	5.9	43	1	1	5	7	11	15	44
TOTAL 0-19 YRS	46	5.4	13	1	1	5	8	10	12	17
20-34	72	3.8	12	<1	<1	3	5	7	13	16
35-49	65	2.5	4	<1	<1	2	3	5	6	11
50-64	67	3.1	9	<1	<1	2	3	6	11	15
65+	73	4.8	62	<1	1	3	4	8	13	51
GRAND TOTAL	**323**	**3.8**	**22**	**<1**	**<1**	**2**	**5**	**8**	**11**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	17.0	128	9	9	17	25	25	25	25
20-34	6	8.7	44	1	1	7	9	20	21	21
35-49	21	7.7	17	3	4	7	10	13	17	20
50-64	38	7.2	20	2	2	6	9	11	17	23
65+	99	7.6	32	2	2	6	9	15	21	31
2. MULTIPLE DX										
0-19 YRS	11	14.7	216	2	3	6	19	42	44	44
20-34	10	6.3	20	1	1	5	7	14	15	15
35-49	21	11.6	194	2	3	7	11	28	46	63
50-64	52	8.3	43	2	3	6	11	21	27	98
65+	101	9.8	92	3	3	7	11	21	35	79
TOT. SINGLE DX	166	7.7	30	2	2	7	9	14	21	30
" MULTIPLE DX	195	9.7	94	2	3	6	11	21	33	82
TOTAL 0-19 YRS	13	15.1	192	2	4	9	20	41	43	44
20-34	16	7.2	28	1	1	6	8	15	19	21
35-49	42	9.6	107	2	3	7	10	16	28	63
50-64	90	7.9	34	2	3	6	10	18	23	70
65+	200	8.7	64	2	3	7	9	17	30	51
GRAND TOTAL	**361**	**8.8**	**65**	**2**	**3**	**6**	**10**	**18**	**26**	**57**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	7.4	54	2	2	4	11	20	23	23
20-34	21	6.0	15	1	2	5	7	13	14	14
35-49	16	5.2	11	1	1	5	7	9	12	13
50-64	51	4.7	15	1	2	4	6	11	13	18
65+	70	5.6	18	2	2	4	7	11	16	21
2. MULTIPLE DX										
0-19 YRS	27	8.0	23	2	3	6	12	15	16	20
20-34	45	7.9	38	2	2	7	10	15	24	26
35-49	24	8.3	46	2	2	6	11	19	24	25
50-64	39	7.4	25	2	2	6	12	13	18	23
65+	72	7.3	46	2	2	6	8	13	27	87
TOT. SINGLE DX	166	5.5	18	1	2	4	7	12	14	21
" MULTIPLE DX	207	7.7	37	2	2	6	10	15	22	36
TOTAL 0-19 YRS	35	7.9	29	2	2	6	12	15	19	23
20-34	66	7.3	32	2	2	6	10	14	22	26
35-49	40	7.1	34	1	2	5	9	16	21	25
50-64	90	5.9	21	2	2	4	7	12	15	22
65+	142	6.5	33	2	2	5	8	12	18	48
GRAND TOTAL	**373**	**6.7**	**30**	**2**	**2**	**5**	**8**	**13**	**18**	**28**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.2	1	2	2	3	4	5	5	5
20-34	7	4.9	8	3	3	4	5	10	11	11
35-49	116	5.1	7	2	2	5	6	8	10	15
50-64	645	4.8	7	2	2	4	6	8	10	14
65+	2247	5.2	8	2	2	5	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	10	6.7	32	2	2	5	7	15	22	22
20-34	19	9.4	84	2	3	6	8	22	33	40
35-49	73	5.9	12	2	2	6	7	10	13	20
50-64	455	6.4	37	2	2	5	7	12	15	27
65+	1935	6.7	47	2	2	5	7	13	17	38
TOT. SINGLE DX	3020	5.1	8	2	2	4	6	8	11	14
" MULTIPLE DX	2492	6.7	45	2	2	5	7	13	16	36
TOTAL 0-19 YRS	15	5.5	24	2	2	4	7	8	18	22
20-34	26	8.2	67	2	3	6	8	19	27	40
35-49	189	5.4	9	2	2	5	7	9	12	18
50-64	1100	5.5	20	2	2	5	6	10	13	18
65+	4182	5.9	27	2	2	5	7	11	14	26
GRAND TOTAL	**5512**	**5.8**	**26**	**2**	**2**	**5**	**7**	**10**	**14**	**24**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	4.4	14	2	2	3	4	7	12	22
20-34	37	4.1	5	2	2	3	5	7	9	13
35-49	35	4.7	9	2	2	4	6	10	12	14
50-64	121	4.2	5	2	2	4	5	7	11	14
65+	342	3.9	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	13	5.2	8	2	3	4	6	11	11	11
20-34	28	4.7	9	2	2	4	5	11	12	12
35-49	53	5.3	10	2	2	4	6	11	13	14
50-64	170	4.8	9	2	2	4	6	9	12	18
65+	526	5.2	24	2	2	4	6	9	14	33
TOT. SINGLE DX	579	4.1	5	2	2	4	5	7	7	13
" MULTIPLE DX	790	5.1	19	2	2	4	6	10	13	30
TOTAL 0-19 YRS	57	4.6	13	2	2	4	5	8	11	22
20-34	65	4.3	7	2	2	4	5	8	12	13
35-49	88	5.0	10	2	2	4	6	11	12	14
50-64	291	4.6	8	2	2	4	5	8	11	17
65+	868	4.7	16	2	2	4	5	7	11	28
GRAND TOTAL	**1369**	**4.7**	**14**	**2**	**2**	**4**	**5**	**8**	**11**	**23**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	3	4.7	4	3	3	4	6	7	7	7
35-49	7	3.6	4	1	1	4	5	6	6	6
50-64	46	4.4	3	2	2	4	5	7	8	11
65+	146	4.7	3	2	2	5	6	7	7	10
2. MULTIPLE DX										
0-19 YRS	4	3.0		2	2	3	4	4	4	4
20-34	3	5.0	7	3	3	4	7	8	8	8
35-49	6	4.7	11	2	2	3	9	9	9	9
50-64	47	5.9	16	3	3	4	7	11	12	26
65+	223	5.4	12	2	2	5	6	9	11	27
TOT. SINGLE DX	204	4.6	4	2	2	4	6	7	8	11
" MULTIPLE DX	283	5.4	13	2	2	5	6	9	12	26
TOTAL 0-19 YRS	6	5.0	24	2	2	3	4	14	15	15
20-34	6	4.8	5	3	3	4	7	8	8	8
35-49	13	4.1	7	1	1	3	6	9	9	9
50-64	93	5.1	11	2	2	4	6	9	11	20
65+	369	5.1	9	2	2	5	6	7	10	20
GRAND TOTAL	**487**	**5.1**	**9**	**2**	**2**	**4**	**6**	**8**	**10**	**19**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	5.7	9	2	2	5	8	10	12	14
20-34	60	5.9	11	1	2	6	8	10	12	16
35-49	47	7.1	11	2	3	7	10	11	13	16
50-64	126	7.0	15	2	2	7	10	12	14	17
65+	106	6.8	21	2	2	6	10	13	15	20
2. MULTIPLE DX										
0-19 YRS	17	6.9	9	1	3	7	9	11	12	13
20-34	51	6.4	12	3	3	6	8	10	11	22
35-49	42	6.5	19	2	3	5	8	10	18	23
50-64	117	6.8	16	2	4	6	8	11	14	24
65+	145	8.2	23	3	4	7	10	15	19	24
TOT. SINGLE DX	364	6.7	16	2	2	6	9	12	14	18
" MULTIPLE DX	372	7.3	19	3	3	6	9	12	17	23
TOTAL 0-19 YRS	42	6.2	10	1	3	6	8	10	12	14
20-34	111	6.1	12	2	2	6	8	10	12	18
35-49	89	6.9	15	2	3	6	9	11	14	22
50-64	243	6.9	16	2	2	6	9	11	14	23
65+	251	7.6	23	2	3	7	10	14	18	23
GRAND TOTAL	**736**	**7.0**	**17**	**2**	**2**	**6**	**9**	**12**	**15**	**23**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.6	9	<1	<1	<1	3	8	10	11
20-34	16	4.4	13	<1	<1	3	7	9	12	13
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	19	6.2	8	2	2	6	7	10	13	14
65+	27	7.3	14	2	2	7	9	12	14	19
2. MULTIPLE DX										
0-19 YRS	8	7.5	63	<1	<1	6	8	21	26	26
20-34	61	7.9	36	2	3	7	8	13	25	30
35-49	42	8.0	39	3	4	7	8	14	16	42
50-64	62	6.4	11	2	3	6	7	12	14	16
65+	84	7.2	50	2	2	5	7	12	18	46
TOT. SINGLE DX	81	5.4	15	<1	<1	5	7	11	12	17
" MULTIPLE DX	257	7.3	36	2	3	6	8	13	17	33
TOTAL 0-19 YRS	25	4.2	30	<1	<1	1	6	9	15	26
20-34	77	7.2	33	<1	2	6	8	12	21	30
35-49	44	7.8	39	2	4	7	8	14	16	42
50-64	81	6.4	11	2	3	6	7	12	14	16
65+	111	7.2	41	2	2	6	8	12	18	41
GRAND TOTAL	**338**	**6.9**	**32**	**1**	**2**	**6**	**8**	**12**	**15**	**30**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	830	1.9		<1	1	2	2	2	3	4
20-34	198	2.1		1	2	2	2	3	3	4
35-49	61	2.3		2	2	2	3	3	3	5
50-64	26	2.5	2	1	2	2	2	4	6	9
65+	17	3.1	5	2	2	2	3	7	9	10
2. MULTIPLE DX										
0-19 YRS	153	2.3	5	<1	1	2	2	3	3	16
20-34	38	3.1	9	<1	1	2	3	8	11	16
35-49	37	4.8	133	2	2	2	3	4	11	72
50-64	19	2.8	1	2	2	2	3	5	6	6
65+	5	5.4	37	2	2	2	8	16	16	16
TOT. SINGLE DX	1132	2.0	1	<1	1	2	2	3	3	4
" MULTIPLE DX	252	2.9	26	<1	1	2	2	4	8	16
TOTAL 0-19 YRS	983	1.9	1	<1	1	2	2	2	3	4
20-34	236	2.3	2	1	2	2	2	3	3	9
35-49	98	3.2	51	2	2	2	3	4	4	45
50-64	45	2.6	2	2	2	2	3	4	5	9
65+	22	3.6	12	2	2	2	3	9	12	16
GRAND TOTAL	**1384**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**3**	**3**	**8**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
TOT. SINGLE DX	3	1.7		1	1	2	2	2	2	2
" MULTIPLE DX	4	2.3	2	1	1	2	3	4	4	4
TOTAL 0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
GRAND TOTAL	**7**	**2.0**	**1**	**1**	**1**	**2**	**2**	**4**	**4**	**4**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	5.2	21	1	1	3	8	14	14	15
20-34	23	4.7	13	<1	1	4	6	7	11	19
35-49	9	5.0	21	1	1	3	7	12	16	16
50-64	11	5.8	23	<1	1	5	7	13	18	18
65+	32	5.9	67	1	1	4	7	10	13	48
2. MULTIPLE DX										
0-19 YRS	17	9.2	69	1	2	7	12	22	28	31
20-34	38	6.5	23	1	2	5	8	13	17	23
35-49	27	7.1	35	1	2	6	8	17	20	23
50-64	22	11.9	337	2	3	7	9	25	55	88
65+	42	10.6	171	2	2	7	12	24	37	72
TOT. SINGLE DX	100	5.4	34	1	1	4	6	11	15	33
" MULTIPLE DX	146	8.9	122	2	2	6	10	19	24	73
TOTAL 0-19 YRS	42	6.8	44	1	1	4	11	14	20	31
20-34	61	5.8	20	1	1	5	7	11	17	23
35-49	36	6.6	32	1	2	5	7	16	19	23
50-64	33	9.9	237	2	2	6	9	19	31	88
65+	74	8.6	131	1	2	5	9	19	35	66
GRAND TOTAL	**246**	**7.5**	**89**	**1**	**2**	**5**	**8**	**15**	**21**	**49**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	250	2.5	13	<1	<1	2	2	4	7	13
20-34	66	2.2	2	<1	<1	2	3	5	6	8
35-49	25	3.2	6	<1	<1	3	4	6	9	11
50-64	13	3.0	5	<1	<1	3	3	6	9	10
65+	23	3.5	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	108	5.1	24	1	1	4	6	10	14	29
20-34	41	6.0	66	<1	1	3	7	16	17	47
35-49	26	2.8	4	<1	1	2	3	6	7	10
50-64	30	7.6	121	1	1	4	8	16	22	59
65+	47	12.8	252	1	1	8	21	39	99+	99+
TOT. SINGLE DX	377	2.6	10	<1	<1	2	3	5	7	13
" MULTIPLE DX	252	6.7	92	1	1	4	7	17	26	99
TOTAL 0-19 YRS	358	3.3	18	<1	<1	2	4	6	10	22
20-34	107	3.7	30	<1	<1	2	4	8	13	30
35-49	51	3.0	5	<1	1	3	3	6	9	11
50-64	43	6.2	90	<1	1	3	6	13	19	59
65+	70	9.7	189	1	2	5	14	28	86	99+
GRAND TOTAL	**629**	**4.3**	**47**	**<1**	**<1**	**2**	**4**	**9**	**15**	**47**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.5	1	<1	1	3	3	4	4	4
20-34	85	3.2	1	2	2	3	4	5	5	7
35-49	125	3.3	1	1	2	3	4	5	6	7
50-64	93	3.5	1	2	2	3	4	5	6	9
65+	20	3.5	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	14	2.6		2	2	2	3	4	5	5
20-34	34	3.3	2	1	2	3	4	4	7	9
35-49	36	3.0	1	1	2	3	4	4	5	6
50-64	46	3.6	4	2	2	3	4	5	8	13
65+	6	2.2		1	1	2	3	3	3	3
TOT. SINGLE DX	337	3.3	2	2	2	3	4	5	6	7
" MULTIPLE DX	136	3.2	3	1	2	3	4	5	6	10
TOTAL 0-19 YRS	28	2.6	1	1	1	3	3	4	4	5
20-34	119	3.3	2	2	2	3	4	5	5	8
35-49	161	3.2	2	1	2	3	4	5	6	7
50-64	139	3.5	3	2	2	3	4	5	6	10
65+	26	3.2	3	1	1	3	4	5	7	9
GRAND TOTAL	**473**	**3.3**	**2**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	2.8	2	1	2	2	3	5	6	8
20-34	230	2.8	1	1	2	3	3	4	5	6
35-49	162	2.7	1	1	2	3	3	4	5	7
50-64	104	2.6	1	2	2	2	3	4	5	7
65+	17	2.2		1	2	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	144	4.5	14	2	2	3	6	8	10	19
20-34	257	3.7	5	2	2	3	4	7	8	12
35-49	155	3.5	4	1	2	3	4	7	8	10
50-64	108	3.6	4	1	2	3	4	8	8	10
65+	26	4.0	11	1	2	3	6	7	11	17
TOT. SINGLE DX	717	2.7	2	1	2	2	3	4	5	7
" MULTIPLE DX	690	3.8	7	2	2	3	5	8	8	13
TOTAL 0-19 YRS	348	3.5	8	2	2	3	4	7	8	13
20-34	487	3.2	4	1	2	3	3	6	7	10
35-49	317	3.1	3	1	2	3	3	6	7	8
50-64	212	3.1	3	2	2	3	3	6	8	9
65+	43	3.3	8	1	2	2	3	7	8	17
GRAND TOTAL	**1407**	**3.3**	**5**	**1**	**2**	**3**	**3**	**6**	**8**	**10**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	693	1.6	5	<1	<1	1	1	2	4	10
20-34	58	1.6	1	<1	<1	<1	2	3	4	7
35-49	31	2.2	12	<1	<1	1	3	3	3	21
50-64	18	1.6	1	<1	<1	1	2	3	4	5
65+	9	1.9	2	<1	<1	1	2	5	6	6
2. MULTIPLE DX										
0-19 YRS	730	3.5	23	<1	<1	2	2	8	12	25
20-34	25	5.4	125	<1	<1	2	4	9	25	57
35-49	23	3.3	14	<1	<1	2	3	9	12	17
50-64	26	4.1	27	<1	<1	2	4	7	17	25
65+	15	6.3	57	1	1	3	11	24	77	99+
TOT. SINGLE DX	809	1.6	5	<1	<1	1	1	2	4	10
" MULTIPLE DX	819	3.6	27	<1	<1	2	2	8	13	28
TOTAL 0-19 YRS	1423	2.6	16	<1	<1	1	2	5	9	22
20-34	83	2.7	41	<1	<1	1	2	5	6	43
35-49	54	2.7	14	<1	<1	1	3	4	9	21
50-64	44	3.1	18	<1	<1	2	3	6	10	25
65+	24	4.6	40	<1	1	2	5	19	44	99+
GRAND TOTAL	**1628**	**2.6**	**17**	**<1**	**<1**	**1**	**2**	**5**	**9**	**23**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	5.5	25	1	3	4	6	9	14	31
20-34	59	4.3	3	2	2	4	5	7	9	11
35-49	36	4.0	3	2	2	4	5	7	7	9
50-64	40	4.5	4	2	3	4	5	6	8	15
65+	18	7.3	34	2	3	5	10	17	22	24
2. MULTIPLE DX										
0-19 YRS	76	6.5	25	2	2	5	9	12	17	24
20-34	99	4.9	11	2	3	4	5	9	10	20
35-49	61	5.1	6	2	2	4	7	9	10	12
50-64	56	6.4	30	2	3	5	7	13	17	34
65+	28	7.9	80	3	3	5	8	15	20	49
TOT. SINGLE DX	192	4.8	12	2	2	4	5	8	10	22
" MULTIPLE DX	320	5.8	24	2	3	4	7	10	14	24
TOTAL 0-19 YRS	115	6.2	25	2	2	5	8	12	15	27
20-34	158	4.7	8	2	3	4	5	9	10	14
35-49	97	4.7	5	2	2	4	6	8	9	11
50-64	96	5.6	21	2	3	4	6	9	15	27
65+	46	7.7	62	3	3	5	9	15	20	49
GRAND TOTAL	**512**	**5.5**	**19**	**2**	**2**	**4**	**6**	**10**	**12**	**24**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	1.6	1	<1	<1	1	2	4	4	5
20-34	24	3.5	4	<1	1	3	5	7	8	8
35-49	20	3.5	4	<1	1	3	4	7	8	8
50-64	31	4.4	6	2	2	3	5	9	11	12
65+	6	3.8	8	1	1	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	59	5.6	42	<1	<1	3	8	14	15	36
20-34	42	5.1	10	2	2	4	7	9	11	16
35-49	35	5.5	23	2	2	3	7	11	15	24
50-64	31	4.4	11	<1	1	3	6	8	9	17
65+	13	8.2	38	1	2	6	12	19	19	19
TOT. SINGLE DX	141	2.9	5	<1	<1	2	4	6	8	11
" MULTIPLE DX	180	5.5	26	<1	1	4	8	11	15	26
TOTAL 0-19 YRS	119	3.6	26	<1	<1	2	4	9	14	30
20-34	66	4.5	8	1	2	3	7	8	10	15
35-49	55	4.8	18	1	2	3	6	10	12	24
50-64	62	4.4	9	1	2	3	6	8	10	16
65+	19	6.8	33	1	1	4	9	18	19	19
GRAND TOTAL	**321**	**4.3**	**18**	**<1**	**<1**	**3**	**6**	**9**	**12**	**21**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	3.0	1	2	2	3	4	4	5	6
20-34	412	2.7		<1	2	3	3	4	4	5
35-49	166	3.0		2	2	3	3	4	5	6
50-64	76	3.1		2	2	3	4	4	4	6
65+	21	3.4	2	2	2	3	4	4	6	9
2. MULTIPLE DX										
0-19 YRS	158	3.6	15	2	2	3	3	5	5	22
20-34	557	2.8		<1	1	3	3	4	4	5
35-49	217	3.1	4	<1	2	3	3	4	5	11
50-64	133	3.6	6	1	2	3	4	5	6	19
65+	34	4.2	8	2	2	3	4	10	12	14
TOT. SINGLE DX	813	2.9	1	1	2	3	3	4	4	6
" MULTIPLE DX	1099	3.1	5	<1	2	3	3	4	5	11
TOTAL 0-19 YRS	296	3.3	9	2	2	3	4	5	5	12
20-34	969	2.7	1	<1	1	3	3	4	4	5
35-49	383	3.1	3	1	2	3	3	4	5	8
50-64	209	3.4	5	2	2	3	4	4	5	17
65+	55	3.9	6	2	2	3	4	6	10	14
GRAND TOTAL	1912	3.0	3	<1	2	3	3	4	5	7

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	279	2.9	1	1	1	3	4	5	5	7
20-34	769	2.8	1	1	2	3	4	4	5	6
35-49	242	3.0	1	1	2	3	4	4	5	6
50-64	105	3.2	2	2	2	3	4	4	5	11
65+	30	2.9	1	1	1	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	219	3.2	4	<1	1	3	4	5	7	11
20-34	623	3.7	25	1	1	3	4	5	7	15
35-49	261	3.5	9	1	1	3	4	5	7	20
50-64	120	3.8	9	2	2	3	4	6	9	21
65+	41	3.6	6	1	1	3	4	6	9	13
TOT. SINGLE DX	1425	2.9	2	1	2	3	4	4	5	6
" MULTIPLE DX	1264	3.6	16	1	1	3	4	5	7	16
TOTAL 0-19 YRS	498	3.1	3	<1	1	3	4	5	6	9
20-34	1392	3.2	13	1	1	3	4	5	5	11
35-49	503	3.2	5	1	2	3	4	5	6	13
50-64	225	3.6	6	2	2	3	4	5	7	16
65+	71	3.3	5	1	1	3	4	6	7	13
GRAND TOTAL	2689	3.2	9	1	2	3	4	5	6	11

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.6	5	<1	<1	2	3	5	6	14
20-34	62	3.1	5	<1	1	3	4	5	9	14
35-49	61	3.0	4	<1	<1	3	4	5	7	13
50-64	79	3.3	6	1	2	2	4	6	9	16
65+	85	3.2	4	<1	1	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	37	4.2	35	1	1	3	4	7	10	37
20-34	91	3.4	10	<1	1	2	3	6	12	18
35-49	94	2.9	2	1	2	3	3	4	5	10
50-64	154	4.2	19	1	2	3	4	7	13	24
65+	120	9.6	203	1	2	4	10	27	38	76
TOT. SINGLE DX	328	3.1	5	<1	1	2	3	6	7	14
" MULTIPLE DX	496	5.1	67	1	2	3	4	10	16	41
TOTAL 0-19 YRS	78	3.3	20	<1	1	2	3	6	8	31
20-34	153	3.3	8	<1	1	2	3	6	10	17
35-49	155	2.9	3	<1	1	3	3	5	6	13
50-64	233	3.9	16	1	2	3	4	7	11	19
65+	205	7.0	131	1	2	3	7	13	31	67
GRAND TOTAL	824	4.3	43	1	1	3	4	7	12	37

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	2.3	11	<1	<1	1	2	4	5	22
20-34	78	2.5	6	<1	<1	2	3	6	7	16
35-49	30	3.4	6	1	1	3	4	8	9	9
50-64	21	3.2	4	<1	1	3	5	6	7	7
65+	25	4.4	24	1	2	3	4	6	13	27
2. MULTIPLE DX										
0-19 YRS	178	2.9	16	<1	<1	2	3	6	8	23
20-34	188	3.6	59	<1	<1	2	3	7	11	20
35-49	56	3.8	23	<1	1	2	4	9	12	30
50-64	77	5.7	25	1	2	4	7	13	15	29
65+	98	6.9	56	1	1	5	9	16	21	77
TOT. SINGLE DX	247	2.8	10	<1	<1	2	3	6	7	19
" MULTIPLE DX	597	4.2	40	<1	1	2	5	10	14	32
TOTAL 0-19 YRS	271	2.7	15	<1	<1	2	3	6	8	24
20-34	266	3.3	44	<1	<1	2	3	6	10	19
35-49	86	3.7	17	<1	1	2	4	8	10	25
50-64	98	5.2	22	1	1	4	6	11	14	26
65+	123	6.4	51	1	1	4	7	14	21	65
GRAND TOTAL	844	3.8	32	<1	1	2	4	8	12	27

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	3.7	3	2	2	3	4	7	7	7
20-34	33	3.7	7	1	2	3	4	5	11	14
35-49	36	3.7	4	1	2	3	4	7	7	11
50-64	25	4.9	17	1	2	3	6	10	14	20
65+	9	2.8		2	2	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	11	5.2	6	2	2	4	8	9	9	9
20-34	40	4.6	33	1	2	3	4	6	14	35
35-49	41	3.9	7	1	2	3	4	7	11	14
50-64	34	3.8	7	2	2	3	4	6	8	16
65+	28	9.9	133	2	2	5	13	20	30	59
TOT. SINGLE DX	109	3.9	8	1	2	3	4	7	10	16
" MULTIPLE DX	154	5.2	41	2	2	3	5	9	15	35
TOTAL 0-19 YRS	17	4.6	6	2	2	4	6	9	9	9
20-34	73	4.2	22	1	2	3	4	5	11	32
35-49	77	3.8	6	1	2	3	4	7	8	14
50-64	59	4.2	12	1	2	3	5	8	11	20
65+	37	8.1	110	2	2	4	10	18	25	59
GRAND TOTAL	**263**	**4.7**	**28**	**1**	**2**	**3**	**4**	**8**	**14**	**26**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	3.5	23	<1	<1	2	3	7	18	21
20-34	69	2.6	4	<1	<1	2	3	5	6	13
35-49	59	2.9	7	<1	<1	2	3	5	7	17
50-64	45	5.3	34	<1	1	3	5	13	20	29
65+	10	5.7	22	1	1	4	7	13	17	17
2. MULTIPLE DX										
0-19 YRS	43	4.3	47	<1	1	2	4	8	14	42
20-34	89	4.5	28	1	1	3	5	8	15	29
35-49	72	4.9	43	1	2	3	4	9	23	38
50-64	95	4.7	23	1	2	3	5	11	18	22
65+	39	7.2	55	2	2	4	9	18	27	32
TOT. SINGLE DX	210	3.5	16	<1	<1	2	4	7	13	21
" MULTIPLE DX	338	4.9	36	1	1	3	5	10	19	31
TOTAL 0-19 YRS	70	4.0	38	<1	1	2	4	7	18	38
20-34	158	3.7	19	<1	<1	2	4	7	9	28
35-49	131	4.0	28	<1	1	3	4	7	10	32
50-64	140	4.9	27	1	1	3	5	12	18	2[illegible]
65+	49	6.9	48	2	2	4	9	17	22	[illegible]
GRAND TOTAL	**548**	**4.4**	**29**	**<1**	**1**	**3**	**4**	**9**	**17**	**30**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	678	1.4	1	<1	<1	1	2	2	3	6
20-34	899	1.5		<1	<1	1	2	2	2	5
35-49	310	1.5		<1	<1	1	2	2	2	4
50-64	191	1.8		<1	<1	2	2	2	3	6
65+	86	1.7		<1	<1	2	2	2	3	5
2. MULTIPLE DX										
0-19 YRS	213	4.1	41	<1	1	2	5	10	13	44
20-34	307	4.1	53	<1	<1	2	3	8	19	43
35-49	164	3.8	40	<1	<1	2	3	9	13	33
50-64	207	7.3	178	<1	1	2	6	18	30	77
65+	197	7.3	82	1	1	3	9	21	26	41
TOT. SINGLE DX	2164	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	1088	5.3	80	<1	1	2	5	13	22	52
TOTAL 0-19 YRS	891	2.0	12	<1	<1	1	2	3	6	14
20-34	1206	2.2	16	<1	<1	1	2	3	5	24
35-49	474	2.3	16	<1	<1	2	2	3	7	18
50-64	398	4.7	101	<1	<1	2	3	10	18	61
65+	283	5.6	64	<1	1	2	5	17	23	36
GRAND TOTAL	**3252**	**2.8**	**31**	**<1**	**<1**	**1**	**2**	**4**	**9**	**30**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	1.2		<1	<1	1	1	2	2	3
20-34	45	1.5		<1	1	1	2	2	3	5
35-49	9	1.8		1	1	2	2	3	3	3
50-64	6	2.0	2	<1	<1	1	2	5	5	5
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	63	2.2	4	<1	1	2	2	6	7	88
20-34	22	1.8		<1	<1	2	2	3	3	3
35-49	4	5.8	90	<1	<1	1	11	20	20	20
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	224	1.3		<1	<1	1	2	2	2	4
" MULTIPLE DX	93	2.3	7	<1	<1	2	2	5	6	65
TOTAL 0-19 YRS	225	1.5	2	<1	<1	1	2	2	4	8
20-34	67	1.6	1	<1	<1	1	2	2	3	5
35-49	13	3.0	27	<1	<1	2	2	6	17	20
50-64	9	2.3	3	<1	<1	2	3	5	5	5
65+	3	3.0	3	<1	<1	4	4	4	4	4
GRAND TOTAL	**317**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**4**	**9**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	1.6	1	<1	<1	1	2	3	4	6
20-34	27	3.1	4	<1	<1	3	5	6	7	8
35-49	34	3.6	3	<1	1	4	5	6	6	7
50-64	34	3.9	7	1	1	4	5	8	10	13
65+	11	3.5	7	1	1	2	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	27	3.4	7	1	1	2	5	7	10	12
20-34	41	4.5	52	<1	1	3	4	6	18	43
35-49	21	4.6	48	<1	1	2	4	13	24	28
50-64	52	5.4	57	1	1	2	5	14	26	35
65+	19	7.6	114	1	1	4	9	36	68	99+
TOT. SINGLE DX	157	2.9	5	<1	<1	2	4	6	7	10
" MULTIPLE DX	160	5.0	53	1	1	2	5	12	24	42
TOTAL 0-19 YRS	78	2.3	4	<1	<1	2	2	5	6	11
20-34	68	4.0	34	<1	1	3	5	6	9	39
35-49	55	4.0	20	<1	1	3	5	6	8	28
50-64	86	4.8	38	1	1	3	5	11	16	33
65+	30	6.1	78	1	1	3	7	22	37	99+
GRAND TOTAL	**317**	**4.0**	**30**	**<1**	**1**	**2**	**5**	**7**	**12**	**36**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	3.4	6	<1	<1	3	4	8	9	12
20-34	111	3.9	4	1	2	4	5	7	8	12
35-49	107	4.2	13	<1	1	4	5	6	9	23
50-64	109	4.8	7	2	2	4	6	8	11	14
65+	72	6.0	21	2	2	5	8	12	17	23
2. MULTIPLE DX										
0-19 YRS	19	4.2	2	1	3	4	5	7	8	8
20-34	35	5.3	38	1	2	4	5	9	16	36
35-49	51	5.1	21	2	2	4	5	8	20	23
50-64	70	5.7	17	3	3	4	6	10	14	26
65+	67	9.0	57	3	3	7	11	20	28	36
TOT. SINGLE DX	441	4.5	11	1	2	4	5	8	10	17
" MULTIPLE DX	242	6.3	34	2	2	4	7	13	19	34
TOTAL 0-19 YRS	61	3.7	6	<1	1	3	4	7	9	12
20-34	146	4.3	13	1	2	4	5	7	9	18
35-49	158	4.5	16	1	2	4	5	7	10	23
50-64	179	5.1	12	2	3	4	6	9	13	17
65+	139	7.5	41	2	2	5	9	16	21	34
GRAND TOTAL	**683**	**5.1**	**20**	**1**	**2**	**4**	**6**	**9**	**13**	**26**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	5.9	11	1	1	6	8	10	13	17
20-34	6	11.3	248	2	2	6	9	40	43	43
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	77	9.4	52	1	3	7	12	18	23	40
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
TOT. SINGLE DX	71	6.3	30	1	1	6	8	10	13	38
" MULTIPLE DX	81	9.2	51	1	3	7	12	17	23	39
TOTAL 0-19 YRS	141	7.8	37	1	2	7	9	16	18	29
20-34	9	9.1	170	2	2	5	9	29	43	43
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64										
65+										
GRAND TOTAL	**152**	**7.9**	**44**	**1**	**2**	**7**	**9**	**16**	**19**	**43**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	226	4.5	14	<1	<1	4	6	8	11	23
20-34	52	4.3	14	1	1	3	6	9	12	17
35-49	59	3.8	21	<1	<1	2	4	8	14	27
50-64	98	4.5	20	<1	1	3	6	10	15	66
65+	89	6.6	86	1	2	3	7	14	22	53
2. MULTIPLE DX										
0-19 YRS	189	5.2	45	<1	1	3	6	11	16	33
20-34	96	4.5	29	<1	1	3	5	8	17	30
35-49	51	8.5	158	1	2	4	7	22	39	66
50-64	107	12.4	210	2	2	8	16	30	46	94
65+	145	10.2	104	1	2	7	14	28	34	99+
TOT. SINGLE DX	524	4.7	29	<1	<1	3	6	9	13	29
" MULTIPLE DX	588	7.9	106	<1	1	4	9	20	31	65
TOTAL 0-19 YRS	415	4.8	28	<1	<1	3	6	9	13	27
20-34	148	4.5	24	<1	1	3	5	9	14	27
35-49	110	6.0	89	<1	<1	3	6	13	28	51
50-64	205	8.7	135	1	1	5	11	22	33	94
65+	234	8.8	100	1	2	5	11	21	33	65
GRAND TOTAL	**1112**	**6.4**	**72**	**<1**	**1**	**4**	**7**	**15**	**23**	**52**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2801	2.4	1	1	2	2	3	3	4	6
20-34	1572	2.9	1	2	2	3	3	4	5	6
35-49	168	3.1	2	1	2	3	4	4	5	12
50-64	25	3.4	3	2	2	3	4	5	7	11
65+	9	10.4	159	1	1	4	16	32	36	36
2. MULTIPLE DX										
0-19 YRS	532	2.9	8	1	2	2	3	4	6	12
20-34	294	3.3	3	2	2	3	4	5	7	12
35-49	47	3.0		1	2	3	4	4	5	6
50-64	16	3.4	3	1	2	3	4	6	7	8
65+	5	5.8	14	3	3	4	8	12	12	12
TOT. SINGLE DX	4575	2.6	2	1	2	2	3	4	4	6
" MULTIPLE DX	894	3.1	7	2	2	3	3	4	6	12
TOTAL 0-19 YRS	3333	2.5	2	1	2	2	3	3	4	7
20-34	1866	3.0	1	2	2	3	3	4	5	7
35-49	215	3.1	2	1	2	3	4	4	5	10
50-64	41	3.4	3	2	2	3	4	5	7	11
65+	14	8.8	108	1	2	4	12	28	34	36
GRAND TOTAL	**5469**	**2.7**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5166	2.2	2	1	2	2	2	3	3	5
20-34	68	2.9	1	1	2	3	3	4	5	8
35-49	9	3.0	1	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	2.4	1	2	2	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	2074	2.3	1	1	2	2	2	3	4	9
20-34	13	2.8		2	2	3	3	4	4	4
35-49	3	3.3		3	3	3	4	4	4	4
50-64										
65+	3	2.3		2	2	2	3	3	3	3
TOT. SINGLE DX	5249	2.2	2	1	2	2	2	3	3	5
" MULTIPLE DX	2093	2.3	2	1	2	2	2	3	4	9
TOTAL 0-19 YRS	7240	2.2	2	1	2	2	2	3	3	6
20-34	81	2.9	1	2	2	3	3	4	5	8
35-49	12	3.1	1	2	2	3	4	4	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	8	2.4	1	2	2	2	3	4	4	4
GRAND TOTAL	**7342**	**2.2**	**2**	**1**	**2**	**2**	**2**	**3**	**3**	**6**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	455	1.8		1	1	2	2	2	2	4
20-34	5	2.4		2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	504	1.9	2	<1	1	2	2	2	3	11
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
TOT. SINGLE DX	461	1.8		1	1	2	2	2	2	4
" MULTIPLE DX	507	1.9	2	<1	1	2	2	2	3	11
TOTAL 0-19 YRS	959	1.9	1	<1	1	2	2	2	2	8
20-34	7	2.4		2	2	2	3	3	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
GRAND TOTAL	**968**	**1.9**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**8**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	3.6	10	1	1	3	4	7	8	16
20-34	107	3.3	5	1	1	3	4	5	7	15
35-49	36	4.3	21	<1	1	3	4	8	12	27
50-64	38	7.3	209	1	2	3	5	14	28	86
65+	19	7.3	31	2	2	6	10	15	19	22
2. MULTIPLE DX										
0-19 YRS	59	3.7	9	1	1	3	4	8	11	16
20-34	28	3.5	5	1	1	3	5	7	8	11
35-49	25	4.8	14	1	2	3	6	11	12	13
50-64	38	9.3	138	1	2	5	10	28	49	99+
65+	38	14.4	226	2	2	10	19	40	61	99+
TOT. SINGLE DX	329	4.2	36	1	2	3	4	7	9	28
" MULTIPLE DX	188	7.1	96	1	1	4	9	16	29	88
TOTAL 0-19 YRS	188	3.7	11	1	1	3	4	7	8	15
20-34	135	3.3	6	1	1	3	4	5	7	13
35-49	61	4.5	18	1	1	3	5	10	12	25
50-64	76	8.3	173	1	2	4	9	24	40	96
65+	57	12.0	171	2	2	9	16	31	46	98
GRAND TOTAL	**517**	**5.3**	**59**	**1**	**1**	**3**	**5**	**10**	**16**	**50**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	2.1	3	<1	<1	1	3	5	7	8
20-34	24	3.4	6	<1	1	3	5	6	10	10
35-49	14	3.5	6	<1	1	3	5	7	9	9
50-64	19	4.4	11	<1	1	3	6	9	12	14
65+	45	3.0	4	1	1	3	4	6	6	13
2. MULTIPLE DX										
0-19 YRS	95	4.5	9	<1	1	4	5	7	9	20
20-34	15	2.4	1	1	1	2	3	5	5	5
35-49	15	8.3	215	1	1	4	7	13	48	60
50-64	48	3.9	10	1	1	3	5	8	9	17
65+	89	6.3	60	1	2	4	7	14	22	45
TOT. SINGLE DX	151	3.0	6	<1	<1	2	4	6	8	13
" MULTIPLE DX	262	5.1	39	1	1	4	6	9	14	36
TOTAL 0-19 YRS	144	3.7	9	<1	<1	3	5	6	8	17
20-34	39	3.0	5	<1	1	2	4	5	8	10
35-49	29	6.0	117	1	1	3	6	10	15	60
50-64	67	4.0	11	1	1	3	6	8	10	16
65+	134	5.2	44	1	1	3	5	10	20	39
GRAND TOTAL	**413**	**4.3**	**28**	**<1**	**1**	**3**	**5**	**8**	**10**	**24**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	2.3		1	1	2	3	3	4	4
20-34	59	2.2	1	<1	<1	2	2	3	4	9
35-49	68	2.3	2	<1	<1	2	2	4	6	9
50-64	108	3.6	36	1	1	2	3	5	8	44
65+	74	3.1	11	1	1	2	3	6	8	21
2. MULTIPLE DX										
0-19 YRS	8	6.9	30	1	2	4	12	14	15	15
20-34	14	3.6	16	<1	<1	2	3	10	13	14
35-49	35	4.0	45	<1	<1	2	2	10	11	39
50-64	93	5.7	72	<1	1	2	4	21	27	39
65+	75	6.8	103	1	2	2	7	14	30	55
TOT. SINGLE DX	344	2.9	15	1	1	2	3	4	7	18
" MULTIPLE DX	225	5.7	74	<1	1	2	5	14	27	40
TOTAL 0-19 YRS	43	3.1	9	1	1	2	3	4	12	15
20-34	73	2.5	5	<1	<1	2	3	3	7	13
35-49	103	2.9	17	<1	<1	2	2	6	9	24
50-64	201	4.5	54	1	1	2	3	9	23	42
65+	149	5.0	61	1	1	2	4	12	15	37
GRAND TOTAL	**569**	**4.0**	**40**	**<1**	**1**	**2**	**3**	**8**	**14**	**37**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	19.3	93	4	5	20	25	31	32	32
50-64	6	5.5	65	2	2	2	3	20	22	22
65+	12	14.8	128	2	2	16	22	30	36	37
2. MULTIPLE DX										
0-19 YRS	3	21.0	453	2	2	17	37	44	44	44
20-34	3	5.0	13	<1	<1	6	7	8	8	8
35-49	7	22.4	443	<1	<1	13	44	47	48	48
50-64	15	15.9	181	1	2	12	24	34	42	45
65+	8	17.4	253	2	3	10	34	38	39	39
TOT. SINGLE DX	25	13.1	123	2	2	15	22	27	33	37
" MULTIPLE DX	36	17.0	246	<1	1	11	31	44	45	48
TOTAL 0-19 YRS	3	21.0	453	2	2	17	37	44	44	44
20-34	4	4.3	11	<1	<1	4	7	8	8	8
35-49	13	21.0	263	<1	1	17	34	46	48	48
50-64	21	12.9	166	1	2	10	22	32	39	45
65+	20	15.8	170	2	2	15	25	37	38	39
GRAND TOTAL	**61**	**15.4**	**196**	**1**	**2**	**12**	**24**	**38**	**44**	**48**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	20.5	5	19	19	20	22	22	22	22
50-64	10	21.2	22	13	14	23	24	26	27	27
65+	3	44.0	1333	15	15	32	72	85	85	85
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	8	27.9	200	12	13	27	31	50	58	58
50-64	24	32.5	312	16	17	29	38	65	90	99+
65+	12	30.1	158	17	18	29	55	99+	99+	99+
TOT. SINGLE DX	15	25.7	295	13	15	22	26	32	72	85
" MULTIPLE DX	44	31.0	244	15	17	28	43	80	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	10	26.4	166	12	13	24	29	45	58	58
50-64	34	29.2	252	14	17	24	33	60	81	99+
65+	15	32.9	348	16	17	29	57	99+	99+	99+
GRAND TOTAL	**59**	**29.7**	**258**	**14**	**16**	**26**	**34**	**69**	**99+**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	59.0		59	59	59	59	59	59	59
2. MULTIPLE DX										
0-19 YRS	2	26.5	181	17	17	26	36	36	36	36
20-34	1	49.0		49	49	49	49	49	49	49
35-49	2	8.0		8	8	54	99+	99+	99+	99+
50-64	5	27.6	358	10	11	26	58	96	99+	99+
65+	3	43.0	868	9	9	60	80	99+	99+	99+
TOT. SINGLE DX	1	59.0		59	59	59	59	59	59	59
" MULTIPLE DX	13	29.6	436	8	8	36	71	99+	99+	99+
TOTAL 0-19 YRS	2	26.5	181	17	17	26	36	36	36	36
20-34	1	49.0		49	49	49	49	49	49	49
35-49	2	8.0		8	8	54	99+	99+	99+	99+
50-64	5	27.6	358	10	11	26	58	96	99+	99+
65+	4	47.0	643	9	9	59	71	99+	99+	99+
GRAND TOTAL	**14**	**31.7**	**465**	**8**	**8**	**42**	**61**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	6.8	28	1	1	7	10	13	17	18
20-34	4	5.5	16	2	2	4	8	11	11	11
35-49	8	4.1	11	2	2	3	4	10	12	12
50-64	10	10.5	186	1	1	4	13	35	41	41
65+	7	8.0	34	2	2	7	13	17	17	17
2. MULTIPLE DX										
0-19 YRS	13	31.3	393	<1	1	38	48	61	91	99+
20-34	16	29.9	797	2	3	31	74	99+	99+	99+
35-49	16	28.8	561	2	3	31	63	99+	99+	99+
50-64	35	22.8	372	1	2	23	46	61	99+	99+
65+	39	36.2	864	2	2	40	67	99+	99+	99+
TOT. SINGLE DX	43	7.2	62	1	1	4	10	15	22	41
" MULTIPLE DX	119	29.9	627	2	2	31	57	99+	99+	99+
TOTAL 0-19 YRS	27	18.6	352	1	1	11	38	52	61	99+
20-34	20	25.1	733	2	2	19	67	99+	99+	99+
35-49	24	20.5	510	2	2	13	46	94	99+	99+
50-64	45	20.1	353	1	2	13	37	57	99+	99+
65+	46	31.9	839	2	2	27	62	98	99+	99+
GRAND TOTAL	**162**	**23.9**	**576**	**1**	**2**	**16**	**48**	**91**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	15.2	69	4	4	16	22	24	24	24
20-34	10	4.9	14	1	1	3	8	10	11	11
35-49	38	7.7	44	1	1	5	12	16	18	32
50-64	80	11.2	76	2	2	9	15	22	28	44
65+	98	13.5	119	2	2	11	20	29	37	77
2. MULTIPLE DX										
0-19 YRS	4	10.5	6	8	8	10	35	99+	99+	99+
20-34	23	11.3	28	3	5	12	14	18	22	23
35-49	52	12.8	97	1	2	10	19	26	35	40
50-64	196	15.2	128	2	4	12	20	32	37	64
65+	288	16.8	169	3	4	13	22	35	44	68
TOT. SINGLE DX	231	11.4	92	2	2	9	15	23	31	53
" MULTIPLE DX	563	15.6	144	3	4	13	21	32	40	67
TOTAL 0-19 YRS	9	13.1	43	4	6	12	22	62	99+	99+
20-34	33	9.4	32	1	2	10	14	15	20	23
35-49	90	10.7	81	1	1	9	15	23	31	40
50-64	276	14.0	116	2	3	11	19	29	36	59
65+	386	16.0	159	2	3	13	21	33	43	68
GRAND TOTAL	**794**	**14.4**	**132**	**2**	**3**	**12**	**20**	**30**	**39**	**64**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	45.0		45	45	45	45	45	45	45
TOT. SINGLE DX	1	2.0		2	2	2	2	2	2	2
" MULTIPLE DX	1	45.0		45	45	45	45	45	45	45
TOTAL 0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	45.0		45	45	45	45	45	45	45
GRAND TOTAL	**2**	**23.5**	**925**	**2**	**2**	**23**	**45**	**45**	**45**	**45**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	9.9	5	7	7	10	12	13	14	14
20-34	19	9.2	18	2	4	10	11	14	18	20
35-49	32	10.3	41	2	4	9	12	21	26	28
50-64	53	14.8	90	2	4	13	20	26	29	53
65+	41	12.4	73	1	4	11	15	22	29	45
2. MULTIPLE DX										
0-19 YRS	17	17.5	277	3	5	12	18	36	59	71
20-34	47	16.3	108	7	8	14	20	29	50	99+
35-49	72	15.3	116	2	5	13	18	27	31	61
50-64	179	19.9	171	4	8	17	25	36	43	70
65+	203	19.2	199	3	5	17	24	34	46	99
TOT. SINGLE DX	154	12.2	66	2	4	11	15	22	27	45
" MULTIPLE DX	518	18.6	174	3	6	16	24	34	44	91
TOTAL 0-19 YRS	26	14.9	193	4	7	11	16	33	43	71
20-34	66	14.3	92	5	6	12	18	26	34	93
35-49	104	13.7	98	2	5	12	16	26	29	55
50-64	232	18.8	158	3	7	16	24	35	42	67
65+	244	18.0	184	2	4	16	23	32	41	98
GRAND TOTAL	**672**	**17.1**	**156**	**3**	**5**	**14**	**22**	**31**	**39**	**79**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	7	15.9	34	8	8	16	20	24	25	25
35-49	10	16.9	37	11	11	15	19	27	28	28
50-64	28	17.5	38	9	11	17	21	26	31	32
65+	24	26.6	153	12	13	24	35	40	53	59
2. MULTIPLE DX										
0-19 YRS	6	25.0	272	11	11	18	39	50	51	51
20-34	8	26.0	191	11	12	22	38	46	48	48
35-49	24	17.9	117	9	10	13	20	32	45	50
50-64	113	22.4	133	11	11	20	26	42	48	76
65+	99	24.1	230	11	12	20	26	39	56	95
TOT. SINGLE DX	69	20.4	96	10	11	17	25	34	39	57
" MULTIPLE DX	250	22.8	176	11	11	20	26	41	51	93
TOTAL 0-19 YRS	6	25.0	272	11	11	18	39	50	51	51
20-34	15	21.3	138	8	10	16	26	40	46	48
35-49	34	17.6	92	10	11	14	19	29	41	50
50-64	141	21.4	118	10	11	18	25	37	45	66
65+	123	24.6	215	12	12	21	28	39	55	94
GRAND TOTAL	**319**	**22.3**	**159**	**11**	**11**	**19**	**26**	**39**	**49**	**72**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	6.2	42	1	1	3	10	14	22	27
20-34	39	8.0	56	<1	1	5	11	18	24	36
35-49	74	6.3	31	<1	1	4	9	13	15	29
50-64	147	7.1	43	1	2	5	9	15	18	35
65+	145	8.8	76	1	2	6	12	20	25	43
2. MULTIPLE DX										
0-19 YRS	89	10.5	183	1	1	8	13	21	28	85
20-34	61	12.8	239	1	2	10	16	43	98	99+
35-49	114	10.5	94	1	2	8	14	22	33	69
50-64	287	12.5	116	2	2	10	16	27	34	55
65+	343	15.5	189	2	3	13	21	32	49	99+
TOT. SINGLE DX	459	7.5	53	1	1	5	10	16	23	36
" MULTIPLE DX	894	13.2	160	2	2	10	17	28	41	99+
TOTAL 0-19 YRS	143	8.9	134	1	1	5	12	18	26	81
20-34	100	10.9	172	<1	1	8	14	26	47	99+
35-49	188	8.8	74	<1	2	6	12	19	30	52
50-64	434	10.6	98	2	2	8	14	24	31	49
65+	488	13.5	165	2	2	11	19	28	42	99
GRAND TOTAL	**1353**	**11.3**	**131**	**1**	**2**	**8**	**15**	**25**	**33**	**86**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	5.7	9	2	2	5	7	11	11	11
35-49										
50-64	2	21.5	365	8	8	21	35	35	35	35
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	3	6.0	12	4	4	4	9	10	10	10
20-34	6	13.2	89	4	4	9	18	29	30	30
35-49	5	6.8	5	4	4	7	8	10	10	10
50-64	8	26.4	432	1	3	24	45	51	53	53
65+	8	16.1	55	5	6	17	22	26	26	26
TOT. SINGLE DX	10	9.3	96	2	2	6	11	24	35	35
" MULTIPLE DX	30	15.7	191	4	4	10	19	41	46	53
TOTAL 0-19 YRS	4	5.0	12	2	2	4	7	10	10	10
20-34	12	9.4	60	2	3	7	10	22	29	30
35-49	5	6.8	6	4	4	7	8	10	10	10
50-64	10	25.4	381	1	4	23	44	49	53	53
65+	9	15.9	49	5	7	16	20	26	26	26
GRAND TOTAL	**40**	**14.1**	**172**	**2**	**4**	**10**	**18**	**36**	**45**	**53**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	5.2	11	2	2	4	6	8	14	16
20-34	105	6.3	19	2	2	6	7	10	13	29
35-49	44	7.0	19	2	2	6	10	13	16	20
50-64	23	9.1	19	3	4	9	12	15	17	19
65+	18	15.1	96	6	7	11	16	26	38	46
2. MULTIPLE DX										
0-19 YRS	76	17.0	302	3	4	9	22	53	63	99+
20-34	113	8.1	49	2	3	6	10	13	17	46
35-49	101	10.8	143	2	3	7	11	27	39	91
50-64	82	14.7	126	3	3	12	19	33	38	55
65+	122	17.7	318	4	4	10	25	40	59	94
TOT. SINGLE DX	216	7.3	31	2	3	6	9	13	16	29
" MULTIPLE DX	494	13.5	200	3	4	9	16	34	47	92
TOTAL 0-19 YRS	102	14.0	254	2	3	8	16	47	59	99+
20-34	218	7.2	36	2	3	6	8	12	17	38
35-49	145	9.7	109	2	3	7	11	19	31	84
50-64	105	13.5	108	3	3	10	17	25	35	51
65+	140	17.4	290	4	5	10	24	40	56	93
GRAND TOTAL	**710**	**11.6**	**157**	**2**	**3**	**7**	**13**	**27**	**41**	**77**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	6.4	19	<1	1	6	10	13	14	16
20-34	35	8.1	45	<1	1	7	11	19	22	27
35-49	26	7.9	41	<1	1	6	13	19	20	21
50-64	41	13.3	155	2	3	9	16	30	37	62
65+	23	12.8	57	3	3	13	18	23	25	28
2. MULTIPLE DX										
0-19 YRS	31	11.9	66	1	3	11	16	20	2	42
20-34	67	11.8	83	2	3	9	14	24	28	47
35-49	48	16.1	214	1	3	13	21	31	47	80
50-64	129	17.6	218	2	4	14	21	34	46	74
65+	97	19.1	254	2	4	14	27	42	46	77
TOT. SINGLE DX	165	9.6	74	1	2	7	13	20	24	42
" MULTIPLE DX	372	16.3	196	2	3	13	20	34	45	74
TOTAL 0-19 YRS	71	8.8	47	1	1	8	12	16	19	38
20-34	102	10.5	73	1	2	9	13	23	26	43
35-49	74	13.2	168	1	2	10	19	23	34	74
50-64	170	16.5	205	2	3	14	20	33	46	70
65+	120	17.9	222	3	4	14	23	37	45	76
GRAND TOTAL	**537**	**14.2**	**168**	**1**	**2**	**11**	**18**	**30**	**42**	**71**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	12.2	63	8	8	10	12	17	20	54
20-34	11	10.7	2	8	8	11	12	13	13	13
35-49	26	11.2	2	8	9	11	12	13	14	14
50-64	28	12.4	9	9	9	12	13	17	20	21
65+	20	13.8	8	10	12	13	15	17	20	22
2. MULTIPLE DX										
0-19 YRS	52	17.7	182	8	9	13	20	35	47	99+
20-34	31	16.4	95	8	9	13	19	29	34	54
35-49	56	15.3	36	9	10	14	17	25	30	38
50-64	127	17.2	128	9	10	13	18	32	43	82
65+	86	18.7	85	10	11	15	23	32	39	47
TOT. SINGLE DX	121	12.2	23	8	9	12	13	16	19	31
" MULTIPLE DX	352	17.2	109	9	10	14	19	31	41	76
TOTAL 0-19 YRS	88	15.4	139	8	9	12	17	25	42	96
20-34	42	14.9	77	8	9	12	16	25	32	54
35-49	82	14.0	29	9	10	12	15	19	27	36
50-64	155	16.3	110	9	10	13	17	27	42	76
65+	106	17.8	75	10	11	14	21	32	38	46
GRAND TOTAL	**473**	**15.9**	**92**	**9**	**9**	**13**	**17**	**27**	**37**	**61**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	40	12.0	13	8	9	11	13	16	19	26
50-64	108	12.8	23	8	9	11	13	18	21	35
65+	46	12.8	11	9	9	12	14	17	19	25
2. MULTIPLE DX										
0-19 YRS										
20-34	8	10.1	1	9	9	10	11	12	12	12
35-49	164	13.1	35	9	9	11	14	19	24	41
50-64	523	15.3	95	9	9	12	16	25	32	78
65+	214	17.5	96	10	10	14	22	31	43	99+
TOT. SINGLE DX	195	12.6	19	8	9	11	14	17	20	30
" MULTIPLE DX	909	15.4	86	9	9	12	17	25	33	70
TOTAL 0-19 YRS										
20-34	9	10.3	2	9	9	10	11	12	12	12
35-49	204	12.9	31	9	9	11	14	18	24	39
50-64	631	14.9	84	9	9	12	16	24	30	66
65+	260	16.7	85	9	10	13	19	28	38	95
GRAND TOTAL	**1104**	**14.9**	**75**	**9**	**9**	**12**	**16**	**24**	**31**	**64**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	2.7	7	2	2	2	3	3	5	20
20-34	78	3.4	6	<1	1	3	3	7	9	13
35-49	317	3.0	10	<1	<1	2	3	6	10	18
50-64	541	2.9	11	<1	<1	2	3	6	11	19
65+	180	2.8	14	<1	<1	1	3	6	12	20
2. MULTIPLE DX										
0-19 YRS	165	5.3	77	1	2	3	4	10	19	43
20-34	136	5.7	98	<1	1	3	5	11	20	57
35-49	813	5.1	36	<1	1	3	6	12	16	33
50-64	1950	5.3	39	<1	<1	3	7	14	17	31
65+	755	6.7	66	<1	<1	3	9	17	23	37
TOT. SINGLE DX	1269	2.9	11	<1	1	2	3	6	10	19
" MULTIPLE DX	3819	5.5	48	<1	<1	3	7	14	19	35
TOTAL 0-19 YRS	318	4.1	45	1	2	2	3	6	14	41
20-34	214	4.9	66	<1	1	3	4	9	16	40
35-49	1130	4.5	30	<1	1	3	4	11	15	29
50-64	2491	4.8	34	<1	<1	3	5	12	16	29
65+	935	6.0	59	<1	<1	3	7	16	22	36
GRAND TOTAL	**5088**	**4.9**	**40**	**<1**	**<1**	**3**	**5**	**13**	**17**	**33**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	11.3	46	4	4	11	17	18	18	18
20-34	11	6.5	17	<1	2	5	10	13	13	13
35-49	16	9.8	99	1	3	7	12	17	35	43
50-64	66	7.7	29	2	3	6	11	16	18	25
65+	235	6.6	28	1	2	5	8	13	19	25
2. MULTIPLE DX										
0-19 YRS	10	4.9	5	2	2	4	5	9	9	9
20-34	23	12.3	84	4	4	11	17	28	33	37
35-49	53	15.0	154	3	4	12	19	30	38	63
50-64	210	13.7	116	3	4	11	19	25	32	54
65+	919	13.7	147	3	4	10	17	29	42	82
TOT. SINGLE DX	332	7.0	32	1	2	5	9	14	18	26
" MULTIPLE DX	1215	13.6	140	3	4	10	18	27	38	82
TOTAL 0-19 YRS	14	6.7	23	2	3	5	9	16	18	18
20-34	34	10.4	70	3	4	8	14	19	30	37
35-49	69	13.8	145	3	3	11	17	29	39	61
50-64	276	12.2	102	3	3	9	17	23	28	50
65+	1154	12.2	131	2	3	9	15	25	36	81
GRAND TOTAL	**1547**	**12.2**	**124**	**2**	**3**	**9**	**16**	**24**	**35**	**60**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	7.8	20	2	2	9	11	13	14	14
20-34	5	9.2	15	3	3	10	11	14	14	14
35-49	20	5.0	21	2	2	3	4	9	16	20
50-64	35	5.2	11	2	3	4	5	12	14	14
65+	6	8.7	48	3	3	5	16	19	19	19
2. MULTIPLE DX										
0-19 YRS	8	24.5	342	7	8	20	33	55	61	61
20-34	11	14.4	26	8	9	12	17	23	24	24
35-49	17	9.4	29	2	3	7	14	18	19	19
50-64	62	12.9	138	2	3	11	15	22	37	68
65+	27	20.3	275	4	6	12	27	42	51	78
TOT. SINGLE DX	74	5.9	19	2	3	4	8	13	14	22
" MULTIPLE DX	125	14.9	170	2	3	12	18	28	42	73
TOTAL 0-19 YRS	16	16.1	244	2	2	11	20	40	55	61
20-34	16	12.8	28	4	8	11	15	22	23	24
35-49	37	7.0	30	2	3	5	9	15	19	23
50-64	97	10.1	106	2	3	7	13	20	23	60
65+	33	18.2	252	3	4	12	23	41	45	78
GRAND TOTAL	**199**	**11.6**	**132**	**2**	**3**	**10**	**14**	**23**	**35**	**55**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	5.5	41	<1	<1	4	7	10	18	40
20-34	36	3.8	9	<1	1	3	5	10	11	11
35-49	40	4.6	34	<1	<1	2	5	11	15	31
50-64	72	6.1	80	1	1	2	7	15	21	54
65+	69	7.9	143	1	2	3	8	20	32	65
2. MULTIPLE DX										
0-19 YRS	52	13.2	290	1	1	6	18	38	47	82
20-34	38	5.6	48	<1	<1	3	6	13	16	38
35-49	48	10.6	128	1	1	6	15	27	32	53
50-64	145	13.3	179	1	2	10	18	29	42	58
65+	237	14.8	198	1	2	11	20	36	47	79
TOT. SINGLE DX	278	5.9	72	<1	1	3	7	13	20	45
" MULTIPLE DX	520	13.2	190	1	2	9	18	31	42	73
TOTAL 0-19 YRS	113	9.0	169	<1	1	5	10	22	41	70
20-34	74	4.7	30	<1	1	3	6	11	14	33
35-49	88	7.8	94	<1	1	3	11	20	29	48
50-64	217	10.9	158	1	1	7	15	25	35	58
65+	306	13.2	194	1	2	9	18	33	43	74
GRAND TOTAL	**798**	**10.6**	**161**	**1**	**1**	**6**	**14**	**26**	**37**	**68**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.9	2	1	3	4	5	6	7	7
20-34	345	4.2	3	2	2	4	5	6	8	10
35-49	677	4.8	12	2	2	4	6	8	9	16
50-64	482	5.6	23	2	2	4	7	10	13	23
65+	126	6.7	51	1	2	5	8	12	20	41
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	78	5.7	13	1	2	5	8	10	12	21
35-49	209	6.0	27	2	3	5	7	10	14	29
50-64	243	8.5	83	2	3	6	9	18	25	55
65+	85	12.5	224	2	2	7	12	41	47	66
TOT. SINGLE DX	1646	5.1	17	2	2	4	6	8	11	22
" MULTIPLE DX	616	7.8	79	2	3	5	8	15	22	54
TOTAL 0-19 YRS	17	3.8	2	2	3	4	4	6	7	7
20-34	423	4.5	6	2	2	4	5	7	9	13
35-49	886	5.1	16	2	3	4	6	8	10	21
50-64	725	6.6	45	2	3	5	7	12	17	34
65+	211	9.0	128	1	2	5	9	15	39	58
GRAND TOTAL	**2262**	**5.8**	**36**	**2**	**2**	**4**	**6**	**10**	**13**	**36**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	7	5.1	4	3	3	5	7	9	9	9
35-49	34	11.9	31	3	4	12	15	18	24	25
50-64	147	12.7	25	6	8	12	14	17	21	38
65+	118	14.9	50	7	8	13	18	25	32	66
2. MULTIPLE DX										
0-19 YRS	19	19.8	238	6	7	12	29	54	80	99+
20-34	38	19.7	223	4	6	16	27	46	66	99+
35-49	109	18.4	165	7	8	14	22	41	45	85
50-64	532	18.1	164	8	9	14	21	32	46	96
65+	531	19.9	138	9	10	17	23	35	47	90
TOT. SINGLE DX	307	13.3	38	6	7	12	15	21	25	40
" MULTIPLE DX	1229	19.0	157	8	9	15	22	35	48	99+
TOTAL 0-19 YRS	20	19.6	227	6	7	12	28	53	79	99+
20-34	45	17.5	217	3	4	14	22	35	60	99+
35-49	143	16.9	141	6	8	13	20	31	44	76
50-64	679	16.9	140	8	9	13	19	29	40	86
65+	649	19.0	126	8	10	16	22	34	45	89
GRAND TOTAL	**1536**	**17.9**	**138**	**7**	**9**	**14**	**21**	**32**	**44**	**89**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	3	12.0	84	4	4	10	19	22	22	22
35-49	1	19.0		19	19	19	19	19	19	19
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	11	6.8	23	2	2	5	11	14	15	15
20-34	41	6.5	47	1	2	5	7	11	14	44
35-49	32	8.1	40	1	2	7	12	15	18	30
50-64	86	8.2	47	1	1	6	12	19	23	29
65+	56	10.6	133	<1	1	7	14	24	33	62
TOT. SINGLE DX	6	11.7	56	4	4	10	19	22	22	22
" MULTIPLE DX	226	8.4	68	1	1	6	11	18	23	38
TOTAL 0-19 YRS	12	7.2	23	2	2	5	12	14	15	15
20-34	44	6.9	50	1	2	5	8	13	17	44
35-49	33	8.4	43	1	2	7	13	16	19	30
50-64	86	8.2	48	1	1	6	12	19	23	29
65+	57	10.5	132	<1	1	7	14	24	33	62
GRAND TOTAL	**232**	**8.5**	**68**	**1**	**2**	**6**	**12**	**18**	**23**	**37**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	8.8	35	1	2	9	11	15	18	35
20-34	64	7.8	47	1	2	6	11	18	21	35
35-49	65	9.1	63	1	2	6	12	20	21	47
50-64	211	12.0	62	2	4	11	15	23	27	40
65+	201	12.7	52	2	5	11	17	23	26	35
2. MULTIPLE DX										
0-19 YRS	300	22.4	518	2	5	14	31	74	96	99+
20-34	172	11.8	201	1	1	7	15	30	46	71
35-49	217	15.1	284	1	2	10	16	31	51	87
50-64	763	15.3	148	3	4	12	18	31	39	71
65+	1032	17.7	176	4	6	14	22	36	47	96
TOT. SINGLE DX	600	11.2	58	2	3	10	14	21	25	37
" MULTIPLE DX	2484	16.9	227	2	4	13	21	36	52	99+
TOTAL 0-19 YRS	359	20.2	464	2	4	12	28	66	92	99+
20-34	236	10.7	162	1	1	6	13	24	37	60
35-49	282	13.7	239	1	2	10	15	26	50	84
50-64	974	14.6	132	3	4	12	17	29	37	67
65+	1233	16.9	160	4	6	14	21	33	45	93
GRAND TOTAL	**3084**	**15.8**	**199**	**2**	**4**	**12**	**19**	**32**	**47**	**95**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	4.5	24	<1	1	3	6	11	16	25
20-34	152	5.4	36	<1	1	3	6	14	19	30
35-49	115	6.4	81	<1	1	3	7	16	21	53
50-64	82	7.7	69	1	2	5	9	17	24	46
65+	81	9.6	153	1	1	5	14	25	35	90
2. MULTIPLE DX										
0-19 YRS	56	11.6	158	<1	1	7	17	21	30	64
20-34	90	8.5	121	<1	1	4	11	21	31	61
35-49	95	10.6	84	1	2	7	15	25	31	38
50-64	203	13.7	171	2	2	10	19	31	40	65
65+	227	15.3	218	2	2	11	20	33	46	72
TOT. SINGLE DX	556	6.4	67	<1	1	3	7	16	22	44
" MULTIPLE DX	671	12.9	172	1	2	9	18	28	38	65
TOTAL 0-19 YRS	182	6.7	76	<1	1	3	8	17	21	50
20-34	242	6.6	70	<1	1	3	8	17	22	35
35-49	210	8.3	87	<1	2	5	11	21	26	41
50-64	285	12.0	149	2	2	8	16	26	37	59
65+	308	13.8	207	1	2	9	18	31	45	73
GRAND TOTAL	**1227**	**10.0**	**135**	**1**	**2**	**6**	**14**	**24**	**32**	**63**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	6	11.5	56	3	3	10	13	24	25	25
35-49	13	8.4	48	<1	<1	7	12	20	23	24
50-64	14	12.9	232	3	4	7	13	30	53	60
65+	13	13.6	103	4	4	9	21	27	35	37
2. MULTIPLE DX										
0-19 YRS	6	8.5	16	4	4	8	11	14	14	14
20-34	26	10.5	38	3	3	10	13	21	22	23
35-49	33	12.8	68	1	4	10	17	25	31	33
50-64	52	17.2	261	3	4	13	20	34	47	91
65+	47	13.4	66	4	6	12	16	25	33	38
TOT. SINGLE DX	49	11.1	116	2	3	7	14	24	27	60
" MULTIPLE DX	164	13.8	127	3	4	11	17	25	33	64
TOTAL 0-19 YRS	9	6.6	19	2	2	5	11	13	14	14
20-34	32	10.7	40	3	3	10	13	22	23	25
35-49	46	11.6	66	<1	2	10	16	23	29	33
50-64	66	16.3	255	3	4	12	20	33	50	88
65+	60	13.4	73	4	5	12	17	25	34	38
GRAND TOTAL	**213**	**13.2**	**125**	**3**	**3**	**10**	**16**	**25**	**33**	**63**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	2	12.5	13	10	10	12	15	15	15	15
TOTAL 0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
GRAND TOTAL	**2**	**12.5**	**13**	**10**	**10**	**12**	**15**	**15**	**15**	**15**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	9.0	49	1	3	7	10	18	23	38
20-34	85	11.0	72	3	3	8	13	24	30	42
35-49	62	11.8	82	2	4	9	14	24	33	42
50-64	103	12.7	106	2	4	10	16	23	29	58
65+	163	14.6	146	2	4	11	20	33	38	97
2. MULTIPLE DX										
0-19 YRS	134	15.4	203	3	4	10	21	35	53	99+
20-34	173	15.3	173	3	4	12	19	35	43	75
35-49	163	17.0	217	3	5	11	23	40	49	85
50-64	424	16.9	161	4	5	14	22	34	44	92
65+	777	19.7	212	5	7	16	26	39	56	99+
TOT. SINGLE DX	501	12.3	104	2	4	9	15	26	34	55
" MULTIPLE DX	1676	17.9	198	4	5	14	23	36	50	99+
TOTAL 0-19 YRS	222	12.9	152	3	4	8	15	28	44	81
20-34	263	13.9	145	3	4	10	17	29	39	70
35-49	225	15.6	186	3	4	11	21	33	43	78
50-64	527	16.1	153	4	5	13	21	33	42	69
65+	940	18.8	204	4	6	15	25	38	54	99+
GRAND TOTAL	**2177**	**16.6**	**182**	**4**	**5**	**13**	**22**	**34**	**47**	**97**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	19.6	140	7	7	22	30	34	35	35
20-34	7	13.7	429	2	2	5	15	51	59	59
35-49	4	3.3	6	2	2	2	5	7	7	7
50-64	6	7.3	41	<1	<1	6	14	15	15	15
65+	3	23.0	388	1	1	29	36	39	39	39
2. MULTIPLE DX										
0-19 YRS	19	24.7	473	2	3	16	43	61	63	64
20-34	41	19.4	435	1	3	8	26	59	65	75
35-49	22	19.4	134	6	7	17	29	37	40	43
50-64	20	20.2	211	3	4	17	29	41	48	54
65+	31	20.3	411	2	5	14	38	92	99+	99+
TOT. SINGLE DX	27	13.3	215	1	2	7	21	34	42	59
" MULTIPLE DX	133	20.5	345	2	4	15	30	54	66	99+
TOTAL 0-19 YRS	26	23.3	380	3	4	16	35	58	62	64
20-34	48	18.5	429	1	2	7	25	58	63	75
35-49	26	16.9	149	2	3	14	28	36	39	43
50-64	26	17.2	200	1	2	14	27	39	45	54
65+	34	20.6	398	1	4	15	38	86	99+	99+
GRAND TOTAL	**160**	**19.3**	**329**	**2**	**3**	**14**	**29**	**48**	**63**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	4.2	23	1	1	2	5	10	17	18
20-34	28	6.9	27	<1	1	6	10	12	19	22
35-49	15	7.2	61	<1	1	4	10	17	27	30
50-64	52	7.6	52	<1	1	5	11	20	26	31
65+	90	8.9	76	<1	<1	6	13	19	24	44
2. MULTIPLE DX										
0-19 YRS	29	7.4	110	1	1	3	8	23	34	44
20-34	31	9.6	67	<1	1	7	16	21	28	29
35-49	44	14.5	164	2	3	10	22	33	43	55
50-64	154	14.6	208	1	2	11	18	30	44	77
65+	271	14.3	213	2	2	10	20	32	49	98
TOT. SINGLE DX	197	7.9	59	<1	1	5	11	18	23	37
" MULTIPLE DX	529	13.8	196	1	2	10	18	30	44	85
TOTAL 0-19 YRS	41	6.5	86	1	1	3	7	17	30	44
20-34	59	8.3	50	<1	1	6	11	19	22	29
35-49	59	12.6	147	1	2	8	17	29	40	54
50-64	206	12.8	178	1	2	9	16	27	37	71
65+	361	13.0	184	1	2	9	17	29	43	91
GRAND TOTAL	**726**	**12.2**	**166**	**1**	**2**	**9**	**16**	**27**	**37**	**77**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	6.4	12	3	3	6	8	10	11	24
20-34	2	10.0	32	6	6	10	14	14	14	14
35-49	2	10.5	41	6	6	10	15	15	15	15
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	10.5	41	5	6	10	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	32	9.8	31	4	5	8	11	20	23	24
20-34	4	15.0	148	6	6	10	22	33	33	33
35-49	2	20.5	113	13	13	20	28	28	28	28
50-64	5	23.4	307	7	7	25	33	50	50	50
65+	11	19.4	206	3	6	18	32	64	95	99+
TOT. SINGLE DX	115	6.6	13	3	4	6	8	11	14	23
" MULTIPLE DX	54	13.8	117	4	6	10	20	28	47	97
TOTAL 0-19 YRS	140	7.2	18	3	4	6	8	11	17	24
20-34	6	13.3	102	6	6	10	14	31	33	33
35-49	4	15.5	84	6	6	14	21	28	28	28
50-64	6	20.8	205	7	7	17	27	48	50	50
65+	13	18.0	186	4	6	16	25	54	90	99+
GRAND TOTAL	169	8.9	57	3	4	7	10	18	25	50

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	87.0		87	87	87	87	87	87	87
35-49										
50-64	2	12.5	85	6	6	12	19	19	19	19
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	5	24.8	385	5	5	43	99+	99+	99+	99+
20-34	4	18.5	289	9	9	10	27	44	44	44
35-49	5	16.8	51	9	9	21	23	92	99+	99+
50-64	16	25.9	658	1	4	17	34	88	96	99+
65+	15	25.7	213	8	9	29	39	91	99+	99+
TOT. SINGLE DX	4	29.0	1539	4	4	12	53	87	87	87
" MULTIPLE DX	45	24.0	363	5	8	22	42	99+	99+	99+
TOTAL 0-19 YRS	5	24.8	385	5	5	43	99+	99+	99+	99+
20-34	5	32.2	1156	9	9	11	55	87	87	87
35-49	5	16.8	51	9	9	21	23	92	99+	99+
50-64	18	24.4	605	1	4	17	31	86	95	99+
65+	16	24.4	229	6	8	28	38	87	99+	99+
GRAND TOTAL	49	24.4	431	4	6	21	42	99+	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.0	22	<1	<1	2	7	11	11	11
20-34	38	8.2	68	<1	1	6	11	16	26	43
35-49	25	7.7	13	3	4	7	9	13	15	18
50-64	83	10.8	84	1	2	8	16	22	27	48
65+	92	9.5	56	1	2	7	13	20	24	40
2. MULTIPLE DX										
0-19 YRS	11	13.4	141	1	2	13	17	34	36	36
20-34	45	10.2	104	1	2	6	14	25	35	43
35-49	130	10.2	68	2	3	8	13	20	24	45
50-64	265	12.7	107	2	4	10	16	25	31	59
65+	470	15.0	169	3	4	11	18	30	46	80
TOT. SINGLE DX	242	9.5	64	<1	2	7	12	20	24	43
" MULTIPLE DX	921	13.4	136	2	4	10	17	27	36	69
TOTAL 0-19 YRS	15	10.9	124	<1	<1	6	15	33	35	36
20-34	83	9.3	88	<1	2	6	11	23	30	43
35-49	155	9.8	60	2	3	7	12	19	23	45
50-64	348	12.3	102	2	3	9	16	24	31	56
65+	562	14.1	155	2	4	11	17	29	44	75
GRAND TOTAL	1163	12.6	124	2	3	9	16	25	33	64

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	35	13.2	44	8	8	10	15	24	30	33
35-49	64	12.9	36	7	8	11	15	20	26	39
50-64	55	15.8	67	8	9	14	19	25	29	57
65+	41	16.3	70	9	10	15	19	27	36	47
2. MULTIPLE DX										
0-19 YRS	3	33.0	703	10	10	27	53	62	62	62
20-34	43	16.0	82	7	7	13	20	29	36	44
35-49	84	19.1	182	8	9	16	22	33	44	83
50-64	168	21.0	170	9	10	17	25	39	55	96
65+	180	23.3	174	11	12	20	26	42	54	75
TOT. SINGLE DX	195	14.6	56	8	8	12	17	24	30	44
" MULTIPLE DX	478	21.2	173	9	10	17	25	38	52	81
TOTAL 0-19 YRS	3	33.0	703	10	10	27	53	62	62	62
20-34	78	14.8	67	7	8	12	18	29	32	42
35-49	148	16.4	128	8	8	12	19	28	37	63
50-64	223	19.7	150	9	10	16	24	35	51	87
65+	221	22.1	161	10	11	18	25	40	52	74
GRAND TOTAL	**673**	**19.3**	**148**	**8**	**9**	**16**	**23**	**35**	**46**	**73**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	18.5	13	16	16	18	21	21	21	21
50-64	6	18.8	90	12	12	14	24	35	36	36
65+	6	22.7	36	14	15	22	26	31	32	32
2. MULTIPLE DX										
0-19 YRS										
20-34	2	63.0	2178	30	30	63	96	96	96	96
35-49	5	26.6	175	12	13	28	46	95	99+	99+
50-64	30	30.2	419	12	13	23	35	60	77	98
65+	29	30.4	232	14	15	27	38	55	61	69
TOT. SINGLE DX	14	20.4	54	12	13	20	24	32	35	36
" MULTIPLE DX	66	31.0	365	12	15	26	38	60	80	99+
TOTAL 0-19 YRS										
20-34	2	63.0	2178	30	30	63	96	96	96	96
35-49	7	24.3	135	12	13	22	39	84	99+	99+
50-64	36	28.3	379	12	12	22	34	59	72	98
65+	35	29.1	205	14	15	26	38	54	59	69
GRAND TOTAL	**80**	**29.2**	**326**	**12**	**14**	**23**	**35**	**57**	**73**	**99**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	10.5	5	8	8	10	12	13	13	13
20-34	73	9.7	9	6	7	9	11	13	16	23
35-49	56	10.7	20	7	7	9	12	15	19	33
50-64	59	10.7	13	6	7	10	13	16	19	22
65+	23	17.7	109	8	9	15	21	25	40	58
2. MULTIPLE DX										
0-19 YRS	6	9.8	7	8	8	9	10	14	15	15
20-34	66	12.0	37	6	7	10	14	19	24	36
35-49	103	13.6	59	7	8	11	15	25	30	42
50-64	85	15.1	104	8	8	12	17	23	32	66
65+	81	22.4	175	9	10	19	27	38	51	71
TOT. SINGLE DX	215	11.1	29	7	7	9	12	17	20	31
" MULTIPLE DX	341	15.7	108	7	8	12	18	28	37	56
TOTAL 0-19 YRS	10	10.1	6	8	8	9	12	14	15	15
20-34	139	10.8	24	6	7	9	12	17	20	35
35-49	159	12.6	48	7	8	10	14	21	29	38
50-64	144	13.3	72	7	8	11	15	20	24	51
65+	104	21.3	163	9	10	18	26	37	51	71
GRAND TOTAL	**556**	**13.9**	**82**	**7**	**7**	**11**	**16**	**24**	**31**	**52**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	8.6	26	3	5	7	9	14	21	26
20-34	167	8.7	5	6	7	8	10	11	12	18
35-49	120	9.6	19	5	6	9	11	14	16	29
50-64	84	11.6	65	6	7	9	12	18	25	50
65+	54	14.4	97	7	7	12	16	22	35	63
2. MULTIPLE DX										
0-19 YRS	25	15.8	175	3	5	11	22	44	60	99+
20-34	137	12.4	58	6	7	10	13	20	29	44
35-49	214	13.5	110	6	7	10	14	25	38	99+
50-64	187	16.1	106	6	8	13	21	30	34	67
65+	195	23.6	321	8	9	17	30	49	69	99
TOT. SINGLE DX	444	10.2	36	6	6	9	11	15	19	44
" MULTIPLE DX	758	16.6	174	7	8	12	20	32	47	99
TOTAL 0-19 YRS	44	12.7	122	3	5	9	14	33	45	99+
20-34	304	10.3	33	6	7	9	11	14	19	43
35-49	334	12.1	81	6	7	10	12	21	29	79
50-64	271	14.7	98	6	7	11	18	28	33	55
65+	249	21.6	287	7	8	15	28	47	62	99
GRAND TOTAL	**1202**	**14.2**	**133**	**6**	**7**	**10**	**15**	**28**	**42**	**75**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	8.6	39	1	2	7	11	19	22	31
20-34	111	9.4	66	1	2	8	12	18	22	47
35-49	73	8.2	36	1	2	8	10	17	19	27
50-64	78	7.2	54	1	1	5	10	15	26	35
65+	103	8.2	66	1	1	6	11	16	26	43
2. MULTIPLE DX										
0-19 YRS	65	10.6	63	3	4	9	13	17	24	52
20-34	144	12.0	83	2	3	10	16	20	27	49
35-49	123	12.7	106	3	5	9	16	25	31	87
50-64	190	13.9	139	2	3	10	17	26	43	55
65+	306	15.7	190	2	3	12	20	33	44	91
TOT. SINGLE DX	441	8.4	55	1	1	7	11	17	23	35
" MULTIPLE DX	828	13.8	140	2	3	10	17	27	39	64
TOTAL 0-19 YRS	141	9.5	51	2	3	8	12	18	22	35
20-34	255	10.9	78	2	3	9	14	19	25	48
35-49	196	11.0	85	2	3	8	14	22	27	64
50-64	268	12.0	123	1	2	9	16	24	38	53
65+	409	13.8	170	1	2	10	18	31	40	74
GRAND TOTAL	**1269**	**11.9**	**117**	**1**	**2**	**9**	**15**	**25**	**34**	**56**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	12.0	14	9	9	10	15	17	17	17
20-34	11	16.8	112	5	6	11	27	31	35	35
35-49	14	14.2	44	8	8	13	16	22	31	33
50-64	21	15.8	66	7	8	13	20	27	34	39
65+	20	17.0	49	9	10	15	20	28	33	35
2. MULTIPLE DX										
0-19 YRS	26	13.3	135	7	7	10	17	53	99+	99+
20-34	47	18.7	157	7	8	16	22	32	48	67
35-49	37	21.3	198	8	9	18	27	53	86	99+
50-64	78	23.7	245	9	10	18	30	45	56	79
65+	94	25.6	431	10	11	19	31	65	84	99
TOT. SINGLE DX	71	15.7	60	7	8	14	19	28	33	38
" MULTIPLE DX	282	22.2	287	8	9	17	26	47	70	99+
TOTAL 0-19 YRS	31	13.1	115	7	7	10	17	34	95	99+
20-34	58	18.4	148	6	7	15	24	32	46	66
35-49	51	19.4	165	8	9	16	22	45	68	99+
50-64	99	22.0	217	8	10	16	26	42	55	76
65+	114	24.1	374	10	11	17	28	44	83	99
GRAND TOTAL	**353**	**20.9**	**248**	**8**	**9**	**16**	**25**	**43**	**65**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	16.8	42	6	9	18	21	26	27	27
20-34	51	15.3	110	7	8	12	18	25	33	71
35-49	84	16.4	80	8	8	14	19	27	36	50
50-64	147	15.2	33	9	10	14	18	22	26	49
65+	193	18.7	159	10	10	15	21	29	38	87
2. MULTIPLE DX										
0-19 YRS	24	28.6	537	8	10	20	45	84	99+	99+
20-34	123	21.7	295	8	9	15	22	41	66	84
35-49	161	18.9	114	9	11	16	23	29	36	75
50-64	369	20.8	164	10	10	16	25	39	49	98
65+	728	23.3	189	11	12	19	28	42	55	99+
TOT. SINGLE DX	491	16.9	101	9	9	14	19	26	33	73
" MULTIPLE DX	1405	22.1	192	10	11	18	26	41	55	99+
TOTAL 0-19 YRS	40	23.9	367	7	9	19	27	75	90	99+
20-34	174	19.8	249	8	9	15	21	36	64	79
35-49	245	18.0	103	8	10	15	21	29	36	71
50-64	516	19.2	134	9	10	15	22	35	46	95
65+	921	22.4	186	10	11	18	26	40	52	99
GRAND TOTAL	**1896**	**20.7**	**173**	**9**	**11**	**17**	**24**	**37**	**50**	**95**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	12.3	140	5	5	6	21	26	26	26
20-34	5	12.8	20	8	8	13	16	19	19	19
35-49	7	14.6	87	7	7	11	19	31	33	33
50-64	11	12.5	19	7	8	12	14	18	24	24
65+	10	20.6	85	10	11	18	29	34	35	35
2. MULTIPLE DX										
0-19 YRS	8	9.8	42	4	5	8	14	70	99+	99+
20-34	12	14.4	73	5	6	12	18	27	34	35
35-49	16	19.5	247	7	7	17	23	59	86	99+
50-64	34	23.9	289	9	10	19	29	44	65	85
65+	54	28.9	269	10	12	26	42	71	99+	99+
TOT. SINGLE DX	36	15.2	65	6	7	13	19	29	34	35
" MULTIPLE DX	124	23.7	268	7	8	19	33	54	85	99+
TOTAL 0-19 YRS	11	10.5	59	4	5	8	18	48	93	99+
20-34	17	13.9	56	5	6	13	16	23	31	35
35-49	23	18.0	198	7	7	13	21	54	73	99+
50-64	45	21.1	246	8	9	14	25	40	51	85
65+	64	27.6	248	10	11	24	39	56	99+	99+
GRAND TOTAL	**160**	**21.8**	**234**	**7**	**8**	**17**	**29**	**48**	**78**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	6.5	25	1	2	5	8	14	17	24
20-34	37	9.2	13	4	4	10	11	12	17	20
35-49	42	11.8	59	4	5	9	15	20	34	35
50-64	44	12.4	131	4	6	9	11	27	30	73
65+	55	11.7	46	5	5	10	14	19	20	40
2. MULTIPLE DX										
0-19 YRS	48	13.1	138	4	5	9	14	27	54	99+
20-34	90	16.5	195	6	6	12	19	37	55	92
35-49	93	14.4	74	6	7	12	16	26	31	51
50-64	154	17.9	160	6	8	14	23	30	45	85
65+	186	18.0	175	6	8	15	21	34	48	99+
TOT. SINGLE DX	213	10.6	61	3	4	9	11	19	24	37
" MULTIPLE DX	571	16.8	157	6	7	13	20	30	45	97
TOTAL 0-19 YRS	83	10.3	100	2	3	8	12	18	35	85
20-34	127	14.4	153	4	6	10	15	29	40	84
35-49	135	13.6	71	5	6	11	16	25	32	41
50-64	198	16.7	159	6	7	13	21	30	42	80
65+	241	16.6	153	5	7	13	20	29	43	99+
GRAND TOTAL	**784**	**15.1**	**138**	**4**	**6**	**12**	**18**	**28**	**38**	**86**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	15.5	33	8	8	16	20	21	21	21
20-34	5	34.2	574	12	12	24	59	61	61	61
35-49	6	16.5	28	7	8	17	19	23	23	23
50-64	8	22.6	347	5	7	18	25	53	65	65
65+	15	20.5	169	1	3	22	26	31	48	54
2. MULTIPLE DX										
0-19 YRS	5	17.0	172	1	2	20	35	93	99+	99+
20-34	14	21.6	243	9	9	15	39	54	88	99+
35-49	16	20.9	146	7	8	17	29	36	46	51
50-64	57	24.8	230	10	10	21	30	50	64	70
65+	82	29.0	281	11	13	25	39	59	95	99+
TOT. SINGLE DX	38	21.6	229	4	7	19	25	47	60	65
" MULTIPLE DX	174	26.0	253	9	11	22	35	56	69	99+
TOTAL 0-19 YRS	9	16.3	100	1	4	19	22	67	99+	99+
20-34	19	24.9	336	9	10	15	46	60	80	99+
35-49	22	19.7	116	7	8	17	23	34	42	51
50-64	65	24.6	240	10	10	21	28	53	66	70
65+	97	27.7	272	9	11	25	36	58	84	99+
GRAND TOTAL	**212**	**25.2**	**250**	**8**	**10**	**21**	**33**	**54**	**67**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3182	4.6	6	2	3	4	5	7	8	14
20-34	1900	4.6	5	2	3	4	5	7	8	13
35-49	448	5.3	7	3	3	5	6	8	10	16
50-64	149	7.1	21	3	3	5	9	12	17	22
65+	75	9.1	19	3	5	8	12	15	16	25
2. MULTIPLE DX										
0-19 YRS	720	7.5	31	3	3	6	9	14	18	31
20-34	599	6.9	19	3	3	6	8	11	15	24
35-49	177	8.8	42	3	4	7	11	16	20	31
50-64	135	11.8	54	4	5	10	15	22	28	35
65+	100	14.9	103	4	5	12	19	29	36	52
TOT. SINGLE DX	5754	4.7	7	2	3	4	5	7	9	15
" MULTIPLE DX	1731	8.2	39	3	3	6	10	15	20	33
TOTAL 0-19 YRS	3902	5.1	12	2	3	4	6	8	11	19
20-34	2499	5.1	9	2	3	4	6	8	10	17
35-49	625	6.3	20	3	3	5	7	11	14	23
50-64	284	9.3	42	3	4	8	11	18	23	33
65+	175	12.4	75	4	5	10	15	24	31	44
GRAND TOTAL	**7485**	**5.5**	**16**	**2**	**3**	**4**	**6**	**9**	**12**	**22**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	4.8	4	2	2	5	6	8	8	10
20-34	28	5.1	5	2	2	4	6	9	10	11
35-49	9	6.0	4	3	3	5	8	9	9	9
50-64	3	7.0	1	6	6	7	8	8	8	8
65+	2	9.5	85	3	3	9	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	8	6.6	8	4	4	6	8	11	12	12
20-34	12	6.0	6	3	3	5	7	10	12	12
35-49	7	8.4	22	3	3	7	13	15	15	15
50-64										
65+	1	17.0		17	17	17	17	17	17	17
TOT. SINGLE DX	91	5.2	6	2	2	5	6	8	10	14
" MULTIPLE DX	28	7.2	15	3	4	6	9	14	15	17
TOTAL 0-19 YRS	57	5.1	5	2	2	5	6	8	10	12
20-34	40	5.4	6	2	3	5	7	9	10	12
35-49	16	7.1	13	3	3	6	8	14	15	15
50-64	3	7.0	1	6	6	7	8	8	8	8
65+	3	12.0	61	3	3	16	17	17	17	17
GRAND TOTAL	**119**	**5.6**	**9**	**2**	**3**	**5**	**7**	**9**	**11**	**16**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	8.2	34	3	3	6	12	18	20	21
20-34	9	11.4	71	5	6	8	12	26	32	32
35-49	8	12.8	19	8	9	11	16	20	20	20
50-64	4	8.8	14	5	5	8	11	14	14	14
65+										
2. MULTIPLE DX										
0-19 YRS	5	10.2	7	6	6	10	12	13	13	13
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	3	13.0	12	9	9	15	15	15	15	15
50-64	3	13.3	9	10	10	14	15	16	16	16
65+	4	16.5	41	9	9	16	21	24	24	24
TOT. SINGLE DX	34	10.2	39	3	4	9	12	19	21	32
" MULTIPLE DX	17	12.2	25	4	6	12	15	18	22	24
TOTAL 0-19 YRS	18	8.8	27	3	3	8	12	16	19	21
20-34	11	10.4	64	3	4	8	10	23	31	32
35-49	11	12.8	16	8	9	12	15	19	20	20
50-64	7	10.7	16	5	6	10	14	16	16	16
65+	4	16.5	42	9	9	16	21	24	24	24
GRAND TOTAL	**51**	**10.9**	**35**	**3**	**4**	**10**	**14**	**19**	**21**	**32**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	6.1	29	<1	1	4	9	15	18	21
20-34	70	7.0	40	1	1	5	10	14	21	33
35-49	60	5.7	19	<1	1	4	8	12	16	19
50-64	84	8.3	73	1	1	5	12	18	28	41
65+	127	7.0	35	1	2	6	9	13	18	32
2. MULTIPLE DX										
0-19 YRS	43	14.7	200	2	3	9	21	42	52	99+
20-34	67	8.8	109	1	1	6	9	17	25	66
35-49	71	10.4	90	2	3	7	13	20	28	52
50-64	109	10.9	73	1	2	9	16	23	26	40
65+	219	14.6	215	2	3	10	18	34	54	88
TOT. SINGLE DX	404	6.9	41	1	1	5	9	15	19	33
" MULTIPLE DX	509	12.5	157	1	2	9	16	27	42	70
TOTAL 0-19 YRS	106	9.6	116	<1	1	6	13	22	38	76
20-34	137	7.9	75	1	1	6	9	15	23	43
35-49	131	8.2	63	1	2	6	11	17	21	48
50-64	193	9.8	75	1	2	7	14	22	26	41
65+	346	11.8	162	2	2	8	15	27	40	70
GRAND TOTAL	**913**	**10.0**	**113**	**1**	**2**	**7**	**13**	**21**	**31**	**63**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.3	27	<1	<1	2	4	14	16	16
20-34	16	4.1	18	<1	<1	3	4	10	15	17
35-49	14	4.1	6	1	1	3	5	9	9	9
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	5	3.4	4	1	1	3	5	6	6	6
20-34	7	10.9	292	1	1	4	9	41	49	49
35-49	7	4.9	7	2	2	4	7	9	9	9
50-64	3	5.7	10	2	2	7	8	8	8	8
65+	8	7.0	30	2	2	5	10	16	17	17
TOT. SINGLE DX	41	3.8	14	<1	<1	3	4	9	13	17
" MULTIPLE DX	30	6.7	78	1	2	4	7	12	17	49
TOTAL 0-19 YRS	12	3.9	17	<1	1	3	4	9	15	16
20-34	23	6.1	103	<1	<1	3	6	12	28	49
35-49	21	4.3	7	1	2	3	6	9	9	9
50-64	6	3.3	11	<1	<1	1	7	8	8	8
65+	9	6.3	31	1	1	5	8	16	17	17
GRAND TOTAL	**71**	**5.0**	**42**	**<1**	**1**	**3**	**6**	**9**	**16**	**42**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	27.4	342	12	13	21	27	60	69	69
20-34	11	22.7	390	3	7	18	26	50	75	77
35-49	22	16.2	40	10	10	14	23	27	28	29
50-64	67	16.8	35	10	10	16	20	24	28	36
65+	82	20.9	100	10	11	18	25	35	39	57
2. MULTIPLE DX										
0-19 YRS	16	26.6	397	6	6	23	37	51	71	79
20-34	22	26.0	426	12	13	20	25	77	98	99+
35-49	53	18.5	69	9	11	17	21	28	34	47
50-64	194	21.3	134	10	11	18	25	39	45	61
65+	312	26.1	204	11	13	22	33	44	59	95
TOT. SINGLE DX	192	19.4	105	10	11	17	23	31	37	64
" MULTIPLE DX	597	23.9	189	11	12	20	29	42	56	89
TOTAL 0-19 YRS	26	26.9	362	6	8	22	37	52	71	79
20-34	33	24.9	404	10	11	20	25	72	93	99+
35-49	75	17.8	61	9	11	15	22	27	31	47
50-64	261	20.2	113	10	11	17	23	34	42	59
65+	394	25.1	187	11	12	21	31	42	57	90
GRAND TOTAL	**789**	**22.8**	**172**	**10**	**12**	**19**	**27**	**39**	**51**	**80**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	6.1	16	1	1	5	9	12	14	17
20-34	128	7.1	53	2	2	5	7	12	20	47
35-49	132	6.2	17	1	2	5	8	12	14	36
50-64	122	7.3	38	1	2	6	9	14	18	34
65+	126	8.2	36	1	2	7	11	18	21	55
2. MULTIPLE DX										
0-19 YRS	22	7.5	46	<1	1	6	9	18	24	29
20-34	199	8.0	72	2	2	5	9	14	21	52
35-49	259	9.0	77	2	3	7	10	16	22	53
50-64	313	10.9	130	2	3	8	13	20	33	74
65+	460	13.3	144	3	4	10	16	25	39	86
TOT. SINGLE DX	537	7.1	36	1	2	5	9	13	19	42
" MULTIPLE DX	1253	10.9	118	2	3	8	13	21	30	74
TOTAL 0-19 YRS	51	6.7	29	1	1	6	9	13	17	29
20-34	327	7.6	65	2	2	5	9	13	20	48
35-49	391	8.0	59	2	3	6	10	15	21	52
50-64	435	9.9	107	1	3	7	11	19	28	54
65+	586	12.2	126	2	3	9	15	23	36	86
GRAND TOTAL	**1790**	**9.7**	**96**	**2**	**3**	**7**	**11**	**19**	**26**	**64**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.5	31	1	2	3	4	7	18	26
20-34	154	4.5	7	1	2	4	5	8	10	15
35-49	162	4.1	7	1	2	4	5	7	10	15
50-64	88	5.0	14	1	1	4	6	10	13	18
65+	13	8.1	51	1	2	5	10	18	26	28
2. MULTIPLE DX										
0-19 YRS	9	7.4	42	3	3	5	9	19	23	23
20-34	61	6.3	63	2	2	4	6	10	19	54
35-49	87	5.7	21	2	2	4	7	10	14	27
50-64	65	6.6	40	1	2	5	7	13	19	36
65+	32	11.8	329	2	2	6	11	18	61	89
TOT. SINGLE DX	435	4.6	11	1	2	4	5	9	11	17
" MULTIPLE DX	254	6.9	78	2	2	5	7	12	19	57
TOTAL 0-19 YRS	27	5.5	36	1	2	3	6	11	23	26
20-34	215	5.0	24	1	2	4	5	9	11	21
35-49	249	4.7	13	1	2	4	5	9	11	19
50-64	153	5.7	26	1	2	4	6	12	16	28
65+	45	10.7	249	2	2	6	11	15	38	89
GRAND TOTAL	**689**	**5.4**	**37**	**1**	**2**	**4**	**6**	**10**	**13**	**28**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.1	4	<1	<1	3	4	6	7	9
20-34	184	3.2	4	<1	<1	3	4	6	7	12
35-49	92	3.6	3	<1	1	3	5	6	7	10
50-64	43	3.9	11	<1	1	3	5	6	9	21
65+	15	4.9	14	<1	2	4	5	13	14	14
2. MULTIPLE DX										
0-19 YRS	11	4.7	12	1	1	3	7	10	12	12
20-34	85	5.3	98	1	2	4	5	7	9	67
35-49	87	5.9	117	2	2	4	5	8	10	75
50-64	68	7.5	70	1	1	5	8	15	23	46
65+	40	12.4	199	1	2	7	17	33	57	99+
TOT. SINGLE DX	365	3.4	6	<1	<1	3	5	6	7	13
" MULTIPLE DX	291	7.0	112	1	2	4	7	12	22	83
TOTAL 0-19 YRS	42	3.5	7	<1	<1	3	5	7	9	12
20-34	269	3.9	35	<1	<1	3	5	6	7	13
35-49	179	4.7	60	1	2	4	5	7	8	31
50-64	111	6.1	50	1	1	4	6	13	21	43
65+	55	10.4	159	1	2	6	13	29	44	98
GRAND TOTAL	**656**	**5.0**	**56**	**<1**	**1**	**4**	**5**	**8**	**13**	**40**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.6	4	1	2	4	6	8	8	8
20-34	411	5.3	3	3	3	5	7	8	9	11
35-49	563	5.5	4	3	3	5	7	8	9	14
50-64	340	5.7	6	3	3	5	7	9	11	14
65+	120	6.5	10	2	3	6	8	10	11	19
2. MULTIPLE DX										
0-19 YRS	7	5.9	8	3	3	5	7	11	12	12
20-34	365	5.4	8	2	3	5	6	8	9	15
35-49	476	6.2	9	3	3	6	7	9	11	20
50-64	395	7.3	28	3	4	6	8	13	16	28
65+	191	10.1	68	3	4	7	12	20	29	49
TOT. SINGLE DX	1448	5.6	6	3	3	5	7	8	10	14
" MULTIPLE DX	1434	6.8	24	3	3	6	8	11	15	29
TOTAL 0-19 YRS	21	5.0	6	2	2	5	6	8	10	12
20-34	776	5.4	6	2	3	5	6	8	9	13
35-49	1039	5.8	7	3	3	5	7	8	10	16
50-64	735	6.5	19	3	3	5	7	11	14	24
65+	311	8.7	49	3	3	7	10	16	25	42
GRAND TOTAL	**2882**	**6.2**	**15**	**3**	**3**	**5**	**7**	**9**	**12**	**23**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	6.0	126	<1	1	4	5	7	23	74
20-34	268	3.9	8	1	1	3	5	7	10	14
35-49	205	3.6	5	1	1	3	5	7	8	12
50-64	92	4.8	14	1	1	4	6	10	15	67
65+	41	5.4	11	2	2	5	6	11	13	16
2. MULTIPLE DX										
0-19 YRS	40	6.0	33	1	1	4	7	16	20	21
20-34	149	6.4	92	1	2	4	7	11	16	65
35-49	121	5.9	34	1	1	4	7	13	16	31
50-64	93	6.7	76	1	2	4	7	12	21	55
65+	73	11.1	230	1	2	7	12	21	45	97
TOT. SINGLE DX	682	4.2	22	1	1	3	5	7	10	23
" MULTIPLE DX	476	7.0	93	1	2	4	8	14	20	69
TOTAL 0-19 YRS	116	6.0	94	1	1	4	5	13	21	62
20-34	417	4.8	40	1	1	3	6	9	12	24
35-49	326	4.4	17	1	1	3	5	8	12	22
50-64	185	5.8	47	1	2	4	7	11	16	58
65+	114	9.0	159	2	2	6	11	18	28	92
GRAND TOTAL	**1158**	**5.4**	**53**	**1**	**1**	**4**	**6**	**10**	**15**	**39**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	29.0	200	19	19	29	39	39	39	39
35-49	3	15.0	337	2	2	7	29	36	36	36
50-64	2	36.0	200	26	26	36	46	46	46	46
65+	2	59.0	162	50	50	59	68	68	68	68
TOT. SINGLE DX	4	11.3	94	4	4	8	18	25	25	25
" MULTIPLE DX	10	29.8	477	2	3	31	46	59	68	68
TOTAL 0-19 YRS	3	7.0	12	5	5	5	10	11	11	11
20-34	2	29.0	200	19	19	29	39	39	39	39
35-49	4	12.3	255	2	2	5	21	36	36	36
50-64	2	36.0	200	26	26	36	46	46	46	46
65+	3	47.7	466	25	25	50	63	68	68	68
GRAND TOTAL	**14**	**24.5**	**427**	**2**	**4**	**22**	**39**	**52**	**64**	**68**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	6.8	66	1	1	5	8	12	26	38
20-34	71	6.2	68	1	1	2	8	19	22	43
35-49	75	9.5	91	1	1	6	15	25	30	34
50-64	75	8.0	68	1	1	5	13	17	23	44
65+	52	12.7	203	1	1	7	18	29	51	56
2. MULTIPLE DX										
0-19 YRS	26	14.2	201	2	2	9	21	49	99+	99+
20-34	100	12.8	149	1	1	10	19	25	31	94
35-49	157	13.5	185	1	1	10	19	32	45	76
50-64	229	16.2	209	1	2	12	22	36	45	86
65+	192	19.1	221	2	3	16	25	38	47	77
TOT. SINGLE DX	293	8.7	102	1	1	5	13	22	28	51
" MULTIPLE DX	704	15.8	203	1	2	12	21	36	45	92
TOTAL 0-19 YRS	46	11.0	154	1	2	8	13	41	56	99+
20-34	171	10.1	126	1	1	7	15	22	29	82
35-49	232	12.2	158	1	1	9	18	28	36	69
50-64	304	14.2	187	1	2	10	19	31	42	81
65+	244	17.7	223	1	2	15	24	38	49	60
GRAND TOTAL	**997**	**13.7**	**184**	**1**	**1**	**10**	**19**	**30**	**42**	**81**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	176	7.3	7	4	5	7	8	10	11	18
20-34	1796	7.2	5	5	5	7	8	10	12	16
35-49	1436	7.8	9	5	5	7	9	11	13	19
50-64	1193	8.6	13	5	6	8	9	12	16	23
65+	672	11.0	33	6	6	9	12	18	22	32
2. MULTIPLE DX										
0-19 YRS	101	10.0	45	4	5	8	11	17	22	41
20-34	1114	9.1	32	5	5	8	10	14	17	29
35-49	1171	9.9	39	5	6	8	11	15	20	39
50-64	1638	11.7	53	6	6	9	13	20	25	43
65+	1508	16.5	128	7	8	13	20	30	40	70
TOT. SINGLE DX	5273	8.2	13	5	5	7	9	12	15	23
" MULTIPLE DX	5532	12.1	75	5	6	9	14	21	28	53
TOTAL 0-19 YRS	277	8.3	23	4	5	7	9	12	17	26
20-34	2910	7.9	17	5	5	7	9	12	14	20
35-49	2607	8.8	24	5	5	8	9	13	16	29
50-64	2831	10.4	39	5	6	8	12	17	22	37
65+	2180	14.8	105	6	7	11	17	27	35	64
GRAND TOTAL	**10805**	**10.2**	**49**	**5**	**6**	**8**	**11**	**17**	**23**	**41**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	14.7	100	7	7	11	22	26	26	26
20-34	16	10.3	25	1	2	10	14	17	18	18
35-49	23	11.0	27	2	4	11	14	17	20	26
50-64	34	13.8	81	4	7	12	16	21	28	54
65+	55	16.8	109	1	5	16	23	32	34	51
2. MULTIPLE DX										
0-19 YRS	5	25.8	1562	1	1	10	34	96	96	96
20-34	13	24.1	503	2	3	19	34	60	75	78
35-49	41	19.1	152	6	7	14	27	33	41	62
50-64	103	22.0	159	7	9	20	26	40	46	69
65+	199	23.0	164	8	11	20	29	41	57	99+
TOT. SINGLE DX	131	14.1	82	2	5	12	18	26	32	52
" MULTIPLE DX	361	22.4	189	6	9	20	28	41	54	99
TOTAL 0-19 YRS	8	21.6	955	1	3	10	20	75	96	96
20-34	29	16.4	278	2	3	12	18	38	56	78
35-49	64	16.2	121	5	6	13	20	32	35	59
50-64	137	20.0	153	6	8	17	24	36	45	59
65+	254	21.7	159	6	9	19	28	38	53	99+
GRAND TOTAL	**492**	**20.2**	**173**	**5**	**8**	**18**	**26**	**36**	**47**	**90**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	8.0	91	2	2	3	15	19	19	19
20-34	23	12.3	107	1	1	10	16	30	36	36
35-49	28	8.8	35	2	2	7	13	17	19	23
50-64	33	12.3	85	2	2	10	17	32	36	99+
65+	15	12.4	42	3	5	12	14	24	25	25
2. MULTIPLE DX										
0-19 YRS	8	7.8	10	2	3	8	10	11	12	12
20-34	39	21.3	340	3	5	13	33	55	70	99+
35-49	69	17.3	173	5	7	14	21	35	46	94
50-64	99	22.3	337	3	5	17	27	49	71	94
65+	93	19.9	160	5	8	17	26	35	39	68
TOT. SINGLE DX	102	11.2	71	2	2	9	16	23	32	67
" MULTIPLE DX	308	20.0	244	4	6	16	26	38	62	93
TOTAL 0-19 YRS	11	7.8	26	2	2	8	10	15	19	19
20-34	62	18.0	270	2	3	12	23	48	58	97
35-49	97	14.9	148	3	4	12	18	31	39	86
50-64	132	19.8	293	2	4	16	26	40	70	99+
65+	108	18.9	150	5	7	16	25	33	38	68
GRAND TOTAL	**410**	**17.8**	**215**	**2**	**4**	**14**	**23**	**36**	**53**	**93**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	7.2	36	<1	1	6	9	15	19	31
20-34	296	6.4	45	<1	1	5	8	13	16	34
35-49	241	5.7	24	<1	1	5	8	11	15	21
50-64	272	6.4	34	1	1	4	9	14	18	30
65+	363	8.0	65	1	2	6	9	16	23	45
2. MULTIPLE DX										
0-19 YRS	92	8.7	89	1	2	6	9	21	29	49
20-34	238	8.1	52	1	2	7	10	16	21	40
35-49	274	9.4	94	1	2	7	11	17	26	49
50-64	549	10.4	101	2	3	8	14	21	28	74
65+	1250	13.4	144	3	4	10	16	28	37	84
TOT. SINGLE DX	1287	6.8	45	1	1	5	8	14	18	35
" MULTIPLE DX	2403	11.5	122	2	3	9	14	23	32	74
TOTAL 0-19 YRS	207	7.9	60	1	2	6	9	16	25	39
20-34	534	7.2	49	1	1	5	9	14	19	38
35-49	515	7.7	65	1	1	6	10	15	19	43
50-64	821	9.1	83	1	2	7	12	18	25	44
65+	1613	12.2	132	2	3	9	15	25	36	76
GRAND TOTAL	**3690**	**9.9**	**100**	**1**	**2**	**7**	**12**	**20**	**28**	**61**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1168	2.6	2	<1	1	2	3	4	6	9
20-34	1128	4.0	3	2	2	4	5	6	7	9
35-49	970	4.4	9	2	2	4	5	6	8	11
50-64	1382	4.6	5	1	2	4	6	8	8	12
65+	1081	5.7	8	2	3	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	522	4.2	36	<1	1	3	4	7	13	40
20-34	313	4.7	7	2	2	4	6	7	9	18
35-49	353	5.1	10	2	2	4	6	8	10	20
50-64	855	6.1	16	2	3	5	7	10	14	22
65+	1128	8.7	69	3	3	7	10	16	23	50
TOT. SINGLE DX	5729	4.3	7	1	2	4	5	7	8	12
" MULTIPLE DX	3171	6.5	40	1	2	5	7	12	16	36
TOTAL 0-19 YRS	1690	3.1	14	<1	1	2	3	5	7	16
20-34	1441	4.1	4	2	2	4	5	6	8	11
35-49	1323	4.6	10	2	2	4	5	7	8	14
50-64	2237	5.2	10	2	2	5	6	8	10	17
65+	2209	7.2	42	2	3	6	8	12	16	38
GRAND TOTAL	**8700**	**5.0**	**20**	**1**	**2**	**4**	**6**	**8**	**11**	**22**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	2.5	1	<1	1	2	3	4	5	7
20-34	64	4.4	2	2	3	4	5	6	7	8
35-49	111	4.9	2	3	3	5	6	7	8	9
50-64	143	5.2	3	3	3	5	6	8	9	10
65+	96	5.7	5	2	3	6	7	9	10	12
2. MULTIPLE DX										
0-19 YRS	86	5.2	128	<1	1	3	4	9	12	79
20-34	16	4.7	3	1	3	5	6	7	8	8
35-49	41	5.4	4	2	3	5	6	8	9	11
50-64	118	7.2	14	2	3	6	9	12	15	19
65+	119	9.4	64	3	4	7	10	15	29	44
TOT. SINGLE DX	520	4.6	4	1	2	4	6	7	8	10
" MULTIPLE DX	380	7.2	57	2	2	6	8	11	15	41
TOTAL 0-19 YRS	192	3.7	60	<1	1	2	3	6	9	41
20-34	80	4.5	2	1	3	4	6	7	7	8
35-49	152	5.0	3	3	3	5	6	7	8	10
50-64	261	6.1	9	3	3	6	7	10	11	17
65+	215	7.8	41	2	3	6	9	11	16	41
GRAND TOTAL	**900**	**5.7**	**28**	**2**	**2**	**5**	**7**	**9**	**11**	**26**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.1	1	2	2	3	4	5	5	5
20-34	41	4.1	3	1	2	4	5	7	7	8
35-49	63	4.9	11	1	2	4	6	8	9	21
50-64	69	4.5	3	1	2	4	6	7	8	10
65+	54	6.8	23	2	3	5	8	12	16	29
2. MULTIPLE DX										
0-19 YRS	3	6.3	17	3	3	5	9	11	11	11
20-34	11	3.9		3	3	4	5	5	5	5
35-49	25	6.9	72	1	1	4	7	16	30	37
50-64	45	6.6	20	3	3	5	7	12	16	24
65+	81	9.9	39	4	4	8	12	18	22	37
TOT. SINGLE DX	236	5.0	11	1	2	4	6	8	10	20
" MULTIPLE DX	165	8.1	39	3	3	6	10	15	21	36
TOTAL 0-19 YRS	12	3.9	6	2	2	3	5	7	10	11
20-34	52	4.1	3	1	2	4	5	6	7	8
35-49	88	5.5	29	1	1	4	6	9	16	34
50-64	114	5.3	11	2	3	5	6	8	11	23
65+	135	8.7	36	3	4	7	11	16	20	31
GRAND TOTAL	**401**	**6.3**	**25**	**2**	**3**	**5**	**7**	**11**	**16**	**27**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164	2.6	4	<1	1	2	3	4	6	12
20-34	90	3.5	2	1	2	3	4	6	7	9
35-49	116	3.7	4	1	1	3	5	6	7	11
50-64	101	4.8	5	2	2	4	6	8	9	11
65+	51	5.8	11	2	2	5	8	10	11	16
2. MULTIPLE DX										
0-19 YRS	45	5.9	103	1	2	3	5	11	23	64
20-34	32	4.7	6	1	2	4	5	9	10	11
35-49	65	5.0	7	1	2	5	6	9	10	14
50-64	90	7.2	29	1	2	6	9	14	19	28
65+	65	8.6	34	3	3	7	11	13	20	33
TOT. SINGLE DX	522	3.7	6	1	1	3	5	7	9	11
" MULTIPLE DX	297	6.6	36	1	2	5	8	12	16	31
TOTAL 0-19 YRS	209	3.3	27	<1	1	2	3	5	9	23
20-34	122	3.8	4	1	2	3	5	6	8	10
35-49	181	4.1	6	1	1	4	5	7	9	12
50-64	191	5.9	18	2	2	5	8	10	14	23
65+	116	7.4	26	2	3	6	10	12	16	32
GRAND TOTAL	**819**	**4.7**	**19**	**1**	**2**	**4**	**6**	**9**	**11**	**21**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	3.2	4	<1	<1	3	4	6	7	13
20-34	190	4.5	5	2	2	4	6	8	9	12
35-49	264	5.9	10	2	3	5	8	10	11	17
50-64	251	6.4	8	2	3	6	8	10	11	17
65+	191	8.2	18	3	4	8	10	14	15	21
2. MULTIPLE DX										
0-19 YRS	18	7.9	134	<1	<1	4	8	18	38	50
20-34	98	6.9	18	2	3	6	9	11	17	24
35-49	192	7.2	15	2	3	6	9	12	14	21
50-64	276	10.5	61	3	4	9	12	19	26	44
65+	280	11.8	99	4	5	9	13	20	24	81
TOT. SINGLE DX	952	6.0	12	2	2	5	8	10	12	17
" MULTIPLE DX	864	9.7	64	3	4	8	12	17	22	44
TOTAL 0-19 YRS	74	4.3	39	<1	<1	3	4	7	12	43
20-34	288	5.3	11	2	2	4	7	9	11	19
35-49	456	6.4	13	2	3	6	8	10	13	20
50-64	527	8.5	41	3	3	7	10	14	19	38
65+	471	10.3	70	3	4	9	12	17	21	45
GRAND TOTAL	**1816**	**7.8**	**40**	**2**	**3**	**7**	**9**	**13**	**17**	**34**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	11	7.6	12	<1	2	8	9	13	15	15
35-49	26	9.3	14	4	6	9	11	13	16	23
50-64	23	11.3	52	6	6	9	12	17	26	41
65+	9	9.8	13	5	6	9	12	16	16	16
2. MULTIPLE DX										
0-19 YRS	13	13.3	169	3	5	8	13	23	48	54
20-34	23	10.5	54	5	6	8	10	17	31	37
35-49	75	10.8	71	7	7	9	11	13	18	60
50-64	92	12.9	37	7	8	11	15	20	26	36
65+	60	17.0	169	7	8	14	18	30	47	80
TOT. SINGLE DX	70	9.8	27	4	6	9	11	14	17	37
" MULTIPLE DX	263	13.0	89	6	7	10	14	20	29	54
TOTAL 0-19 YRS	14	12.3	156	3	5	9	13	19	46	54
20-34	34	9.6	42	4	6	8	10	14	25	37
35-49	101	10.4	57	6	7	9	11	13	18	57
50-64	115	12.6	40	6	7	11	15	19	26	39
65+	69	16.1	155	7	7	13	17	27	44	77
GRAND TOTAL	**333**	**12.3**	**78**	**6**	**7**	**10**	**13**	**19**	**27**	**52**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	5.3	83	<1	<1	3	6	9	15	61
20-34	74	5.5	17	2	2	5	7	11	13	23
35-49	63	5.3	15	1	1	5	7	11	11	22
50-64	60	9.5	60	2	2	8	12	19	22	46
65+	40	12.9	192	2	3	10	16	23	30	85
2. MULTIPLE DX										
0-19 YRS	42	7.3	61	1	2	5	11	14	34	99+
20-34	125	9.4	95	2	2	7	12	19	23	51
35-49	128	11.4	90	2	2	8	15	26	31	42
50-64	205	15.1	219	2	2	11	19	35	46	78
65+	227	18.5	257	1	3	15	24	44	65	99+
TOT. SINGLE DX	284	7.4	68	1	2	5	9	15	20	44
" MULTIPLE DX	727	14.1	192	1	2	10	18	32	44	90
TOTAL 0-19 YRS	89	6.2	73	<1	1	3	8	13	21	84
20-34	199	8.1	69	2	2	6	10	16	21	36
35-49	191	9.4	74	1	2	7	12	22	29	39
50-64	265	13.8	189	2	2	9	17	31	40	68
65+	267	17.6	251	1	3	14	23	42	63	99+
GRAND TOTAL	**1011**	**12.2**	**166**	**1**	**2**	**8**	**16**	**27**	**40**	**85**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	6.9	42	3	3	5	8	11	13	44
20-34	246	6.1	13	2	3	6	7	9	12	25
35-49	85	7.8	28	2	3	7	9	11	16	35
50-64	58	12.2	60	4	5	11	15	20	24	49
65+	44	16.3	169	5	7	13	19	24	41	71
2. MULTIPLE DX										
0-19 YRS	112	9.6	54	3	4	8	11	15	24	43
20-34	257	10.9	157	3	4	7	11	22	40	77
35-49	123	12.0	64	4	5	10	14	20	30	44
50-64	131	17.9	121	6	7	15	24	33	42	70
65+	147	22.6	234	7	8	18	30	49	60	99+
TOT. SINGLE DX	520	8.0	49	2	3	6	9	15	19	34
" MULTIPLE DX	770	14.3	159	4	4	10	17	32	44	85
TOTAL 0-19 YRS	199	8.4	51	3	4	7	10	14	17	44
20-34	503	8.5	93	2	3	6	8	14	24	68
35-49	208	10.3	54	3	4	9	12	19	22	42
50-64	189	16.1	110	5	6	13	20	32	37	58
65+	191	21.1	225	7	8	17	25	49	60	99+
GRAND TOTAL	**1290**	**11.8**	**124**	**3**	**4**	**8**	**14**	**25**	**35**	**69**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	288	3.5	7	<1	1	2	5	8	10	13
20-34	1203	2.7	7	<1	<1	2	3	6	7	14
35-49	214	2.4	4	<1	<1	2	2	4	7	13
50-64	31	4.4	19	1	1	2	6	12	16	18
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	165	4.9	23	1	1	3	6	10	14	23
20-34	996	3.3	16	<1	1	2	3	7	10	21
35-49	207	3.6	16	<1	<1	2	4	9	13	20
50-64	26	4.7	21	1	1	3	6	10	14	22
65+	15	7.9	42	1	2	8	11	17	21	23
TOT. SINGLE DX	1739	2.8	7	<1	<1	2	3	6	8	14
" MULTIPLE DX	1409	3.6	18	<1	1	2	4	8	11	22
TOTAL 0-19 YRS	453	4.0	14	<1	1	3	5	8	11	21
20-34	2199	3.0	11	<1	<1	2	3	6	9	15
35-49	421	3.0	11	<1	<1	2	3	7	10	17
50-64	57	4.5	20	1	1	2	6	11	15	22
65+	18	6.9	40	1	2	4	10	16	21	23
GRAND TOTAL	**3148**	**3.2**	**12**	**<1**	**<1**	**2**	**3**	**7**	**10**	**17**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	7.5	22	2	4	7	9	11	17	25
20-34	127	7.2	20	1	2	7	9	13	17	21
35-49	100	9.1	36	2	3	8	11	15	19	36
50-64	63	11.4	43	4	6	10	14	19	23	42
65+	51	13.8	62	5	6	11	18	25	29	40
2. MULTIPLE DX										
0-19 YRS	53	14.6	244	3	5	10	18	33	48	99+
20-34	215	9.9	120	2	2	7	10	21	31	73
35-49	170	13.0	104	2	4	9	17	26	36	62
50-64	155	17.0	199	5	6	13	22	37	53	99
65+	172	21.3	246	6	8	16	28	44	63	99+
TOT. SINGLE DX	363	9.4	40	2	3	8	11	17	21	31
" MULTIPLE DX	765	14.9	187	3	4	10	19	33	46	99
TOTAL 0-19 YRS	75	12.5	189	3	4	8	13	31	34	99+
20-34	342	8.9	85	1	2	7	10	17	25	58
35-49	270	11.6	82	2	4	9	14	23	29	53
50-64	218	15.4	160	5	6	11	18	32	45	95
65+	223	19.6	214	6	7	15	25	42	50	99+
GRAND TOTAL	**1128**	**13.1**	**146**	**2**	**4**	**9**	**16**	**28**	**39**	**93**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.9	10	5	6	9	13	14	14	14
20-34	21	10.6	17	8	8	9	11	13	20	27
35-49	29	12.9	22	6	9	12	16	18	20	28
50-64	46	15.5	40	8	10	15	18	23	25	43
65+	42	20.2	82	10	11	18	23	33	41	48
2. MULTIPLE DX										
0-19 YRS	28	14.3	57	6	8	12	17	24	26	43
20-34	58	15.9	128	6	8	12	16	36	43	56
35-49	62	16.8	209	8	9	13	18	28	62	98
50-64	114	19.8	106	9	9	17	24	35	38	56
65+	132	22.1	123	10	11	19	26	36	44	61
TOT. SINGLE DX	148	15.2	56	7	9	13	18	24	29	43
" MULTIPLE DX	394	19.1	134	8	9	16	23	34	42	67
TOTAL 0-19 YRS	38	13.1	48	5	7	12	14	22	24	43
20-34	79	14.5	104	7	8	11	15	29	39	55
35-49	91	15.6	152	8	9	13	17	23	32	94
50-64	160	18.5	91	9	9	16	22	31	38	51
65+	174	21.6	114	10	11	19	25	36	42	59
GRAND TOTAL	**542**	**18.1**	**115**	**8**	**9**	**15**	**22**	**31**	**40**	**60**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	11.2	74	2	2	9	15	22	30	37
20-34	122	9.4	34	2	2	9	12	17	22	27
35-49	103	11.3	26	3	5	10	15	18	21	27
50-64	95	11.6	39	3	5	10	14	18	24	37
65+	44	16.3	183	1	7	14	20	24	37	86
2. MULTIPLE DX										
0-19 YRS	73	15.8	113	2	2	14	20	27	34	64
20-34	215	15.4	148	2	3	13	20	27	40	68
35-49	170	15.5	153	2	5	12	18	30	41	86
50-64	200	16.9	117	3	6	15	21	30	38	56
65+	109	19.1	175	5	8	16	22	39	53	81
TOT. SINGLE DX	406	11.3	57	2	3	10	14	20	24	36
" MULTIPLE DX	767	16.4	143	2	4	14	20	30	40	68
TOTAL 0-19 YRS	115	14.1	104	2	2	13	20	26	32	49
20-34	337	13.2	116	2	3	11	17	25	32	63
35-49	273	13.9	110	2	5	11	17	23	36	63
50-64	295	15.2	98	3	6	12	19	28	35	53
65+	153	18.3	179	3	8	15	21	33	51	85
GRAND TOTAL	**1173**	**14.6**	**119**	**2**	**4**	**12**	**18**	**26**	**36**	**65**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	9.3	19	3	4	9	12	15	16	16
20-34	95	10.4	23	4	5	10	12	15	20	28
35-49	107	10.6	23	5	6	10	12	15	21	28
50-64	118	11.1	20	4	6	10	14	16	19	26
65+	37	13.3	36	5	7	12	16	22	24	30
2. MULTIPLE DX										
0-19 YRS	3	13.0	189	1	1	10	23	28	28	28
20-34	48	12.1	22	6	7	11	16	18	21	28
35-49	80	14.0	100	7	8	12	15	22	29	70
50-64	130	14.8	53	7	8	13	17	26	27	42
65+	80	18.7	98	7	9	16	22	32	40	55
TOT. SINGLE DX	365	11.0	24	4	6	10	13	17	21	28
" MULTIPLE DX	341	15.1	75	7	8	13	18	25	30	48
TOTAL 0-19 YRS	11	10.3	54	1	2	10	13	21	27	28
20-34	143	11.0	23	4	6	10	13	18	20	28
35-49	187	12.0	59	5	7	10	13	19	24	34
50-64	248	13.1	41	5	7	12	16	20	26	38
65+	117	17.0	85	6	8	14	21	30	34	52
GRAND TOTAL	**706**	**13.0**	**53**	**5**	**7**	**11**	**15**	**21**	**26**	**40**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	13.4	27	8	8	11	16	23	23	25
20-34	14	11.2	11	4	7	11	14	15	16	16
35-49	6	17.0	50	10	10	15	19	29	30	30
50-64	6	23.8	110	11	12	21	32	39	40	40
65+	4	22.0	44	13	13	23	26	29	29	29
2. MULTIPLE DX										
0-19 YRS	98	18.1	182	8	9	13	22	27	32	87
20-34	38	17.4	132	9	9	14	18	30	40	69
35-49	19	17.7	99	4	6	17	23	39	74	99+
50-64	33	22.5	237	6	10	19	26	45	81	99+
65+	27	29.1	343	7	10	25	35	71	79	99+
TOT. SINGLE DX	117	14.1	38	8	8	12	19	23	24	35
" MULTIPLE DX	215	20.0	206	8	9	17	24	33	62	99+
TOTAL 0-19 YRS	185	15.9	114	8	9	12	21	24	27	74
20-34	52	15.7	106	8	9	13	17	24	33	68
35-49	25	17.5	85	4	8	17	22	30	58	99+
50-64	39	22.7	215	7	10	20	27	42	70	99+
65+	31	28.2	308	7	11	25	30	69	76	99+
GRAND TOTAL	**332**	**17.9**	**154**	**8**	**9**	**14**	**22**	**28**	**42**	**99**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	6.9	23	1	2	6	10	14	16	19
20-34	155	4.9	10	2	2	4	7	8	11	16
35-49	159	4.9	8	2	2	4	6	9	11	15
50-64	140	5.5	18	2	2	4	6	11	14	23
65+	37	7.8	38	2	3	6	10	19	22	26
2. MULTIPLE DX										
0-19 YRS	15	14.8	108	3	5	11	17	37	37	37
20-34	62	6.9	24	2	2	5	9	16	18	20
35-49	66	7.4	39	2	2	5	9	15	20	35
50-64	92	7.7	27	2	3	6	10	15	17	26
65+	73	9.6	59	3	3	8	11	18	28	40
TOT. SINGLE DX	514	5.4	15	2	2	4	7	10	13	22
" MULTIPLE DX	308	8.3	43	2	3	6	11	16	20	37
TOTAL 0-19 YRS	38	10.0	70	1	2	9	13	19	31	37
20-34	217	5.5	15	2	2	4	7	10	14	19
35-49	225	5.6	19	2	2	4	7	11	13	23
50-64	232	6.3	23	2	2	5	8	13	16	23
65+	110	9.0	53	3	3	7	10	18	25	39
GRAND TOTAL	**822**	**6.4**	**28**	**2**	**2**	**5**	**8**	**13**	**16**	**28**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	315	3.1	17	<1	<1	2	4	7	12	15
20-34	329	4.5	22	<1	<1	3	6	9	12	21
35-49	355	4.5	23	<1	<1	3	6	11	13	25
50-64	515	4.1	21	<1	<1	2	5	9	14	24
65+	662	4.9	34	<1	<1	3	6	12	16	25
2. MULTIPLE DX										
0-19 YRS	337	5.9	88	<1	<1	3	7	13	19	45
20-34	450	7.5	96	<1	<1	5	9	18	27	63
35-49	464	7.7	94	<1	<1	5	10	17	27	57
50-64	980	8.0	105	<1	<1	4	10	18	28	55
65+	2037	11.0	199	<1	1	7	15	29	50	99+
TOT. SINGLE DX	2176	4.3	26	<1	<1	2	5	10	14	24
" MULTIPLE DX	4268	9.2	150	<1	<1	5	12	23	37	99+
TOTAL 0-19 YRS	652	4.5	56	<1	<1	2	5	10	14	42
20-34	779	6.3	68	<1	<1	4	8	13	21	49
35-49	819	6.3	66	<1	<1	3	9	14	20	38
50-64	1495	6.6	80	<1	<1	3	8	15	24	49
65+	2699	9.5	156	<1	1	5	12	24	42	99+
GRAND TOTAL	**6444**	**7.5**	**114**	**<1**	**<1**	**4**	**9**	**18**	**29**	**84**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.9	6	<1	<1	4	5	7	8	8
20-34	16	3.7	4	<1	1	4	5	5	9	10
35-49	54	4.6	8	1	2	4	6	7	10	16
50-64	261	4.7	11	2	2	4	6	9	11	18
65+	467	5.5	27	1	2	4	7	10	14	26
2. MULTIPLE DX										
0-19 YRS	10	17.3	286	3	3	12	23	47	49	49
20-34	21	6.9	29	<1	1	5	9	16	18	20
35-49	68	7.3	65	2	2	5	8	14	26	44
50-64	335	7.3	54	1	2	5	9	16	22	38
65+	938	9.1	99	2	2	6	11	18	26	73
TOT. SINGLE DX	808	5.1	20	1	2	4	6	9	12	23
" MULTIPLE DX	1372	8.6	88	2	2	6	10	18	25	56
TOTAL 0-19 YRS	20	10.6	186	<1	1	5	12	34	47	49
20-34	37	5.5	21	<1	1	4	6	12	17	20
35-49	122	6.1	41	1	2	5	7	10	15	39
50-64	596	6.1	37	1	2	4	7	12	18	33
65+	1405	7.9	79	2	2	5	9	16	23	53
GRAND TOTAL	**2180**	**7.3**	**66**	**1**	**2**	**5**	**8**	**15**	**21**	**46**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	12.5	169	2	2	8	14	39	43	44
20-34	38	9.1	127	<1	1	7	11	16	20	69
35-49	44	6.9	36	1	2	5	8	14	21	31
50-64	75	9.0	62	1	2	7	14	19	26	36
65+	132	8.4	58	1	2	6	11	16	23	44
2. MULTIPLE DX										
0-19 YRS	40	18.4	321	2	4	11	26	39	55	88
20-34	69	14.4	202	2	3	10	17	32	45	70
35-49	80	12.5	174	2	2	10	15	23	33	75
50-64	170	13.5	138	2	3	9	18	32	38	93
65+	323	16.0	238	2	2	12	22	35	57	99+
TOT. SINGLE DX	303	8.6	70	1	2	6	11	18	23	44
" MULTIPLE DX	682	14.9	208	2	3	11	20	33	49	96
TOTAL 0-19 YRS	54	16.9	285	2	2	11	22	39	48	87
20-34	107	12.5	181	1	2	9	14	30	39	70
35-49	124	10.5	132	2	2	8	12	20	30	69
50-64	245	12.1	119	2	2	8	17	29	35	69
65+	455	13.8	197	2	2	9	18	30	45	99
GRAND TOTAL	**985**	**13.0**	**174**	**2**	**2**	**9**	**17**	**30**	**40**	**88**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	1.6	1	<1	<1	1	2	3	4	6
20-34	5	2.4	7	<1	<1	<1	3	7	7	7
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	4	4.3	14	<1	<1	4	7	8	8	8
65+	6	3.5	2	1	1	3	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	27	4.6	25	<1	1	2	8	13	16	17
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	6	15.7	219	6	6	11	14	42	45	45
65+	12	13.0	214	2	2	9	15	28	53	57
TOT. SINGLE DX	59	2.0	3	<1	<1	1	2	4	7	8
" MULTIPLE DX	49	7.9	108	<1	1	5	10	16	18	57
TOTAL 0-19 YRS	69	2.8	12	<1	<1	1	2	8	12	17
20-34	8	2.6	6	<1	<1	1	4	7	7	7
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	10	11.1	161	<1	<1	7	14	30	45	45
65+	18	9.8	161	1	2	6	11	16	41	57
GRAND TOTAL	**108**	**4.7**	**59**	**<1**	**<1**	**2**	**6**	**12**	**15**	**50**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	9.8	31	1	2	9	14	17	20	25
20-34	50	7.4	53	<1	<1	5	11	15	23	30
35-49	31	7.7	32	<1	1	6	12	15	18	22
50-64	26	7.5	33	1	2	5	12	17	18	22
65+	42	6.2	24	<1	1	5	8	15	17	18
2. MULTIPLE DX										
0-19 YRS	62	12.1	147	1	2	11	14	19	29	79
20-34	38	10.6	172	<1	<1	6	12	29	46	55
35-49	38	9.9	67	1	2	7	11	25	28	33
50-64	60	11.4	146	1	2	8	16	21	24	78
65+	70	11.4	132	2	2	8	14	28	34	55
TOT. SINGLE DX	248	8.2	37	<1	1	7	12	17	19	27
" MULTIPLE DX	268	11.2	134	1	2	8	14	23	33	56
TOTAL 0-19 YRS	161	10.7	77	1	2	10	14	18	21	43
20-34	88	8.8	106	<1	<1	6	11	21	30	54
35-49	69	8.9	52	1	2	7	11	18	26	32
50-64	86	10.2	115	1	2	7	14	21	22	67
65+	112	9.5	98	1	2	5	13	21	29	53
GRAND TOTAL	**516**	**9.8**	**89**	**1**	**1**	**8**	**13**	**19**	**24**	**51**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	2.7	7	<1	1	2	3	6	7	16
20-34	49	3.2	18	<1	<1	1	4	7	8	28
35-49	50	3.5	19	<1	<1	2	4	8	8	29
50-64	62	4.2	16	<1	<1	3	5	8	12	24
65+	98	4.5	17	<1	<1	3	6	10	12	21
2. MULTIPLE DX										
0-19 YRS	107	5.4	58	1	1	4	7	11	13	43
20-34	70	6.2	66	<1	<1	4	8	15	17	51
35-49	67	6.7	118	<1	<1	4	9	14	22	72
50-64	130	9.2	116	<1	1	6	12	22	34	48
65+	361	11.7	192	1	2	7	17	29	41	99+
TOT. SINGLE DX	342	3.7	15	<1	<1	2	5	8	10	23
" MULTIPLE DX	735	9.4	147	<1	1	5	12	23	34	88
TOTAL 0-19 YRS	190	4.3	38	1	1	3	6	8	12	20
20-34	119	5.0	48	<1	<1	3	5	12	16	37
35-49	117	5.3	78	<1	<1	3	7	10	15	46
50-64	192	7.6	89	<1	1	5	10	17	25	40
65+	459	10.2	164	<1	1	6	14	26	36	99
GRAND TOTAL	**1077**	**7.6**	**112**	**<1**	**1**	**4**	**9**	**18**	**26**	**76**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.6	17	1	2	2	7	12	14	14
20-34	35	6.1	27	2	2	5	7	11	14	30
35-49	19	5.7	13	1	2	4	8	12	12	12
50-64	25	6.6	47	2	2	4	7	17	23	31
65+	40	5.9	7	2	2	6	8	10	11	12
2. MULTIPLE DX										
0-19 YRS	7	9.6	267	<1	<1	3	8	39	46	46
20-34	23	11.2	61	2	4	9	15	24	26	29
35-49	15	7.4	19	2	4	6	10	15	16	16
50-64	36	11.3	89	2	3	8	15	20	37	38
65+	89	9.3	49	2	3	8	12	16	19	79
TOT. SINGLE DX	133	5.9	22	2	2	5	7	11	13	30
" MULTIPLE DX	170	9.8	65	2	3	8	13	18	24	47
TOTAL 0-19 YRS	21	6.3	97	1	1	2	7	13	28	46
20-34	58	8.1	45	2	2	6	9	20	24	30
35-49	34	6.4	16	1	2	5	9	12	14	16
50-64	61	9.4	77	2	2	7	13	19	33	38
65+	129	8.2	39	2	3	7	10	15	17	58
GRAND TOTAL	**303**	**8.1**	**49**	**2**	**2**	**6**	**10**	**15**	**20**	**43**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	42	8.3	6	5	6	8	10	12	13	15
35-49	126	9.2	10	6	7	8	10	13	15	24
50-64	100	10.6	15	7	7	9	12	16	19	24
65+	41	13.7	23	7	8	12	17	19	23	28
2. MULTIPLE DX										
0-19 YRS										
20-34	30	10.5	32	6	7	9	11	14	18	37
35-49	141	11.1	37	6	6	9	12	18	30	40
50-64	139	12.0	29	6	7	10	15	20	23	29
65+	68	14.7	63	7	8	11	17	30	32	37
TOT. SINGLE DX	309	10.1	15	6	7	9	12	15	18	26
" MULTIPLE DX	378	12.0	40	6	7	10	14	20	28	35
TOTAL 0-19 YRS										
20-34	72	9.2	18	5	6	8	11	13	14	33
35-49	267	10.2	25	6	7	9	11	15	20	34
50-64	239	11.4	24	7	7	10	14	19	22	26
65+	109	14.3	48	7	8	12	17	26	31	36
GRAND TOTAL	**687**	**11.2**	**30**	**6**	**7**	**9**	**13**	**18**	**23**	**34**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	12	8.8	10	2	5	9	10	13	15	15
35-49	41	10.6	28	5	6	8	12	21	22	25
50-64	24	9.5	17	5	6	8	11	14	20	23
65+	13	10.3	21	6	7	9	11	19	21	21
2. MULTIPLE DX										
0-19 YRS	2	12.0	128	4	4	12	20	20	20	20
20-34	15	11.7	44	5	6	9	15	25	26	26
35-49	40	10.9	26	6	6	9	13	19	23	25
50-64	28	13.8	40	7	7	13	18	20	28	34
65+	26	15.3	43	7	8	14	19	26	29	31
TOT. SINGLE DX	90	10.0	22	5	6	8	11	19	22	24
" MULTIPLE DX	111	12.8	39	6	7	11	16	22	26	32
TOTAL 0-19 YRS	2	12.0	128	4	4	12	20	20	20	20
20-34	27	10.4	30	5	6	9	12	17	25	26
35-49	81	10.7	27	5	6	9	13	20	23	25
50-64	52	11.8	34	6	7	10	14	19	23	34
65+	39	13.6	41	6	7	12	18	23	27	31
GRAND TOTAL	**201**	**11.5**	**33**	**6**	**6**	**9**	**14**	**20**	**24**	**29**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	8.0		8	8	8	8	8	8	8
65+	5	6.4	31	1	1	6	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	3	16.3	321	5	5	7	29	37	37	37
20-34	8	12.0	218	4	4	6	12	38	47	47
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	12.5	41	8	8	12	17	17	17	17
65+	8	13.6	37	4	6	13	17	22	24	24
TOT. SINGLE DX	13	6.5	16	1	1	7	9	11	13	13
" MULTIPLE DX	23	12.3	124	3	4	8	17	27	40	47
TOTAL 0-19 YRS	6	10.3	179	1	1	6	9	34	37	37
20-34	10	10.9	175	4	4	6	7	32	47	47
35-49	3	5.0	19	2	2	3	8	10	10	10
50-64	4	10.3	20	8	8	8	13	17	17	17
65+	13	10.8	45	1	1	11	14	20	23	24
GRAND TOTAL	**36**	**10.2**	**92**	**1**	**2**	**8**	**12**	**19**	**33**	**47**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	4	14.5	25	9	9	14	18	21	21	21
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	2	18.5	61	13	13	18	24	24	24	24
65+	3	15.0	19	10	10	17	18	18	18	18
2. MULTIPLE DX										
0-19 YRS										
20-34	6	17.5	75	8	8	16	25	29	30	30
35-49	7	18.9	291	2	3	8	37	42	42	42
50-64	16	20.1	124	7	8	17	28	39	39	39
65+	6	42.8	345	12	14	49	57	60	60	60
TOT. SINGLE DX	12	13.6	32	4	7	13	17	22	24	24
" MULTIPLE DX	35	23.3	250	7	7	19	35	49	55	60
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	16.3	53	8	8	15	21	27	30	30
35-49	9	16.2	248	2	3	8	29	42	42	42
50-64	18	19.9	113	7	9	17	25	38	39	39
65+	9	33.6	414	10	11	29	52	59	60	60
GRAND TOTAL	**47**	**20.8**	**211**	**6**	**7**	**16**	**28**	**42**	**51**	**60**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	19	8.1	26	3	4	7	9	14	21	25
50-64	565	8.1	12	4	5	8	10	12	14	21
65+	1152	9.3	21	4	5	8	11	14	17	26
2. MULTIPLE DX										
0-19 YRS	5	11.4	85	4	4	8	16	27	27	27
20-34	9	11.7	34	3	4	14	16	60	99+	99+
35-49	53	11.6	81	3	5	9	14	24	30	50
50-64	864	10.8	60	5	5	9	12	18	24	47
65+	2705	14.0	124	5	6	11	16	26	37	85
TOT. SINGLE DX	1739	8.9	19	4	5	8	10	14	16	25
" MULTIPLE DX	3636	13.2	110	5	6	10	15	24	34	77
TOTAL 0-19 YRS	7	9.4	68	4	4	6	11	24	27	27
20-34	10	11.3	32	3	4	14	16	53	96	99+
35-49	72	10.7	69	3	5	8	11	23	2[illegible]	47
50-64	1429	9.7	43	4	5	8	11	16	20	36
65+	3857	12.6	99	5	6	10	14	23	30	72
GRAND TOTAL	**5375**	**11.8**	**85**	**5**	**5**	**9**	**13**	**21**	**28**	**62**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	4	19.5	65	8	8	21	24	27	27	27
50-64	36	13.4	42	7	8	11	16	24	27	34
65+	116	14.9	51	7	9	13	16	23	28	43
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	18.0		18	18	18	18	18	18	18
50-64	76	16.0	56	8	9	14	20	30	33	83
65+	320	20.3	158	9	10	17	24	32	43	81
TOT. SINGLE DX	157	14.6	51	7	8	13	17	23	28	34
" MULTIPLE DX	399	19.4	141	9	9	16	23	32	40	84
TOTAL 0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	19.2	50	8	8	21	23	27	27	27
50-64	112	15.2	53	8	8	13	19	28	33	60
65+	436	18.8	135	8	9	16	22	30	38	66
GRAND TOTAL	**556**	**18.0**	**120**	**8**	**9**	**15**	**22**	**30**	**34**	**64**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	17	2.7	2	<1	1	2	3	5	6	7
50-64	99	4.8	85	<1	1	2	4	9	16	58
65+	179	5.2	28	1	2	3	6	10	17	27
2. MULTIPLE DX										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	10	5.1	9	1	1	5	8	9	10	10
50-64	127	7.4	77	1	2	4	9	15	27	45
65+	342	9.9	104	2	2	6	14	23	29	71
TOT. SINGLE DX	297	4.9	46	1	1	3	5	9	17	30
" MULTIPLE DX	480	9.1	97	2	2	6	12	21	28	60
TOTAL 0-19 YRS										
20-34	3	7.7	26	2	2	9	11	12	12	12
35-49	27	3.6	6	1	1	3	5	8	9	10
50-64	226	6.2	82	1	1	3	7	14	20	45
65+	521	8.3	84	1	2	5	11	20	26	53
GRAND TOTAL	**777**	**7.5**	**82**	**1**	**2**	**4**	**9**	**19**	**25**	**50**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	3.5	5	1	1	3	5	6	7	13
20-34	56	4.1	10	<1	1	3	5	8	11	16
35-49	29	3.5	5	1	1	3	4	6	8	12
50-64	35	4.2	5	2	2	3	4	7	10	11
65+	23	5.1	11	1	2	5	6	10	13	15
2. MULTIPLE DX										
0-19 YRS	40	4.0	9	<1	1	3	5	9	11	12
20-34	43	5.0	11	2	2	4	6	9	10	19
35-49	28	7.4	37	1	2	4	11	18	20	24
50-64	45	7.1	35	2	3	5	8	16	23	26
65+	57	9.0	53	2	3	7	11	17	26	39
TOT. SINGLE DX	208	3.9	7	1	1	3	5	7	10	15
" MULTIPLE DX	213	6.7	34	2	2	5	9	13	18	31
TOTAL 0-19 YRS	105	3.7	7	1	1	3	5	7	10	13
20-34	99	4.5	11	<1	1	4	6	9	10	18
35-49	57	5.4	25	1	2	4	6	12	18	24
50-64	80	5.8	24	2	3	4	7	11	17	26
65+	80	7.9	44	2	3	6	10	15	17	38
GRAND TOTAL	**421**	**5.3**	**22**	**1**	**2**	**4**	**6**	**11**	**14**	**25**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	3.7	4	2	2	3	4	7	8	11
20-34	82	6.1	26	2	2	4	8	13	17	26
35-49	43	5.7	21	2	2	4	6	11	19	21
50-64	28	8.5	48	2	2	7	10	16	22	35
65+	55	8.4	44	3	3	6	11	20	23	34
2. MULTIPLE DX										
0-19 YRS	33	5.8	139	2	2	3	4	6	10	71
20-34	55	8.7	108	2	2	4	10	22	30	50
35-49	36	7.2	36	2	3	5	10	13	18	33
50-64	41	10.3	63	3	3	9	14	21	26	36
65+	145	12.2	127	3	3	9	15	24	34	99+
TOT. SINGLE DX	265	6.3	29	2	2	4	8	12	19	27
" MULTIPLE DX	310	10.1	111	2	3	6	13	22	29	79
TOTAL 0-19 YRS	90	4.5	54	2	2	3	4	7	8	47
20-34	137	7.1	60	2	2	4	8	18	23	46
35-49	79	6.4	28	2	2	4	8	12	19	30
50-64	69	9.6	57	2	3	7	12	20	24	36
65+	200	11.2	107	3	3	8	15	23	30	96
GRAND TOTAL	**575**	**8.3**	**77**	**2**	**2**	**5**	**10**	**19**	**23**	**49**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	576	3.5	5	1	2	3	4	6	8	11
20-34	56	3.1	3	1	1	3	4	5	7	12
35-49	7	3.1	5	1	1	2	4	7	8	8
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	229	4.6	17	2	2	3	5	8	11	21
20-34	16	4.9	7	2	2	4	7	9	10	11
35-49	7	4.9	10	2	2	3	7	10	10	10
50-64	3	10.3	8	7	7	12	12	12	12	12
65+	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	640	3.5	5	1	2	3	4	6	8	11
" MULTIPLE DX	256	4.7	17	2	2	4	6	9	11	20
TOTAL 0-19 YRS	805	3.8	9	1	2	3	5	7	9	12
20-34	72	3.5	5	1	1	3	4	7	8	12
35-49	14	4.0	8	1	2	3	6	8	10	10
50-64	4	9.5	8	7	7	9	12	12	12	12
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**896**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**12**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	3.4	10	1	1	2	4	7	9	18
20-34	67	2.4	1	<1	<1	2	3	4	4	6
35-49	23	3.6	4	1	1	3	4	6	8	11
50-64	10	5.8	39	2	2	4	6	15	23	23
65+	5	10.6	65	2	2	11	18	20	20	20
2. MULTIPLE DX										
0-19 YRS	35	3.7	11	1	1	3	4	8	11	16
20-34	44	4.3	11	1	2	3	5	9	12	17
35-49	10	5.2	49	<1	1	3	4	15	25	25
50-64	10	6.6	24	2	2	4	10	14	15	15
65+	2	9.0	18	6	6	9	12	12	12	12
TOT. SINGLE DX	189	3.4	11	<1	1	3	4	6	9	20
" MULTIPLE DX	101	4.5	17	1	1	3	5	10	13	21
TOTAL 0-19 YRS	119	3.5	11	1	1	2	4	8	9	17
20-34	111	3.2	6	<1	<1	3	4	6	8	14
35-49	33	4.1	18	<1	1	3	4	6	10	25
50-64	20	6.2	30	2	2	4	7	14	19	23
65+	7	10.1	47	2	2	11	16	19	20	20
GRAND TOTAL	**290**	**3.8**	**13**	**<1**	**1**	**3**	**4**	**8**	**12**	**20**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	290	1.1		<1	<1	<1	<1	1	1	2
35-49	105	1.1		<1	<1	<1	<1	1	2	3
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS										
20-34	49	2.7	14	<1	<1	1	3	6	11	23
35-49	16	2.5	4	<1	<1	2	4	5	7	8
50-64	4	5.5	21	1	1	4	8	12	12	12
65+										
TOT. SINGLE DX	402	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	69	2.8	13	<1	<1	1	3	6	11	21
TOTAL 0-19 YRS										
20-34	339	1.3	2	<1	<1	<1	1	1	3	7
35-49	121	1.3	1	<1	<1	<1	1	2	3	6
50-64	10	3.0	12	<1	<1	2	4	8	12	12
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**471**	**1.3**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**8**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	2.7	2	<1	1	2	3	5	6	8
20-34	244	3.1	3	<1	1	3	4	5	6	12
35-49	172	3.2	3	1	1	3	4	6	7	9
50-64	167	3.9	4	1	2	4	5	7	8	13
65+	79	4.0	4	1	2	4	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	108	3.5	8	<1	1	3	4	7	10	17
20-34	124	3.7	7	1	1	3	5	7	8	17
35-49	88	4.0	5	1	2	3	5	7	9	13
50-64	104	4.9	9	1	2	4	6	9	11	17
65+	101	6.7	30	1	2	5	8	15	18	28
TOT. SINGLE DX	869	3.3	4	1	1	3	4	6	7	10
" MULTIPLE DX	525	4.5	14	1	2	3	5	9	12	19
TOTAL 0-19 YRS	315	3.0	5	<1	1	2	3	5	7	11
20-34	368	3.3	5	<1	1	3	4	6	7	14
35-49	260	3.5	4	1	1	3	4	6	8	12
50-64	271	4.3	7	1	2	4	5	7	10	13
65+	180	5.5	21	1	2	4	6	11	15	20
GRAND TOTAL	**1394**	**3.7**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	498	1.8	1	<1	<1	2	2	3	4	6
20-34	102	2.1	2	<1	<1	2	3	4	4	9
35-49	38	1.8		<1	<1	2	2	3	3	4
50-64	25	2.5	2	<1	<1	2	3	4	7	9
65+	20	4.1	10	1	1	3	5	9	11	13
2. MULTIPLE DX										
0-19 YRS	130	2.9	7	<1	<1	2	3	6	8	15
20-34	55	3.4	11	<1	<1	2	3	7	8	21
35-49	48	3.8	10	1	2	3	4	7	11	17
50-64	42	5.7	70	<1	1	3	5	14	23	48
65+	55	5.2	25	1	2	3	6	10	18	96
TOT. SINGLE DX	1107	2.0	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	462	4.2	28	<1	1	2	4	9	15	29
TOTAL 0-19 YRS	975	2.2	5	<1	<1	2	2	3	5	14
20-34	258	2.6	6	<1	<1	2	3	4	6	16
35-49	131	2.8	6	<1	<1	2	3	5	8	16
50-64	93	4.0	36	<1	1	2	4	6	14	38
65+	112	5.7	40	1	2	3	6	13	21	63
GRAND TOTAL	**1569**	**2.7**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**18**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.2	14	<1	<1	2	4	8	12	20
20-34	46	2.6	6	<1	<1	1	3	6	9	12
35-49	17	6.9	56	<1	1	3	9	21	22	22
50-64	26	7.0	18	3	4	5	8	13	17	21
65+	15	8.7	82	2	2	6	9	21	31	35
2. MULTIPLE DX										
0-19 YRS	20	3.6	5	<1	1	3	5	7	8	9
20-34	26	5.7	47	<1	<1	3	6	16	21	30
35-49	20	6.3	9	2	2	6	8	10	12	14
50-64	35	7.9	31	3	4	6	9	17	20	26
65+	27	9.2	79	2	2	6	12	17	35	38
TOT. SINGLE DX	155	4.6	28	<1	<1	2	6	11	17	22
" MULTIPLE DX	128	6.8	40	1	2	5	8	15	18	35
TOTAL 0-19 YRS	71	3.3	12	<1	<1	2	4	8	10	18
20-34	72	3.7	23	<1	<1	2	4	9	14	28
35-49	37	6.6	30	1	2	6	8	14	21	22
50-64	61	7.5	26	3	4	6	8	16	19	25
65+	42	9.0	79	2	2	6	10	18	34	38
GRAND TOTAL	**283**	**5.6**	**34**	**<1**	**<1**	**4**	**7**	**12**	**18**	**33**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	5.2	4	2	3	5	6	8	9	12
20-34	408	5.8	5	3	4	5	7	8	10	15
35-49	75	6.5	6	3	4	6	8	9	10	19
50-64	21	10.0	45	4	5	8	11	19	28	31
65+	10	11.4	21	7	7	10	11	19	22	22
2. MULTIPLE DX										
0-19 YRS	63	6.8	18	2	3	6	7	10	15	29
20-34	457	6.7	16	3	4	6	7	9	13	22
35-49	98	7.9	17	4	4	7	9	14	17	24
50-64	30	11.3	41	4	5	10	15	19	28	30
65+	24	21.1	294	8	9	16	26	35	64	82
TOT. SINGLE DX	600	6.1	8	3	3	6	7	9	10	17
" MULTIPLE DX	672	7.6	35	3	4	6	8	12	17	30
TOTAL 0-19 YRS	149	5.9	11	2	3	5	7	8	11	19
20-34	865	6.3	12	3	4	6	7	9	11	19
35-49	173	7.3	14	3	4	7	8	10	15	23
50-64	51	10.7	43	4	5	9	12	19	28	31
65+	34	18.2	231	7	8	13	19	31	52	82
GRAND TOTAL	**1272**	**6.9**	**23**	**3**	**4**	**6**	**7**	**10**	**14**	**26**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	6.5	4	4	4	6	7	8	10	13
20-34	280	6.5	5	4	4	6	7	9	11	16
35-49	144	7.3	7	4	4	7	8	11	12	18
50-64	23	8.0	20	4	5	7	8	11	17	26
65+	5	13.2	150	6	6	8	16	35	35	35
2. MULTIPLE DX										
0-19 YRS	37	7.1	4	5	5	7	8	11	12	12
20-34	467	7.4	15	4	4	7	8	11	14	20
35-49	247	8.5	29	4	5	7	9	14	19	34
50-64	38	11.4	86	4	5	8	13	21	31	52
65+	24	17.5	118	6	8	13	26	35	39	40
TOT. SINGLE DX	497	6.9	9	4	4	6	8	9	12	19
" MULTIPLE DX	813	8.2	28	4	5	7	9	12	18	34
TOTAL 0-19 YRS	82	6.8	4	4	5	6	8	9	12	13
20-34	747	7.1	12	4	4	7	8	10	12	20
35-49	391	8.0	22	4	4	7	9	12	16	31
50-64	61	10.1	64	4	5	7	10	18	26	50
65+	29	16.7	122	6	7	11	26	35	39	40
GRAND TOTAL	**1310**	**7.7**	**21**	**4**	**4**	**7**	**8**	**11**	**15**	**31**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	30	8.2	5	5	5	8	9	11	12	14
35-49	32	7.3	6	4	5	7	8	12	13	13
50-64	24	8.4	27	5	5	7	8	15	21	29
65+	10	11.3	42	7	7	8	13	23	25	25
2. MULTIPLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	88	8.5	26	4	5	7	9	12	19	34
35-49	158	9.7	80	4	5	8	10	15	19	58
50-64	56	11.1	30	6	6	9	15	17	19	33
65+	28	20.1	219	6	8	18	24	31	60	71
TOT. SINGLE DX	97	8.2	15	5	5	7	9	13	15	27
" MULTIPLE DX	331	10.5	78	5	5	8	11	18	24	59
TOTAL 0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	118	8.4	21	4	5	7	9	12	16	34
35-49	190	9.3	69	4	5	7	9	14	18	52
50-64	80	10.3	30	5	6	8	13	17	19	32
65+	38	17.8	186	6	7	14	24	29	48	71
GRAND TOTAL	**428**	**10.0**	**65**	**5**	**5**	**8**	**11**	**17**	**22**	**46**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	5.2	22	<1	1	4	6	10	15	24
20-34	86	4.0	7	1	1	4	5	7	8	16
35-49	19	4.9	9	<1	<1	5	7	10	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
0-19 YRS	18	5.4	3	1	3	6	6	7	8	8
20-34	229	5.3	6	1	2	6	7	8	9	12
35-49	29	4.9	7	1	1	5	7	8	9	11
50-64										
65+										
TOT. SINGLE DX	133	4.5	11	<1	1	4	6	8	10	20
" MULTIPLE DX	276	5.3	6	1	2	5	7	8	9	12
TOTAL 0-19 YRS	45	5.3	15	1	1	5	6	8	11	24
20-34	315	5.0	7	1	1	5	7	8	9	12
35-49	48	4.9	8	<1	1	5	7	9	10	11
50-64	1	10.0		10	10	10	10	10	10	10
65+										
GRAND TOTAL	**409**	**5.0**	**8**	**1**	**1**	**5**	**7**	**8**	**9**	**13**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	1.5		<1	<1	1	2	3	3	3
20-34	1300	1.4		<1	<1	1	2	2	2	4
35-49	452	1.4		<1	<1	1	2	2	2	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	491	2.3	7	<1	<1	2	2	4	6	16
35-49	238	1.7	1	<1	<1	1	2	3	4	7
50-64	3	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	1761	1.4		<1	<1	1	2	2	2	4
" MULTIPLE DX	734	2.1	5	<1	<1	2	2	4	5	14
TOTAL 0-19 YRS	10	1.7	1	<1	<1	1	2	3	3	3
20-34	1791	1.7	3	<1	<1	1	2	2	3	8
35-49	690	1.5	1	<1	<1	1	2	2	3	5
50-64	4	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**2495**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.9	1	2	2	2	4	5	5	5
20-34	2338	3.0	3	1	2	3	4	4	5	7
35-49	649	3.0	1	1	2	3	4	4	5	7
50-64	4	2.3		2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	13	5.4	27	1	2	4	5	10	20	22
20-34	1412	4.1	6	2	2	4	5	7	8	13
35-49	483	3.9	5	2	2	3	4	6	8	13
50-64	3	5.3	4	3	3	6	7	7	7	7
65+										
TOT. SINGLE DX	3008	3.0	3	1	2	3	4	4	5	7
" MULTIPLE DX	1911	4.1	6	2	2	4	5	7	8	14
TOTAL 0-19 YRS	30	4.0	14	2	2	3	4	6	7	22
20-34	3750	3.4	5	1	2	3	4	5	6	10
35-49	1132	3.4	3	1	2	3	4	5	7	10
50-64	7	3.6	4	2	2	3	5	7	7	7
65+										
GRAND TOTAL	**4919**	**3.4**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**10**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	5.5	3	2	4	5	6	8	8	11
20-34	756	4.9	3	2	3	5	6	7	8	10
35-49	104	5.2	7	1	2	5	7	8	10	15
50-64	3	8.0	12	6	6	6	11	12	12	12
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	36	5.9	4	3	3	6	7	9	10	10
20-34	665	5.8	10	2	3	6	7	8	10	13
35-49	117	6.5	14	2	3	6	7	11	15	22
50-64	5	13.8	147	6	6	8	18	35	35	35
65+										
TOT. SINGLE DX	906	5.0	4	2	3	5	6	7	8	11
" MULTIPLE DX	823	6.0	12	2	3	6	7	9	10	18
TOTAL 0-19 YRS	77	5.7	4	3	4	6	7	8	9	11
20-34	1421	5.4	7	2	3	5	6	8	9	12
35-49	221	5.9	12	2	3	5	7	9	12	19
50-64	8	11.6	97	6	6	7	12	28	35	35
65+	2	4.0	8	2	2	4	6	6	6	6
GRAND TOTAL	**1729**	**5.5**	**8**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	2.7	1	1	1	3	3	4	5	5
20-34	603	2.7	1	<1	1	2	3	4	5	8
35-49	148	3.0	3	1	2	3	4	4	5	9
50-64	50	2.9	3	<1	1	2	3	5	7	12
65+	10	3.7	4	1	1	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	8	2.4		2	2	2	3	3	3	3
20-34	266	2.9	2	<1	1	3	4	5	6	10
35-49	107	3.8	25	<1	1	3	4	6	11	33
50-64	46	4.3	40	<1	1	2	3	7	15	32
65+	17	3.7	7	1	2	3	4	6	11	13
TOT. SINGLE DX	829	2.8	2	1	1	2	3	4	5	8
" MULTIPLE DX	444	3.3	12	<1	1	3	4	5	7	23
TOTAL 0-19 YRS	26	2.6	1	1	2	2	3	4	4	5
20-34	869	2.8	2	<1	1	2	3	4	5	9
35-49	255	3.3	13	<1	1	3	4	5	7	22
50-64	96	3.6	21	<1	1	2	3	6	9	32
65+	27	3.7	6	1	2	3	4	6	9	13
GRAND TOTAL	**1273**	**3.0**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	2.4	2	<1	<1	2	4	5	6	6
20-34	108	2.9	20	<1	<1	2	3	5	8	29
35-49	82	2.7	10	<1	<1	2	3	5	6	21
50-64	45	3.2	16	<1	<1	2	4	6	9	25
65+	23	4.5	28	1	1	3	5	8	15	27
2. MULTIPLE DX										
0-19 YRS	14	2.3	1	1	1	2	3	4	4	4
20-34	95	2.9	14	<1	<1	2	3	5	8	25
35-49	80	5.0	98	<1	<1	2	4	9	24	50
50-64	59	4.4	23	<1	<1	2	6	13	16	92
65+	54	10.3	224	1	1	4	13	23	47	99+
TOT. SINGLE DX	270	3.0	17	<1	<1	2	4	5	7	26
" MULTIPLE DX	302	5.0	81	<1	<1	2	5	12	20	69
TOTAL 0-19 YRS	26	2.3	2	<1	<1	2	4	4	5	6
20-34	203	2.9	18	<1	<1	2	3	5	8	26
35-49	162	3.8	55	<1	<1	2	3	7	10	49
50-64	104	3.9	20	<1	<1	2	5	10	14	59
65+	77	8.5	172	1	1	4	10	21	36	97
GRAND TOTAL	**572**	**4.1**	**52**	**<1**	**<1**	**2**	**4**	**8**	**14**	**49**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.1	3	1	1	3	4	6	7	7
20-34	204	3.4	4	1	1	3	4	5	8	12
35-49	25	3.0	2	1	2	3	3	4	6	9
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	71	4.4	14	1	2	3	6	8	10	23
35-49	12	6.1	37	1	1	3	9	17	19	19
50-64	2	5.0	32	1	1	5	9	9	9	9
65+										
TOT. SINGLE DX	237	3.3	4	1	2	3	4	5	8	11
" MULTIPLE DX	87	4.7	17	1	2	3	6	10	12	23
TOTAL 0-19 YRS	9	3.9	10	1	1	3	5	9	11	11
20-34	275	3.7	7	1	2	3	4	7	9	13
35-49	37	4.0	15	1	2	3	4	8	15	19
50-64	3	5.0	16	1	1	5	8	9	9	9
65+										
GRAND TOTAL	**324**	**3.7**	**8**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.6	10	1	1	6	7	10	10	10
20-34	63	5.2	14	1	1	5	7	7	11	23
35-49	22	4.7	4	1	2	5	6	7	8	9
50-64	7	2.7	4	<1	<1	2	3	6	7	7
65+	3	6.7	41	2	2	4	11	14	14	14
2. MULTIPLE DX										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	90	5.9	11	2	2	6	7	9	11	21
35-49	28	5.4	9	1	1	6	7	8	10	14
50-64	15	6.9	129	<1	<1	3	9	11	37	46
65+	7	8.6	89	1	1	3	17	23	24	24
TOT. SINGLE DX	100	5.0	12	1	1	5	7	7	10	20
" MULTIPLE DX	142	6.0	26	1	1	6	7	9	12	28
TOTAL 0-19 YRS	7	5.6	11	1	1	6	8	10	10	10
20-34	153	5.6	13	1	2	6	7	9	11	24
35-49	50	5.1	7	1	1	6	7	8	9	14
50-64	22	5.5	91	<1	<1	2	7	10	25	46
65+	10	8.0	69	1	1	4	14	22	24	24
GRAND TOTAL	**242**	**5.6**	**21**	**1**	**1**	**6**	**7**	**9**	**11**	**24**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	652	7.6	3	5	6	7	8	9	11	14
35-49	890	7.8	4	6	6	7	8	10	11	17
50-64	220	9.2	23	6	6	8	9	13	18	29
65+	76	11.8	66	7	7	9	13	17	21	59
2. MULTIPLE DX										
0-19 YRS	32	7.4	5	4	5	7	9	10	12	14
20-34	2286	8.0	8	5	6	7	9	10	13	20
35-49	4136	8.4	11	6	6	8	9	11	13	22
50-64	937	9.8	28	6	7	8	10	15	18	32
65+	251	14.6	83	7	7	11	18	25	34	58
TOT. SINGLE DX	1839	8.0	10	5	6	8	9	10	12	20
" MULTIPLE DX	7642	8.6	16	5	6	8	9	12	15	25
TOTAL 0-19 YRS	33	7.4	5	4	5	7	9	10	12	14
20-34	2938	7.9	8	5	6	7	8	10	12	18
35-49	5026	8.3	10	6	6	8	9	11	13	21
50-64	1157	9.7	27	6	7	8	10	14	18	32
65+	327	13.9	81	7	7	10	17	25	30	58
GRAND TOTAL	**9481**	**8.5**	**15**	**5**	**6**	**8**	**9**	**12**	**14**	**25**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	293	6.8	2	5	5	7	7	8	10	13
35-49	300	7.4	6	5	5	7	8	9	11	19
50-64	117	9.0	7	6	6	8	10	14	15	16
65+	113	9.5	12	7	7	8	10	14	16	28
2. MULTIPLE DX										
0-19 YRS	6	7.3	8	4	4	7	9	12	12	12
20-34	729	7.5	7	5	5	7	8	10	13	18
35-49	1157	8.3	17	5	5	7	9	12	15	24
50-64	461	10.1	22	6	6	9	11	16	19	28
65+	274	11.2	28	6	7	10	14	18	21	34
TOT. SINGLE DX	823	7.7	7	5	5	7	8	10	13	17
" MULTIPLE DX	2627	8.7	18	5	6	7	9	14	17	26
TOTAL 0-19 YRS	6	7.3	9	4	4	7	9	12	12	12
20-34	1022	7.3	6	5	5	7	8	10	12	17
35-49	1457	8.1	16	5	5	7	9	12	15	23
50-64	578	9.9	20	6	6	9	11	15	18	27
65+	387	10.7	25	6	7	9	12	17	21	33
GRAND TOTAL	**3450**	**8.5**	**16**	**5**	**6**	**7**	**9**	**13**	**16**	**24**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	11.5	3	10	10	11	13	14	14	14
35-49	5	16.4	156	7	7	13	21	38	38	38
50-64	1	26.0		26	26	26	26	26	26	26
65+	1	43.0		43	43	43	43	43	43	43
2. MULTIPLE DX										
0-19 YRS										
20-34	7	17.6	57	7	7	20	24	25	25	25
35-49	11	26.7	152	9	11	32	37	41	45	45
50-64	8	15.8	89	7	7	13	21	31	34	34
65+	2	30.5	761	11	11	30	50	50	50	50
TOT. SINGLE DX	11	17.9	151	7	8	13	23	40	43	43
" MULTIPLE DX	28	21.6	151	7	8	17	32	38	45	50
TOTAL 0-19 YRS										
20-34	11	15.4	45	7	8	14	22	25	25	25
35-49	16	23.5	167	6	9	17	36	39	43	45
50-64	9	16.9	90	7	7	16	25	31	34	34
65+	3	34.7	432	11	11	43	48	50	50	50
GRAND TOTAL	**39**	**20.5**	**150**	**7**	**8**	**16**	**30**	**39**	**44**	**50**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	2.0	4	<1	<1	1	2	4	6	12
20-34	120	2.0	3	<1	<1	1	2	4	5	11
35-49	8	2.1	1	<1	<1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	5.5	214	<1	<1	2	4	6	30	72
20-34	104	3.0	5	<1	1	3	4	5	7	13
35-49	29	3.2	9	<1	1	3	3	4	8	17
50-64										
65+										
TOT. SINGLE DX	182	2.0	3	<1	<1	1	2	4	5	11
" MULTIPLE DX	156	3.4	36	<1	1	3	4	5	7	18
TOTAL 0-19 YRS	77	3.0	68	<1	<1	1	2	5	7	56
20-34	224	2.4	4	<1	<1	2	3	5	6	11
35-49	37	3.0	8	<1	<1	3	3	4	7	17
50-64										
65+										
GRAND TOTAL	**338**	**2.6**	**19**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	847	2.0	2	<1	1	2	2	4	5	8
20-34	6579	1.9	2	<1	<1	1	2	3	5	9
35-49	1871	1.7	1	<1	<1	1	2	3	3	7
50-64	726	1.8	2	<1	<1	2	2	3	3	8
65+	170	3.1	52	<1	1	2	3	5	6	23
2. MULTIPLE DX										
0-19 YRS	263	3.2	25	<1	1	2	3	6	8	21
20-34	2182	2.5	6	<1	<1	2	3	5	7	14
35-49	1364	2.8	22	<1	<1	2	2	5	9	20
50-64	757	2.8	14	<1	<1	2	2	5	8	21
65+	295	5.7	73	1	1	3	6	13	20	54
TOT. SINGLE DX	10193	1.9	3	<1	<1	1	2	3	5	8
" MULTIPLE DX	4861	2.9	18	<1	<1	2	3	6	8	18
TOTAL 0-19 YRS	1110	2.3	8	<1	1	2	3	4	6	10
20-34	8761	2.0	4	<1	<1	1	2	4	5	10
35-49	3235	2.2	11	<1	<1	1	2	3	6	14
50-64	1483	2.3	9	<1	<1	2	2	4	6	16
65+	465	4.8	68	1	1	2	4	9	16	50
GRAND TOTAL	**15054**	**2.2**	**8**	**<1**	**<1**	**2**	**2**	**4**	**6**	**13**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	651	1.1		<1	<1	<1	1	2	2	2
20-34	1405	1.1		<1	<1	<1	1	1	2	3
35-49	78	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	452	1.6	4	<1	<1	<1	2	2	2	13
20-34	1157	1.6	4	<1	<1	<1	2	3	3	8
35-49	201	2.0	1	<1	<1	2	3	4	4	7
50-64										
65+										
TOT. SINGLE DX	2134	1.1		<1	<1	<1	1	2	2	3
" MULTIPLE DX	1810	1.7	4	<1	<1	<1	2	3	4	8
TOTAL 0-19 YRS	1103	1.3	2	<1	<1	<1	1	2	2	5
20-34	2562	1.4	2	<1	<1	<1	1	2	3	6
35-49	279	1.7	1	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**3944**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	1.9	1	<1	<1	1	2	3	4	7
20-34	213	1.8	1	<1	1	1	2	3	5	8
35-49	19	1.6	1	<1	1	1	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	16	2.2	1	<1	1	2	3	4	4	4
20-34	68	2.4	5	<1	<1	2	2	5	8	12
35-49	7	3.1	12	<1	<1	2	3	9	11	11
50-64										
65+										
TOT. SINGLE DX	273	1.8	2	<1	1	1	2	3	5	8
" MULTIPLE DX	91	2.4	5	<1	<1	2	2	4	8	12
TOTAL 0-19 YRS	57	2.0	1	<1	<1	2	2	4	4	7
20-34	281	1.9	3	<1	1	1	2	3	5	9
35-49	26	2.0	4	<1	1	1	2	3	6	11
50-64										
65+										
GRAND TOTAL	**364**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**	**9**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.9	3	3	3	4	5	8	9	9
20-34	57	5.6	3	2	3	6	7	8	9	12
35-49	12	5.6	2	4	4	5	7	8	8	8
50-64	7	7.3	8	5	5	7	8	12	13	13
65+	4	8.8	4	7	7	9	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	4	5.5	1	4	4	5	6	7	7	7
20-34	88	6.4	4	3	4	6	7	9	10	15
35-49	13	7.5	18	3	3	6	7	16	18	18
50-64	12	11.6	81	5	5	9	13	23	36	38
65+	21	15.5	146	6	7	12	17	47	72	99+
TOT. SINGLE DX	87	5.8	5	3	4	6	7	8	9	13
" MULTIPLE DX	138	8.3	44	3	4	7	9	15	17	58
TOTAL 0-19 YRS	11	5.1	3	3	3	5	6	8	9	9
20-34	145	6.1	5	3	4	6	7	8	10	13
35-49	25	6.6	11	3	4	6	7	8	16	18
50-64	19	10.0	57	5	5	8	11	16	28	38
65+	25	14.4	129	6	7	11	15	43	62	99+
GRAND TOTAL	**225**	**7.3**	**30**	**3**	**4**	**6**	**8**	**11**	**15**	**47**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.6	9	1	1	3	5	8	11	11
20-34	83	3.8	54	<1	<1	2	4	6	11	49
35-49	20	5.1	27	<1	1	4	5	9	17	25
50-64	11	7.3	16	3	3	6	10	14	14	14
65+	6	5.2	3	2	2	5	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	9	4.0	8	1	1	3	7	8	8	8
20-34	116	5.6	70	<1	<1	3	6	11	18	50
35-49	25	8.4	172	<1	<1	3	7	37	44	46
50-64	13	11.8	254	2	2	6	10	43	51	53
65+	9	14.4	294	2	3	5	21	45	47	47
TOT. SINGLE DX	130	4.3	42	<1	1	2	5	8	14	33
" MULTIPLE DX	172	6.8	111	<1	<1	4	7	13	40	52
TOTAL 0-19 YRS	19	3.8	9	1	1	3	6	8	10	11
20-34	199	4.8	65	<1	<1	2	6	9	14	52
35-49	45	6.9	109	<1	<1	3	7	10	39	46
50-64	24	9.7	145	2	3	6	10	17	44	53
65+	15	10.7	192	2	2	5	8	41	45	47
GRAND TOTAL	**302**	**5.8**	**82**	**<1**	**<1**	**3**	**6**	**10**	**19**	**50**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	64	7.4	24	3	4	6	8	12	15	33
35-49	186	8.3	17	4	5	7	9	14	16	26
50-64	267	8.0	7	4	5	8	10	11	14	17
65+	133	8.9	15	5	5	8	10	14	15	21
2. MULTIPLE DX										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	104	8.6	14	4	5	8	10	13	15	24
35-49	348	10.1	24	5	6	9	12	16	20	29
50-64	402	9.9	23	5	6	8	11	15	19	29
65+	293	11.0	48	5	6	9	13	18	22	46
TOT. SINGLE DX	652	8.2	14	4	5	8	9	12	15	23
" MULTIPLE DX	1149	10.1	29	5	6	9	12	16	20	29
TOTAL 0-19 YRS	4	7.3	2	6	6	7	8	9	9	9
20-34	168	8.2	18	3	4	7	9	13	15	26
35-49	534	9.5	23	5	5	8	11	15	18	29
50-64	669	9.1	18	5	5	8	11	14	17	26
65+	426	10.4	39	5	6	9	12	16	20	37
GRAND TOTAL	**1801**	**9.4**	**25**	**5**	**5**	**8**	**11**	**15**	**18**	**29**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	51	5.3	11	1	1	4	8	10	11	14
35-49	13	5.1	8	1	2	4	7	9	10	10
50-64	13	6.5	11	1	2	7	9	11	11	11
65+	13	11.5	63	2	2	10	15	26	26	26
2. MULTIPLE DX										
0-19 YRS	15	4.3	17	<1	1	2	8	11	12	12
20-34	45	5.6	29	1	1	4	7	9	14	33
35-49	30	6.6	28	1	1	5	10	15	19	19
50-64	19	7.3	24	<1	1	7	10	14	17	20
65+	9	15.9	100	3	5	16	20	32	35	35
TOT. SINGLE DX	94	6.2	22	1	1	6	9	11	13	26
" MULTIPLE DX	118	6.7	39	1	1	5	9	14	18	34
TOTAL 0-19 YRS	19	4.1	16	<1	1	2	8	11	12	12
20-34	96	5.4	20	1	1	4	8	10	13	24
35-49	43	6.2	23	1	1	5	8	14	17	19
50-64	32	7.0	18	<1	1	7	9	12	14	20
65+	22	13.3	79	2	3	10	18	26	30	35
GRAND TOTAL	**212**	**6.5**	**31**	**1**	**1**	**5**	**9**	**13**	**17**	**29**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	3.2	14	<1	<1	2	3	7	10	24
20-34	120	3.5	11	<1	<1	2	5	8	11	17
35-49	50	4.9	15	<1	<1	4	7	9	11	22
50-64	46	6.7	102	1	2	5	7	10	14	70
65+	51	6.6	21	2	2	6	8	10	16	29
2. MULTIPLE DX										
0-19 YRS	25	5.2	19	<1	1	3	7	12	15	15
20-34	80	5.5	36	1	1	4	7	12	20	32
35-49	56	7.1	45	<1	1	4	9	17	21	33
50-64	76	9.2	113	2	2	7	10	16	23	71
65+	68	8.8	39	2	2	7	10	19	22	31
TOT. SINGLE DX	319	4.6	29	<1	1	3	6	9	12	23
" MULTIPLE DX	305	7.4	59	1	2	6	9	15	22	34
TOTAL 0-19 YRS	77	3.8	16	<1	<1	2	5	10	12	22
20-34	200	4.3	22	<1	1	2	6	9	13	24
35-49	106	6.0	33	<1	1	4	8	12	18	29
50-64	122	8.3	110	1	2	6	9	14	21	74
65+	119	7.8	33	2	2	7	9	15	21	30
GRAND TOTAL	**624**	**6.0**	**45**	**<1**	**1**	**4**	**8**	**12**	**17**	**31**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	2.4	5	<1	<1	1	3	5	10	11
20-34	381	2.1	2	<1	<1	2	3	4	5	8
35-49	132	2.6	3	<1	1	2	3	5	7	10
50-64	54	3.2	16	<1	1	2	3	7	8	25
65+	25	3.9	9	2	2	3	4	8	12	14
2. MULTIPLE DX										
0-19 YRS	33	5.0	23	<1	1	4	7	12	21	99+
20-34	106	4.1	23	<1	1	3	5	8	12	31
35-49	52	4.6	62	<1	1	3	4	6	17	42
50-64	35	5.0	13	1	2	4	7	10	14	16
65+	38	13.1	280	2	2	6	12	39	51	72
TOT. SINGLE DX	676	2.4	5	<1	<1	2	3	4	6	12
" MULTIPLE DX	264	5.7	75	<1	1	3	6	11	21	52
TOTAL 0-19 YRS	117	3.1	12	<1	<1	2	4	9	11	48
20-34	487	2.6	8	<1	<1	2	3	5	7	12
35-49	184	3.2	21	<1	1	2	3	5	8	33
50-64	89	3.9	16	1	1	3	4	8	13	22
65+	63	9.4	192	2	2	4	9	29	43	70
GRAND TOTAL	**940**	**3.3**	**26**	**<1**	**1**	**2**	**3**	**6**	**9**	**31**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	3	6.3	1	5	5	7	7	7	7	7
50-64	8	10.8	55	<1	1	9	17	21	22	22
65+	7	17.6	96	8	8	14	21	34	37	37
2. MULTIPLE DX										
0-19 YRS										
20-34	7	15.4	76	4	5	16	17	29	32	32
35-49	4	11.3	39	5	5	10	15	20	20	20
50-64	5	23.0	138	4	4	25	32	34	34	34
65+	18	35.7	302	7	10	41	49	60	82	99+
TOT. SINGLE DX	23	10.7	73	1	2	8	14	21	27	37
" MULTIPLE DX	34	26.8	292	4	5	24	43	55	60	99+
TOTAL 0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	10	11.9	85	1	2	11	17	25	32	32
35-49	7	9.1	27	5	5	7	10	18	20	20
50-64	13	15.5	117	1	3	14	23	32	34	34
65+	25	30.6	307	7	10	33	47	59	68	99+
GRAND TOTAL	**57**	**20.3**	**264**	**3**	**4**	**16**	**32**	**47**	**57**	**97**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.4	11	<1	<1	3	4	9	12	12
20-34	32	2.7	3	<1	<1	2	4	5	6	10
35-49	7	4.1	6	<1	<1	4	6	8	8	8
50-64	6	5.0	17	2	2	4	5	12	13	13
65+	4	4.3	7	2	2	3	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	12	2.8	9	<1	<1	2	3	6	11	12
20-34	23	5.0	9	1	2	5	7	10	11	11
35-49	2	23.5	5	22	22	23	25	25	25	25
50-64	1	10.0		10	10	10	10	10	10	10
65+										
TOT. SINGLE DX	58	3.3	7	<1	<1	2	4	6	9	13
" MULTIPLE DX	38	5.4	29	1	1	3	7	11	18	25
TOTAL 0-19 YRS	21	3.1	10	<1	<1	2	3	7	12	12
20-34	55	3.7	7	<1	1	3	5	7	10	11
35-49	9	8.4	79	<1	1	6	11	24	25	25
50-64	7	5.7	18	2	2	5	9	12	13	13
65+	4	4.3	7	2	2	3	6	8	8	8
GRAND TOTAL	**96**	**4.2**	**17**	**<1**	**1**	**3**	**5**	**10**	**12**	**24**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.0	3	<1	<1	1	2	5	6	6
20-34	30	6.8	193	<1	<1	1	3	23	50	55
35-49	9	2.7	4	1	1	2	4	6	7	7
50-64	4	2.0	2	1	1	2	3	4	4	4
65+	3	5.0	37	<1	<1	2	9	12	12	12
2. MULTIPLE DX										
0-19 YRS	4	5.5	7	2	2	6	7	8	8	8
20-34	22	7.7	183	<1	<1	2	7	26	41	58
35-49	6	7.7	45	<1	<1	5	10	19	20	20
50-64	7	4.6	17	1	1	4	6	12	13	13
65+	6	17.2	248	<1	<1	15	30	37	38	38
TOT. SINGLE DX	54	4.9	114	<1	<1	1	3	9	29	55
" MULTIPLE DX	45	8.3	138	<1	<1	4	8	25	32	58
TOTAL 0-19 YRS	12	3.2	7	<1	<1	2	5	7	8	8
20-34	52	7.2	186	<1	<1	2	5	26	48	58
35-49	15	4.7	25	<1	1	4	6	10	17	20
50-64	11	3.6	12	1	1	3	4	9	13	13
65+	9	13.1	202	<1	<1	5	26	35	38	38
GRAND TOTAL	**99**	**6.5**	**126**	**<1**	**<1**	**2**	**6**	**18**	**32**	**57**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	438	4.9	5	3	3	5	6	7	8	14
20-34	2566	4.8	6	3	3	4	5	6	7	12
35-49	78	4.9	12	2	3	4	6	7	10	24
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	547	5.8	12	3	3	5	6	9	12	23
20-34	3914	5.5	11	3	3	5	6	8	9	18
35-49	191	5.6	6	3	4	5	6	8	9	15
50-64										
65+										
TOT. SINGLE DX	3082	4.8	6	3	3	4	5	7	7	13
" MULTIPLE DX	4652	5.5	11	3	3	5	6	8	10	19
TOTAL 0-19 YRS	985	5.4	10	3	3	5	6	8	10	20
20-34	6480	5.2	9	3	3	5	6	7	8	16
35-49	269	5.4	9	3	3	5	6	8	9	22
50-64										
65+										
GRAND TOTAL	**7734**	**5.2**	**9**	**3**	**3**	**5**	**6**	**7**	**9**	**16**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.2	2	2	2	4	5	6	7	7
20-34	157	4.5	2	3	3	4	5	6	8	11
35-49	4	4.0		3	3	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	37	5.7	42	1	1	5	5	8	19	37
20-34	372	5.5	15	2	2	5	6	8	10	24
35-49	29	4.9	5	2	2	4	6	8	9	10
50-64										
65+										
TOT. SINGLE DX	174	4.5	3	3	3	4	5	6	7	11
" MULTIPLE DX	438	5.5	17	2	2	5	6	8	10	24
TOTAL 0-19 YRS	50	5.3	32	1	2	4	5	7	9	37
20-34	529	5.2	12	2	3	5	6	7	10	22
35-49	33	4.8	5	2	2	4	6	8	9	10
50-64										
65+										
GRAND TOTAL	**612**	**5.2**	**13**	**2**	**3**	**5**	**6**	**7**	**10**	**23**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	5.2	4	3	3	5	6	8	10	13
20-34	856	4.8	3	3	3	5	6	7	8	12
35-49	28	4.5	2	3	3	4	5	6	8	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	247	5.9	12	3	3	5	6	9	12	21
20-34	2047	5.7	9	3	4	5	6	8	10	18
35-49	100	5.7	5	3	4	5	6	8	10	16
50-64										
65+										
TOT. SINGLE DX	995	4.9	4	3	3	5	6	7	8	12
" MULTIPLE DX	2394	5.7	10	3	4	5	6	8	10	18
TOTAL 0-19 YRS	358	5.7	10	3	3	5	6	9	11	17
20-34	2903	5.4	8	3	3	5	6	8	9	17
35-49	128	5.5	5	3	3	5	6	8	10	16
50-64										
65+										
GRAND TOTAL	**3389**	**5.5**	**8**	**3**	**3**	**5**	**6**	**8**	**9**	**17**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3272	4.6	6	2	3	4	5	6	7	14
20-34	23625	4.4	4	2	3	4	5	6	7	11
35-49	854	4.5	5	2	3	4	5	6	8	14
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1701	5.3	14	2	3	5	6	8	10	20
20-34	14124	5.1	10	2	3	5	6	7	9	18
35-49	905	5.6	16	2	3	5	6	8	10	22
50-64										
65+										
TOT. SINGLE DX	27751	4.4	5	2	3	4	5	6	7	11
" MULTIPLE DX	16730	5.2	12	2	3	5	6	7	9	19
TOTAL 0-19 YRS	4973	4.9	9	2	3	4	5	7	8	16
20-34	37749	4.6	7	2	3	4	5	6	8	14
35-49	1759	5.0	12	2	3	4	6	7	9	18
50-64										
65+										
GRAND TOTAL	**44481**	**4.7**	**8**	**2**	**3**	**4**	**5**	**7**	**8**	**14**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	269	7.2	9	4	5	7	8	10	11	21
20-34	3384	6.9	5	5	5	7	8	9	10	15
35-49	142	7.1	4	5	5	7	8	9	9	16
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	710	8.7	37	5	5	7	9	12	16	41
20-34	8338	8.2	29	5	5	7	8	11	15	34
35-49	710	8.9	40	5	5	7	9	13	17	41
50-64										
65+										
TOT. SINGLE DX	3795	6.9	6	5	5	7	8	9	10	15
" MULTIPLE DX	9758	8.3	31	5	5	7	8	12	16	35
TOTAL 0-19 YRS	979	8.3	30	5	5	7	9	12	15	36
20-34	11722	7.9	23	5	5	7	8	10	14	29
35-49	852	8.6	35	5	5	7	9	12	17	38
50-64										
65+										
GRAND TOTAL	**13553**	**7.9**	**24**	**5**	**5**	**7**	**8**	**10**	**14**	**30**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.7	3	4	4	6	8	10	10	10
20-34	87	7.2	4	5	5	7	8	9	11	16
35-49	3	8.3	1	7	7	9	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13	8.2	5	5	6	8	9	12	13	13
20-34	115	11.0	92	5	5	8	10	23	32	52
35-49	17	11.2	27	6	7	9	12	22	23	23
50-64										
65+										
TOT. SINGLE DX	101	7.1	5	4	5	7	8	10	11	16
" MULTIPLE DX	145	10.8	78	5	5	8	10	22	27	51
TOTAL 0-19 YRS	24	7.5	5	4	5	7	9	10	12	13
20-34	202	9.3	58	5	5	7	9	14	24	50
35-49	20	10.8	24	6	7	9	12	20	23	23
50-64										
65+										
GRAND TOTAL	**246**	**9.3**	**51**	**5**	**5**	**7**	**9**	**14**	**23**	**48**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	24	5.5	7	1	2	5	8	9	10	10
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	35	8.1	91	3	4	6	7	14	20	58
35-49	7	5.1	1	4	4	5	6	7	7	7
50-64										
65+										
TOT. SINGLE DX	28	5.3	7	1	3	5	7	9	10	10
" MULTIPLE DX	44	7.6	74	3	4	5	7	12	18	58
TOTAL 0-19 YRS	4	5.8	8	4	4	5	7	10	10	10
20-34	59	7.1	58	2	3	5	8	11	15	55
35-49	9	4.9	1	3	3	5	6	7	7	7
50-64										
65+										
GRAND TOTAL	**72**	**6.7**	**49**	**3**	**3**	**5**	**7**	**10**	**14**	**50**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	110	1.9	8	1	1	1	2	3	3	16
20-34	124	1.5		1	1	1	2	2	3	5
35-49	6	1.7		1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	127	1.7		1	1	2	2	2	4	5
20-34	192	2.1	2	1	1	2	2	3	5	12
35-49	18	2.4	2	1	1	2	3	5	6	7
50-64										
65+										
TOT. SINGLE DX	240	1.7	4	1	1	1	2	3	3	6
" MULTIPLE DX	337	1.9	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS	237	1.8	4	1	1	2	2	3	3	5
20-34	316	1.9	2	1	1	2	2	3	4	9
35-49	24	2.2	2	1	1	2	3	4	6	7
50-64										
65+										
GRAND TOTAL	**577**	**1.8**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	5.2	26	<1	1	4	8	10	16	23
20-34	213	3.1	15	<1	<1	1	3	7	11	21
35-49	12	2.4	15	<1	<1	<1	2	6	14	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	8.3	51	2	2	6	13	18	18	18
20-34	57	6.3	42	<1	<1	4	9	13	21	31
35-49	6	5.3	34	<1	<1	2	10	14	15	15
50-64										
65+										
TOT. SINGLE DX	247	3.2	17	<1	<1	1	4	8	11	21
" MULTIPLE DX	77	6.3	41	<1	<1	4	9	13	20	31
TOTAL 0-19 YRS	26	5.7	29	<1	1	4	9	11	19	23
20-34	280	3.8	23	<1	<1	2	5	10	13	26
35-49	18	3.4	22	<1	<1	<1	2	13	15	15
50-64										
65+										
GRAND TOTAL	**324**	**4.0**	**24**	**<1**	**<1**	**2**	**5**	**10**	**14**	**24**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	421	3.0	8	<1	<1	2	4	6	8	13
20-34	2299	3.4	14	<1	<1	3	4	6	7	19
35-49	91	3.3	7	<1	<1	3	5	6	7	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	400	4.2	7	<1	1	4	5	7	9	15
20-34	2568	4.7	20	1	1	4	5	7	10	25
35-49	132	5.4	18	2	2	4	6	8	10	26
50-64										
65+										
TOT. SINGLE DX	2811	3.3	13	<1	<1	3	4	6	7	18
" MULTIPLE DX	3100	4.7	19	1	1	4	5	7	9	22
TOTAL 0-19 YRS	821	3.6	8	<1	<1	3	5	6	8	15
20-34	4867	4.1	18	<1	<1	4	5	6	8	20
35-49	223	4.5	15	<1	1	4	6	7	9	18
50-64										
65+										
GRAND TOTAL	**5911**	**4.0**	**17**	**<1**	**<1**	**4**	**5**	**6**	**8**	**20**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	384	4.1	2	2	2	4	5	6	7	10
20-34	4260	4.1	2	2	3	4	5	6	6	8
35-49	217	4.2	2	2	3	4	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	360	5.2	30	2	3	5	6	7	9	14
20-34	4722	4.9	6	2	3	4	6	7	8	15
35-49	348	5.3	8	3	3	5	6	8	10	17
50-64										
65+										
TOT. SINGLE DX	4861	4.1	2	2	3	4	5	6	6	8
" MULTIPLE DX	5430	4.9	8	2	3	4	6	7	8	15
TOTAL 0-19 YRS	744	4.6	17	2	3	4	5	7	8	12
20-34	8982	4.5	5	2	3	4	5	6	7	12
35-49	565	4.9	6	2	3	5	6	7	9	14
50-64										
65+										
GRAND TOTAL	**10291**	**4.5**	**6**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	11	4.2	5	<1	1	4	5	7	10	10
35-49	11	7.6	41	2	2	4	11	17	22	22
50-64	13	16.0	654	1	2	6	21	44	84	93
65+	8	10.1	60	2	2	9	16	20	22	22
2. MULTIPLE DX										
0-19 YRS	14	8.8	185	2	2	5	6	18	47	55
20-34	11	3.9	3	<1	1	5	5	6	6	6
35-49	7	16.0	619	3	3	8	42	92	99+	99+
50-64	18	28.6	671	1	2	20	43	59	82	98
65+	12	20.3	460	3	3	8	33	55	65	67
TOT. SINGLE DX	46	9.3	218	1	2	4	10	21	32	93
" MULTIPLE DX	62	16.7	460	1	2	6	23	56	69	99+
TOTAL 0-19 YRS	17	7.7	157	1	2	5	6	13	41	55
20-34	22	4.0	4	<1	1	4	5	6	8	10
35-49	18	10.9	261	2	2	7	12	52	87	99+
50-64	31	23.3	683	1	2	13	35	58	91	98
65+	20	16.3	315	2	2	8	22	44	58	67
GRAND TOTAL	**108**	**13.6**	**367**	**1**	**2**	**5**	**14**	**42**	**59**	**99**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	186	4.1	6	2	2	4	5	6	7	9
20-34	325	4.0	2	2	2	4	5	6	7	9
35-49	58	4.3	1	2	2	4	5	6	7	8
50-64	11	3.5	2	1	1	4	5	5	5	5
65+	3	15.0	399	2	2	5	30	38	38	38
2. MULTIPLE DX										
0-19 YRS	171	4.6	7	2	3	4	5	6	7	14
20-34	154	4.3	3	2	2	4	5	6	7	13
35-49	39	6.8	227	2	3	4	5	7	10	98
50-64	8	19.8	641	2	3	5	38	60	61	61
65+	7	18.7	754	1	1	4	22	67	78	78
TOT. SINGLE DX	583	4.1	6	2	2	4	5	6	7	9
" MULTIPLE DX	379	5.3	60	2	3	4	5	6	9	51
TOTAL 0-19 YRS	357	4.4	7	2	3	4	5	6	7	12
20-34	479	4.1	3	2	2	4	5	6	7	9
35-49	97	5.3	93	2	3	4	5	7	8	57
50-64	19	10.4	318	1	2	4	5	43	60	61
65+	10	17.6	595	1	1	5	23	58	78	78
GRAND TOTAL	**962**	**4.6**	**27**	**2**	**2**	**4**	**5**	**6**	**7**	**17**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.6	4	<1	1	2	3	4	7	11
20-34	74	3.0	4	1	1	2	4	5	7	11
35-49	10	3.5	5	1	1	3	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	94	3.9	10	1	2	3	4	7	10	19
20-34	224	4.2	27	1	1	3	4	8	11	34
35-49	46	6.2	85	1	1	3	7	12	16	60
50-64	18	8.0	73	1	2	5	12	29	72	99+
65+	3	8.3	4	6	6	9	10	10	10	10
TOT. SINGLE DX	122	2.9	4	1	1	2	4	6	7	11
" MULTIPLE DX	385	4.6	33	1	1	3	5	9	12	40
TOTAL 0-19 YRS	130	3.5	9	1	1	3	4	6	9	18
20-34	298	3.9	22	1	1	3	4	7	10	29
35-49	56	5.7	72	1	1	3	6	12	14	58
50-64	19	7.8	70	1	2	5	12	26	69	99+
65+	4	6.5	16	1	1	7	9	10	10	10
GRAND TOTAL	**507**	**4.2**	**27**	**1**	**1**	**3**	**4**	**8**	**12**	**34**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	4.5	6	1	2	4	6	7	11	12
20-34	78	3.4	4	1	1	3	5	6	8	9
35-49	19	3.1	7	1	1	2	4	8	9	10
50-64	8	5.8	57	1	1	2	9	19	21	21
65+	2	11.0	18	8	8	11	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	76	7.6	107	1	1	4	8	17	24	62
20-34	254	5.7	49	1	1	4	7	12	16	57
35-49	96	7.0	73	1	2	5	8	13	17	52
50-64	22	6.3	19	1	2	5	7	14	16	17
65+	12	11.8	136	1	2	7	19	30	35	36
TOT. SINGLE DX	133	3.8	9	1	1	3	5	7	9	15
" MULTIPLE DX	460	6.4	66	1	1	4	7	13	18	55
TOTAL 0-19 YRS	102	6.8	83	1	2	4	7	14	22	57
20-34	332	5.1	40	1	1	4	6	10	14	40
35-49	115	6.4	64	1	1	4	8	12	17	51
50-64	30	6.1	28	1	1	5	7	14	17	21
65+	14	11.6	117	1	2	8	14	28	34	36
GRAND TOTAL	**593**	**5.9**	**54**	**1**	**1**	**4**	**7**	**12**	**17**	**47**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	3.8	11	<1	<1	2	6	9	10	10
20-34	7	3.7	10	1	1	3	5	9	10	10
35-49	4	6.8	35	<1	<1	6	11	14	14	14
50-64	6	4.8	11	1	1	4	6	10	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	7	6.6	50	1	1	4	7	19	22	22
20-34	19	12.0	183	1	2	7	16	24	44	59
35-49	6	9.3	126	2	2	5	7	29	32	32
50-64	6	13.8	115	4	4	9	27	28	28	28
65+	5	18.2	439	3	3	15	25	54	54	54
TOT. SINGLE DX	25	4.5	14	<1	1	3	6	10	12	14
" MULTIPLE DX	43	11.7	168	2	2	6	16	27	40	59
TOTAL 0-19 YRS	15	5.1	29	<1	1	4	6	10	19	22
20-34	26	9.8	149	1	1	6	14	21	33	59
35-49	10	8.3	84	<1	1	5	9	23	32	32
50-64	12	9.3	80	1	2	6	10	27	28	28
65+	5	18.2	440	3	3	15	25	54	54	54
GRAND TOTAL	**68**	**9.1**	**122**	**1**	**1**	**5**	**11**	**22**	**28**	**58**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	7.3	49	2	2	5	8	15	22	40
20-34	124	7.4	80	1	2	5	7	16	30	48
35-49	69	7.4	49	1	2	5	9	16	25	34
50-64	91	7.6	53	1	2	7	8	13	19	48
65+	53	10.0	32	2	3	9	14	18	20	25
2. MULTIPLE DX										
0-19 YRS	115	10.9	205	2	3	6	11	22	41	80
20-34	104	11.2	238	1	2	6	11	29	63	99+
35-49	64	12.4	199	1	3	8	14	30	48	97
50-64	117	12.0	130	2	3	8	15	29	38	79
65+	100	15.5	213	3	4	11	18	33	52	91
TOT. SINGLE DX	492	7.7	57	1	2	5	9	16	21	40
" MULTIPLE DX	500	12.3	197	2	3	8	15	29	44	92
TOTAL 0-19 YRS	270	8.9	119	2	2	5	9	18	27	66
20-34	228	9.1	155	1	2	5	10	22	38	88
35-49	133	9.8	127	1	2	6	12	25	32	84
50-64	208	10.1	101	2	2	7	12	21	31	63
65+	153	13.6	157	2	4	11	16	25	35	83
GRAND TOTAL	**992**	**10.0**	**132**	**2**	**2**	**7**	**12**	**22**	**33**	**78**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	119	3.9	3	1	2	4	5	7	8	9
20-34	167	4.4	4	1	2	4	6	7	8	10
35-49	181	4.4	5	1	2	4	5	7	9	14
50-64	234	4.9	10	1	2	4	6	8	10	18
65+	102	5.9	22	1	2	5	7	10	13	28
2. MULTIPLE DX										
0-19 YRS	73	4.5	3	2	2	4	6	7	8	9
20-34	149	4.8	7	2	2	4	6	9	10	14
35-49	162	5.4	25	2	2	4	6	8	10	38
50-64	333	5.6	17	2	2	5	7	9	11	24
65+	206	6.2	20	2	2	5	7	10	14	32
TOT. SINGLE DX	803	4.7	9	1	2	4	6	8	9	15
" MULTIPLE DX	923	5.5	17	2	2	5	7	9	11	24
TOTAL 0-19 YRS	192	4.2	4	1	2	4	5	7	8	9
20-34	316	4.6	6	2	2	4	6	7	9	13
35-49	343	4.9	15	2	2	4	6	8	9	23
50-64	567	5.3	15	2	2	4	7	9	11	21
65+	308	6.1	21	1	2	5	7	10	13	32
GRAND TOTAL	**1726**	**5.1**	**13**	**2**	**2**	**4**	**6**	**8**	**10**	**20**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	423	4.8	51	1	2	3	5	8	14	44
20-34	411	4.7	22	1	1	4	5	8	11	22
35-49	215	5.4	54	1	2	4	6	10	14	27
50-64	172	6.0	61	1	1	4	7	10	16	43
65+	93	8.0	105	1	2	5	10	16	21	61
2. MULTIPLE DX										
0-19 YRS	188	9.7	163	2	2	5	11	22	42	73
20-34	335	9.4	181	1	2	5	9	23	43	91
35-49	199	9.5	158	1	2	5	10	22	37	65
50-64	255	13.4	288	1	2	7	17	32	69	99+
65+	168	18.0	314	2	3	12	25	41	53	91
TOT. SINGLE DX	1314	5.3	48	1	2	4	5	10	15	35
" MULTIPLE DX	1145	11.6	227	1	2	6	13	30	47	90
TOTAL 0-19 YRS	611	6.3	91	1	2	3	6	12	22	60
20-34	746	6.8	99	1	2	4	7	13	23	70
35-49	414	7.4	108	1	2	4	7	15	25	55
50-64	427	10.4	210	1	2	6	11	25	43	96
65+	261	14.4	262	1	2	9	17	37	46	83
GRAND TOTAL	**2459**	**8.2**	**141**	**1**	**2**	**4**	**8**	**18**	**32**	**74**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	8.7	120	2	2	6	10	16	27	71
20-34	171	5.6	25	2	2	4	7	10	15	31
35-49	68	7.5	28	2	2	7	10	15	18	26
50-64	44	10.4	89	2	3	7	13	18	28	55
65+	77	15.1	96	3	5	13	19	29	39	46
2. MULTIPLE DX										
0-19 YRS	77	13.5	293	1	2	6	18	44	60	96
20-34	72	13.9	351	2	2	7	15	41	72	97
35-49	35	17.7	470	1	2	10	20	58	63	89
50-64	52	18.1	348	2	4	12	17	60	70	99
65+	138	25.2	409	6	7	20	37	70	99	99+
TOT. SINGLE DX	466	8.6	76	2	2	6	11	17	24	44
" MULTIPLE DX	374	18.9	393	2	3	12	26	57	74	99+
TOTAL 0-19 YRS	183	10.7	198	1	2	6	11	27	48	83
20-34	243	8.1	135	2	2	5	9	15	25	87
35-49	103	11.0	199	1	2	7	13	21	41	75
50-64	96	14.6	243	2	3	11	16	34	62	86
65+	215	21.6	320	5	7	16	29	55	75	99+
GRAND TOTAL	**840**	**13.2**	**243**	**2**	**2**	**8**	**16**	**34**	**56**	**99+**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	3.4	19	1	1	2	3	5	9	28
20-34	388	3.1	9	<1	1	2	3	5	7	15
35-49	134	4.4	29	<1	1	3	4	9	13	29
50-64	98	4.9	27	1	1	3	6	9	18	26
65+	76	6.7	77	1	2	4	7	17	22	53
2. MULTIPLE DX										
0-19 YRS	79	5.9	56	1	2	3	6	17	21	42
20-34	143	7.3	110	1	1	4	7	17	26	63
35-49	87	10.7	285	1	2	4	8	29	51	79
50-64	85	6.5	90	1	2	4	7	15	18	60
65+	91	16.2	364	2	2	10	23	67	99+	99+
TOT. SINGLE DX	898	3.9	23	<1	1	3	4	7	11	25
" MULTIPLE DX	485	9.2	189	1	2	4	9	23	45	99+
TOTAL 0-19 YRS	281	4.1	31	1	1	3	4	7	14	34
20-34	531	4.2	40	<1	1	3	4	7	12	32
35-49	221	6.9	139	<1	1	3	7	13	26	73
50-64	183	5.7	57	1	2	3	6	13	18	26
65+	167	11.9	255	1	2	6	16	39	74	99+
GRAND TOTAL	**1383**	**5.7**	**88**	**1**	**1**	**3**	**5**	**13**	**21**	**70**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	22.0	109	6	9	20	27	34	44	47
20-34	6	18.0	227	6	6	13	23	44	46	46
35-49	4	9.0	3	7	7	9	10	11	11	11
50-64	10	21.6	567	7	7	12	17	62	83	83
65+	44	20.7	230	4	5	17	27	41	52	71
2. MULTIPLE DX										
0-19 YRS	37	34.6	431	5	11	34	49	59	92	99+
20-34	19	21.9	146	7	8	18	29	42	48	50
35-49	14	16.4	298	5	6	11	18	29	63	73
50-64	37	24.1	257	6	7	20	39	57	83	99+
65+	208	33.1	588	6	9	28	53	85	99+	99+
TOT. SINGLE DX	78	20.2	236	5	6	16	25	42	47	80
" MULTIPLE DX	315	30.8	512	6	8	27	45	78	95	99+
TOTAL 0-19 YRS	51	31.1	371	5	10	28	43	54	88	99+
20-34	25	21.0	160	6	6	17	28	45	47	50
35-49	18	14.7	238	5	7	10	16	23	53	73
50-64	47	23.6	314	6	7	17	38	57	84	99+
65+	252	30.9	548	5	9	26	45	80	96	99+
GRAND TOTAL	**393**	**28.7**	**475**	**5**	**7**	**23**	**42**	**73**	**92**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	11.3	36	4	4	10	14	20	24	27
20-34	22	13.0	64	3	4	12	15	20	32	40
35-49	17	12.7	20	4	6	13	15	19	20	20
50-64	28	21.4	186	6	9	18	26	40	55	62
65+	90	24.5	326	8	10	18	29	59	70	99+
2. MULTIPLE DX										
0-19 YRS	79	24.1	317	7	9	18	30	58	65	97
20-34	112	19.4	220	4	7	16	23	35	58	78
35-49	64	17.9	172	6	7	14	21	42	57	99+
50-64	133	21.3	249	4	7	17	29	47	65	99+
65+	665	29.0	434	6	9	24	47	85	99+	99+
TOT. SINGLE DX	184	19.6	233	6	7	15	22	44	60	94
" MULTIPLE DX	1053	26.0	380	6	8	20	38	70	99+	99+
TOTAL 0-19 YRS	106	20.8	276	5	7	16	23	52	63	94
20-34	134	18.4	200	3	7	15	21	32	51	78
35-49	81	16.8	144	6	7	14	19	39	51	99+
50-64	161	21.4	237	5	7	17	28	45	62	99+
65+	755	28.4	423	7	9	23	45	80	99+	99+
GRAND TOTAL	**1237**	**25.0**	**363**	**6**	**8**	**19**	**36**	**66**	**99+**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	20.7	356	1	2	14	30	54	58	67
20-34	4	46.0	1250	12	12	42	75	88	88	88
35-49	3	5.3	24	2	2	3	9	11	11	11
50-64	3	6.0	9	3	3	6	8	9	9	9
65+	6	31.3	642	8	8	30	53	58	59	59
2. MULTIPLE DX										
0-19 YRS	90	33.1	580	2	4	30	50	73	83	99+
20-34	16	32.2	691	7	7	27	54	91	99	99+
35-49	9	29.0	318	4	10	31	36	84	99+	99+
50-64	9	41.7	1487	1	2	56	99	99+	99+	99+
65+	32	35.1	506	6	8	38	61	99+	99+	99+
TOT. SINGLE DX	65	21.9	447	1	2	13	32	58	62	85
" MULTIPLE DX	156	33.7	601	3	5	32	56	89	99+	99+
TOTAL 0-19 YRS	139	28.7	534	2	3	24	46	63	76	99+
20-34	20	35.0	776	7	8	27	57	91	98	99+
35-49	12	23.1	350	2	3	22	34	74	95	99+
50-64	12	32.8	1344	1	3	32	96	99+	99+	99+
65+	38	34.5	513	6	8	38	59	99+	99+	99+
GRAND TOTAL	**221**	**30.2**	**582**	**2**	**4**	**26**	**52**	**77**	**99**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	6.6	70	1	1	2	11	23	23	24
20-34	37	5.2	27	1	1	4	7	11	20	21
35-49	18	3.9	3	2	2	4	5	7	8	8
50-64	14	4.6	10	1	2	4	6	11	11	11
65+	5	10.0	161	1	1	8	31	93	99+	99+
2. MULTIPLE DX										
0-19 YRS	45	8.0	127	1	1	2	10	21	34	52
20-34	61	9.2	189	1	1	3	11	29	48	96
35-49	40	9.5	198	1	2	5	9	21	43	71
50-64	26	8.9	224	1	2	5	10	13	30	79
65+	19	21.0	546	1	1	17	30	56	79	88
TOT. SINGLE DX	98	5.5	37	1	1	4	6	17	22	66
" MULTIPLE DX	191	10.1	225	1	1	4	11	30	45	84
TOTAL 0-19 YRS	69	7.5	107	1	1	2	10	22	33	49
20-34	98	7.7	131	1	1	4	9	21	38	86
35-49	58	7.8	144	1	2	4	7	12	30	70
50-64	40	7.4	151	1	2	4	9	12	15	79
65+	24	18.7	477	1	1	13	31	67	91	99+
GRAND TOTAL	**289**	**8.5**	**166**	**1**	**1**	**4**	**9**	**21**	**35**	**84**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	4.2	15	1	1	3	5	8	11	20
20-34	412	4.5	18	1	1	4	6	8	11	19
35-49	187	5.9	21	1	2	5	8	10	14	25
50-64	119	7.1	32	2	2	5	8	15	20	30
65+	92	9.5	63	2	3	7	12	17	25	47
2. MULTIPLE DX										
0-19 YRS	512	5.8	52	1	2	4	6	12	18	47
20-34	870	6.1	67	1	2	4	6	11	17	51
35-49	467	7.8	103	1	2	5	8	16	24	56
50-64	376	9.4	87	2	3	6	11	20	28	46
65+	225	13.7	211	3	3	9	16	34	48	99+
TOT. SINGLE DX	1090	5.4	26	1	1	4	6	10	15	27
" MULTIPLE DX	2450	7.5	93	1	2	5	8	16	25	56
TOTAL 0-19 YRS	792	5.2	40	1	1	3	6	10	15	41
20-34	1282	5.6	52	1	2	4	6	10	14	47
35-49	654	7.3	81	1	2	5	8	13	20	55
50-64	495	8.8	75	2	3	6	10	19	27	45
65+	317	12.5	172	3	3	8	15	28	42	90
GRAND TOTAL	**3540**	**6.9**	**73**	**1**	**2**	**4**	**7**	**13**	**20**	**52**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1095	2.2	8	<1	1	1	2	4	6	19
20-34	282	3.4	12	<1	1	2	4	8	10	20
35-49	102	3.9	14	1	1	3	5	8	13	16
50-64	172	4.1	44	1	1	2	4	7	14	47
65+	137	4.2	54	1	1	2	4	8	12	44
2. MULTIPLE DX										
0-19 YRS	1552	3.4	32	1	1	2	3	7	12	30
20-34	665	5.4	70	<1	1	3	6	12	19	55
35-49	343	6.4	86	1	1	3	7	13	24	49
50-64	432	6.5	86	1	1	3	7	17	26	47
65+	423	10.8	261	1	1	4	13	31	54	99+
TOT. SINGLE DX	1848	2.9	17	1	1	2	3	6	9	20
" MULTIPLE DX	3415	5.4	86	1	1	2	5	13	22	60
TOTAL 0-19 YRS	2647	2.9	23	<1	1	1	3	6	10	24
20-34	947	4.8	54	<1	1	3	5	10	15	39
35-49	505	5.6	65	1	1	3	6	12	17	46
50-64	604	5.8	75	1	1	2	6	15	24	47
65+	560	9.2	219	1	1	4	10	26	41	95
GRAND TOTAL	**5263**	**4.5**	**63**	**1**	**1**	**2**	**4**	**10**	**17**	**48**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	3.3	31	<1	<1	1	3	7	12	35
20-34	98	2.4	16	<1	<1	1	2	4	9	25
35-49	28	2.3	7	<1	<1	1	2	5	8	13
50-64	36	2.8	19	<1	1	1	3	5	15	21
65+	32	3.6	38	<1	1	1	3	7	21	30
2. MULTIPLE DX										
0-19 YRS	121	4.2	37	<1	1	2	5	11	18	33
20-34	149	4.5	67	<1	<1	1	4	12	19	47
35-49	65	5.2	115	<1	<1	2	3	13	24	67
50-64	92	5.7	84	<1	<1	2	7	14	18	86
65+	107	13.0	329	1	1	5	19	33	60	90
TOT. SINGLE DX	279	2.8	23	<1	<1	1	3	5	12	26
" MULTIPLE DX	534	6.4	132	<1	1	2	6	18	25	68
TOTAL 0-19 YRS	206	3.8	35	<1	<1	1	4	9	16	33
20-34	247	3.6	48	<1	<1	1	3	7	19	33
35-49	93	4.3	84	<1	<1	1	3	11	23	55
50-64	128	4.9	68	<1	<1	2	5	14	18	74
65+	139	10.9	278	1	1	4	12	30	45	89
GRAND TOTAL	**813**	**5.2**	**98**	**<1**	**<1**	**2**	**4**	**14**	**21**	**61**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	4.4	16	1	2	3	5	9	15	20
20-34	85	3.5	7	1	1	3	4	5	8	18
35-49	25	5.2	25	2	2	4	6	8	14	27
50-64	11	5.8	26	1	1	4	7	15	17	17
65+	5	9.0	128	2	2	4	12	29	29	29
2. MULTIPLE DX										
0-19 YRS	66	5.5	55	1	1	3	5	12	23	91
20-34	209	3.4	7	1	1	3	4	6	7	17
35-49	60	4.2	23	1	1	3	4	7	10	31
50-64	22	7.0	74	1	1	3	9	17	28	38
65+	15	15.3	301	2	2	9	23	31	59	68
TOT. SINGLE DX	163	4.3	17	1	2	3	5	8	12	26
" MULTIPLE DX	372	4.6	39	1	1	3	4	9	15	37
TOTAL 0-19 YRS	103	5.1	42	1	1	3	5	12	17	73
20-34	294	3.4	8	1	1	3	4	6	8	17
35-49	85	4.5	24	1	2	3	5	8	10	30
50-64	33	6.6	57	1	1	4	8	16	20	38
65+	20	13.8	257	2	2	8	21	30	49	68
GRAND TOTAL	**535**	**4.5**	**33**	**1**	**1**	**3**	**4**	**8**	**13**	**31**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	4.9	30	1	2	3	5	9	14	33
20-34	207	3.8	11	1	1	3	4	6	8	23
35-49	84	3.9	7	2	2	3	4	6	8	19
50-64	59	5.9	34	2	2	5	6	10	17	32
65+	27	9.5	57	1	2	7	13	18	28	33
2. MULTIPLE DX										
0-19 YRS	109	5.7	34	1	1	4	6	12	18	35
20-34	210	5.4	75	1	2	3	5	9	14	44
35-49	74	6.6	68	1	1	4	7	14	24	48
50-64	69	11.1	167	2	3	6	12	34	50	91
65+	44	22.0	561	2	3	11	36	71	95	99+
TOT. SINGLE DX	543	4.7	23	1	2	3	5	8	12	32
" MULTIPLE DX	506	7.8	142	1	2	4	7	18	33	81
TOTAL 0-19 YRS	275	5.2	32	1	2	4	5	11	17	35
20-34	417	4.6	44	1	2	3	5	7	11	25
35-49	158	5.2	38	1	2	4	5	9	15	33
50-64	128	8.7	112	2	2	5	8	23	36	65
65+	71	17.2	404	2	3	9	21	56	72	99+
GRAND TOTAL	**1049**	**6.2**	**83**	**1**	**2**	**4**	**6**	**12**	**21**	**56**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	11.4	29	5	6	11	14	21	23	24
20-34	511	10.4	38	3	4	9	13	17	22	34
35-49	751	11.5	36	4	6	10	14	19	22	36
50-64	322	12.0	37	5	6	11	15	20	24	34
65+	50	14.3	79	3	5	12	20	29	31	40
2. MULTIPLE DX										
0-19 YRS	11	22.5	361	7	8	13	27	56	66	67
20-34	211	13.3	118	3	5	11	15	22	29	61
35-49	413	13.6	63	5	6	12	16	23	30	46
50-64	326	15.3	104	5	7	13	18	26	32	57
65+	103	21.0	180	7	9	16	25	40	47	71
TOT. SINGLE DX	1657	11.3	39	4	5	10	14	19	23	34
" MULTIPLE DX	1064	14.9	106	5	6	12	18	26	33	57
TOTAL 0-19 YRS	34	15.0	156	5	6	11	17	24	44	67
20-34	722	11.2	63	3	5	10	13	19	24	44
35-49	1164	12.2	47	5	6	11	15	21	25	39
50-64	648	13.7	74	5	6	12	16	23	29	44
65+	153	18.8	156	5	7	16	24	34	41	65
GRAND TOTAL	**2721**	**12.7**	**68**	**4**	**6**	**11**	**15**	**22**	**28**	**44**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	4.1	5	1	2	4	5	8	8	13
20-34	853	3.9	3	1	2	4	5	6	7	10
35-49	416	4.2	6	1	2	4	5	6	9	13
50-64	193	4.8	14	1	1	4	5	8	9	25
65+	42	6.4	54	1	1	5	6	12	18	45
2. MULTIPLE DX										
0-19 YRS	151	4.6	21	1	2	4	5	7	9	22
20-34	555	4.1	13	1	1	4	5	6	8	13
35-49	275	4.9	10	2	2	4	6	8	10	20
50-64	207	5.5	17	1	2	5	6	10	13	25
65+	44	5.1	26	1	1	4	6	9	13	30
TOT. SINGLE DX	1708	4.1	7	1	2	4	5	6	8	13
" MULTIPLE DX	1232	4.6	15	1	2	4	5	8	10	22
TOTAL 0-19 YRS	355	4.3	12	1	2	4	5	8	8	16
20-34	1408	3.9	7	1	2	4	5	6	7	11
35-49	691	4.5	8	1	2	4	5	7	10	17
50-64	400	5.2	16	1	2	4	6	9	11	25
65+	86	5.7	40	1	1	4	6	11	16	40
GRAND TOTAL	**2940**	**4.3**	**11**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	3.1	12	<1	<1	2	4	5	8	24
20-34	324	3.3	16	1	1	2	4	6	8	22
35-49	161	3.7	14	<1	1	3	4	8	11	20
50-64	115	4.1	20	<1	1	2	5	9	12	24
65+	40	6.5	54	1	1	3	7	18	24	30
2. MULTIPLE DX										
0-19 YRS	87	3.8	21	<1	1	2	4	8	11	29
20-34	229	4.3	50	<1	1	2	4	8	12	47
35-49	116	4.9	50	1	1	3	5	11	16	42
50-64	109	7.6	115	1	1	4	8	18	35	77
65+	64	12.4	244	1	1	6	15	37	49	67
TOT. SINGLE DX	830	3.6	18	<1	1	2	4	7	10	25
" MULTIPLE DX	605	5.8	85	1	1	3	6	12	20	59
TOTAL 0-19 YRS	277	3.3	16	<1	1	2	4	6	9	27
20-34	553	3.7	31	<1	1	2	4	6	10	32
35-49	277	4.2	30	1	1	3	4	9	12	30
50-64	224	5.8	69	1	1	3	6	12	20	58
65+	104	10.1	178	1	1	4	13	28	41	65
GRAND TOTAL	**1435**	**4.5**	**47**	**<1**	**1**	**2**	**4**	**9**	**15**	**42**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	15.7	26	9	10	16	17	20	22	42
20-34	73	12.1	31	5	7	11	13	19	24	34
35-49	62	12.6	21	7	8	12	15	18	19	31
50-64	23	16.5	113	7	8	12	20	26	37	57
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	56	20.0	97	9	10	18	26	35	50	99+
20-34	82	17.4	129	7	8	15	21	35	57	99+
35-49	87	17.7	129	8	8	15	21	32	45	99+
50-64	45	19.9	173	7	8	17	26	46	51	99+
65+	9	25.1	78	16	17	20	31	39	42	42
TOT. SINGLE DX	212	13.6	38	7	8	12	16	19	23	38
" MULTIPLE DX	279	18.7	130	7	9	16	23	35	48	99+
TOTAL 0-19 YRS	109	17.9	67	9	10	16	21	30	42	99+
20-34	155	14.9	90	6	7	12	17	26	37	99+
35-49	149	15.6	91	7	8	14	18	27	34	99+
50-64	68	18.8	153	7	8	15	24	42	49	93
65+	10	24.1	80	15	15	20	30	38	42	42
GRAND TOTAL	**491**	**16.5**	**96**	**7**	**8**	**14**	**19**	**30**	**42**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	5.1	19	<1	1	4	7	9	13	24
20-34	101	5.2	10	1	2	4	6	10	12	16
35-49	66	6.9	57	1	2	5	7	15	21	40
50-64	85	5.7	17	1	2	5	7	10	14	23
65+	59	6.4	39	1	1	4	8	14	20	31
2. MULTIPLE DX										
0-19 YRS	23	8.1	30	1	2	7	12	15	16	23
20-34	78	7.6	31	2	2	6	9	16	19	28
35-49	79	8.9	125	1	2	6	9	17	26	68
50-64	101	8.7	127	2	2	5	10	19	26	64
65+	62	9.4	64	1	2	7	13	22	27	34
TOT. SINGLE DX	349	5.8	27	1	2	4	7	11	15	31
" MULTIPLE DX	343	8.6	87	2	2	6	11	17	24	37
TOTAL 0-19 YRS	61	6.3	26	<1	1	4	9	13	15	24
20-34	179	6.2	21	2	2	5	8	12	16	22
35-49	145	8.0	95	1	2	5	8	16	23	66
50-64	186	7.3	79	2	2	5	8	13	22	32
65+	121	7.9	54	1	2	5	11	19	26	32
GRAND TOTAL	**692**	**7.2**	**59**	**1**	**2**	**5**	**9**	**14**	**20**	**33**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	7	21.6	119	10	11	18	32	37	37	37
35-49	36	18.0	158	7	8	15	20	31	52	64
50-64	176	15.1	57	7	7	14	18	21	25	50
65+	306	16.0	57	7	8	15	19	24	27	40
2. MULTIPLE DX										
0-19 YRS	1	63.0		63	63	63	63	63	63	63
20-34	16	21.6	189	9	10	16	26	40	53	59
35-49	67	19.5	177	6	9	17	23	33	41	90
50-64	245	20.4	178	7	9	17	24	35	50	97
65+	497	22.5	209	7	9	18	26	40	55	90
TOT. SINGLE DX	525	15.9	65	7	8	15	18	23	28	53
" MULTIPLE DX	826	21.7	200	7	9	18	25	39	53	95
TOTAL 0-19 YRS	1	63.0		63	63	63	63	63	63	63
20-34	23	21.6	162	9	10	17	29	38	47	59
35-49	103	19.0	170	7	9	16	22	32	41	79
50-64	421	18.2	135	7	8	16	21	29	42	82
65+	803	20.0	161	7	8	17	23	35	45	85
GRAND TOTAL	**1351**	**19.4**	**155**	**7**	**8**	**17**	**22**	**33**	**43**	**84**

723: Other arthroplasty of hip (31.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.3	10	3	3	4	8	9	9	9
20-34										
35-49	2	16.0	2	15	15	16	17	17	17	17
50-64	35	19.1	142	9	10	15	19	45	49	52
65+	146	20.8	195	7	8	17	24	35	49	74
2. MULTIPLE DX										
0-19 YRS	3	10.3	60	4	4	8	16	19	19	19
20-34	2	9.0	72	3	3	9	15	15	15	15
35-49	15	19.8	134	7	9	15	30	39	41	42
50-64	61	24.4	268	5	9	21	33	43	63	99+
65+	550	26.7	343	8	10	22	37	71	99+	99+
TOT. SINGLE DX	186	20.2	184	7	9	16	24	35	48	70
" MULTIPLE DX	631	26.1	332	7	10	22	36	69	99+	99+
TOTAL 0-19 YRS	6	7.8	36	3	3	6	9	18	19	19
20-34	2	9.0	72	3	3	9	15	15	15	15
35-49	17	19.4	119	7	9	15	29	38	41	42
50-64	96	22.5	227	7	10	18	28	44	53	99
65+	696	25.4	318	7	10	21	35	64	99	99+
GRAND TOTAL	**817**	**24.8**	**304**	**7**	**9**	**20**	**34**	**61**	**92**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	157	5.1	7	2	2	4	6	9	11	14
20-34	200	5.3	7	2	3	5	6	8	10	16
35-49	64	8.0	46	2	3	6	8	18	23	34
50-64	66	12.9	70	3	3	12	17	25	29	41
65+	65	17.6	84	5	6	16	21	31	39	46
2. MULTIPLE DX										
0-19 YRS	121	5.1	10	2	3	5	6	8	10	47
20-34	321	5.3	13	2	2	5	6	8	11	21
35-49	97	8.5	122	2	3	5	8	18	37	83
50-64	77	15.6	94	3	4	15	23	30	33	36
65+	101	22.8	194	6	8	21	32	47	66	99+
TOT. SINGLE DX	552	7.9	47	2	3	5	9	17	22	35
" MULTIPLE DX	717	9.3	101	2	3	5	10	23	33	69
TOTAL 0-19 YRS	278	5.1	9	2	3	4	6	8	10	21
20-34	521	5.3	11	2	3	5	6	8	10	17
35-49	161	8.3	92	2	3	5	8	18	27	64
50-64	143	14.4	85	3	4	13	21	28	31	37
65+	166	20.7	157	6	7	19	26	40	49	99+
GRAND TOTAL	**1269**	**8.7**	**78**	**2**	**3**	**5**	**10**	**21**	**28**	**51**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	197	3.5	2	1	2	3	4	5	6	9
20-34	471	3.7	3	1	2	3	4	6	7	10
35-49	142	4.0	4	1	2	4	5	7	8	11
50-64	105	5.4	16	2	2	4	7	10	13	24
65+	60	8.3	57	1	2	6	10	19	24	36
2. MULTIPLE DX										
0-19 YRS	93	4.0	7	1	1	3	5	7	10	15
20-34	259	3.8	7	1	2	3	4	5	7	20
35-49	100	5.3	18	2	2	4	6	10	11	26
50-64	118	5.7	16	2	2	5	6	11	16	20
65+	78	10.0	76	2	3	7	11	23	30	43
TOT. SINGLE DX	975	4.2	9	2	2	3	5	7	9	17
" MULTIPLE DX	648	5.1	23	1	2	4	6	9	14	29
TOTAL 0-19 YRS	290	3.7	4	1	2	3	4	6	7	12
20-34	730	3.7	5	1	2	3	4	6	7	10
35-49	242	4.6	11	2	2	4	5	8	10	17
50-64	223	5.5	17	2	2	4	6	10	14	21
65+	138	9.3	69	2	2	7	11	22	28	37
GRAND TOTAL	**1623**	**4.5**	**15**	**1**	**2**	**4**	**5**	**8**	**11**	**22**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	6.5	71	1	1	4	7	15	19	53
20-34	98	3.8	6	<1	1	3	5	8	9	12
35-49	76	3.8	6	<1	<1	4	5	7	9	11
50-64	78	4.3	25	<1	<1	2	5	9	17	25
65+	44	5.8	113	<1	<1	3	6	8	18	67
2. MULTIPLE DX										
0-19 YRS	99	8.8	96	1	2	5	10	23	30	77
20-34	91	7.6	89	1	1	5	9	13	24	53
35-49	65	8.7	115	1	1	6	9	18	36	56
50-64	56	10.4	214	1	2	5	12	24	32	91
65+	39	10.5	134	<1	1	7	13	26	39	51
TOT. SINGLE DX	424	4.9	42	<1	<1	3	6	10	15	27
" MULTIPLE DX	350	8.9	121	1	1	6	10	21	31	55
TOTAL 0-19 YRS	227	7.5	83	1	1	4	9	18	25	56
20-34	189	5.6	50	1	1	4	6	10	12	48
35-49	141	6.1	62	<1	1	4	7	11	16	52
50-64	134	6.9	113	<1	<1	3	8	16	24	57
65+	83	8.0	127	<1	1	4	9	17	32	62
GRAND TOTAL	**774**	**6.7**	**81**	**<1**	**1**	**4**	**8**	**14**	**22**	**51**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	234	2.4	5	<1	<1	2	3	4	5	13
20-34	333	2.1	5	<1	<1	1	2	4	6	15
35-49	174	3.0	12	<1	<1	2	3	6	10	19
50-64	109	3.3	11	<1	<1	2	4	7	10	20
65+	52	4.7	19	<1	1	3	6	9	15	22
2. MULTIPLE DX										
0-19 YRS	42	5.7	72	<1	1	3	5	15	20	50
20-34	86	4.8	57	<1	<1	2	5	13	16	42
35-49	64	7.3	113	<1	<1	3	9	19	23	64
50-64	88	9.3	149	<1	1	5	12	21	47	90
65+	71	14.7	206	2	2	10	21	29	52	63
TOT. SINGLE DX	902	2.7	9	<1	<1	2	3	5	9	16
" MULTIPLE DX	351	8.5	134	<1	<1	4	11	21	29	63
TOTAL 0-19 YRS	276	2.9	17	<1	<1	2	3	5	8	21
20-34	419	2.7	17	<1	<1	2	3	5	9	18
35-49	238	4.1	43	<1	<1	2	4	10	14	29
50-64	197	6.0	82	<1	<1	3	6	13	21	66
65+	123	10.5	151	1	2	5	15	23	33	62
GRAND TOTAL	**1253**	**4.3**	**51**	**<1**	**<1**	**2**	**4**	**10**	**16**	**44**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.1	1	<1	<1	2	3	4	5	5
20-34	13	2.8	5	<1	<1	2	4	6	8	8
35-49	51	3.0	4	<1	1	2	4	6	8	9
50-64	171	2.8	4	<1	1	2	3	4	6	15
65+	112	3.0	3	1	2	3	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	10	4.9	15	<1	<1	4	7	11	14	14
35-49	35	6.1	77	<1	2	3	6	11	22	49
50-64	78	4.8	31	1	1	3	5	12	16	30
65+	89	4.8	38	1	1	3	5	10	17	38
TOT. SINGLE DX	360	2.9	4	<1	1	2	3	5	7	12
" MULTIPLE DX	215	5.0	40	1	1	3	5	11	17	36
TOTAL 0-19 YRS	16	2.4	2	<1	<1	2	3	5	5	5
20-34	23	3.7	10	<1	<1	2	6	7	10	14
35-49	86	4.2	36	<1	1	3	4	8	10	40
50-64	249	3.5	14	<1	1	2	4	6	10	23
65+	201	3.8	20	1	1	3	4	7	10	26
GRAND TOTAL	**575**	**3.7**	**19**	**<1**	**1**	**3**	**4**	**7**	**10**	**24**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	3.1	15	1	1	2	3	6	12	22
20-34	128	2.3	2	<1	<1	2	3	4	5	9
35-49	58	2.2	2	<1	1	2	2	4	6	10
50-64	26	2.5	2	<1	1	2	3	4	6	8
65+	11	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	140	2.8	4	1	1	2	3	6	8	10
20-34	279	2.9	13	<1	1	2	3	5	9	15
35-49	99	3.2	21	1	1	2	3	6	12	29
50-64	79	5.1	58	<1	1	3	6	9	15	49
65+	26	4.6	24	<1	1	3	5	11	17	21
TOT. SINGLE DX	291	2.5	6	<1	1	2	3	4	6	14
" MULTIPLE DX	623	3.3	20	<1	1	2	3	7	9	19
TOTAL 0-19 YRS	208	2.9	8	1	1	2	3	6	8	16
20-34	407	2.7	10	<1	1	2	3	5	7	14
35-49	157	2.8	15	<1	1	2	3	5	8	27
50-64	105	4.5	46	<1	1	3	4	8	11	47
65+	37	3.9	19	<1	1	2	4	10	14	21
GRAND TOTAL	914	3.0	15	<1	1	2	3	6	9	17

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	2.9	7	1	1	2	3	5	8	18
20-34	108	3.6	13	<1	1	3	4	6	9	22
35-49	103	3.9	7	1	2	3	4	7	10	15
50-64	75	4.1	10	<1	1	3	5	9	11	16
65+	30	5.2	25	1	2	4	6	8	17	26
2. MULTIPLE DX										
0-19 YRS	54	5.5	122	<1	1	3	4	8	27	71
20-34	146	4.8	56	1	1	3	5	8	14	43
35-49	91	4.2	23	1	1	3	5	8	10	31
50-64	85	7.2	114	1	1	4	7	15	20	71
65+	43	10.3	249	2	3	6	10	27	55	99+
TOT. SINGLE DX	380	3.8	11	1	1	3	4	7	10	18
" MULTIPLE DX	419	5.8	92	1	1	3	6	11	17	72
TOTAL 0-19 YRS	118	4.1	51	1	1	2	4	6	10	44
20-34	254	4.3	38	1	1	3	5	7	13	31
35-49	194	4.0	15	1	1	3	5	8	10	16
50-64	160	5.7	68	<1	1	4	6	11	16	52
65+	73	8.2	162	2	2	5	8	17	34	99+
GRAND TOTAL	799	4.9	54	1	1	3	5	9	14	39

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	5.0	35	2	2	4	5	8	13	28
20-34	122	4.8	22	2	2	4	5	7	8	33
35-49	50	3.7	4	1	1	3	5	7	7	13
50-64	28	7.1	309	1	2	3	5	7	21	96
65+	16	7.5	32	1	2	5	12	15	18	19
2. MULTIPLE DX										
0-19 YRS	133	5.3	18	2	2	4	6	10	14	22
20-34	124	6.7	109	1	1	4	7	14	27	66
35-49	44	5.5	27	1	2	4	6	15	17	25
50-64	34	8.5	49	2	2	6	12	19	25	29
65+	23	10.3	149	2	3	5	10	26	45	46
TOT. SINGLE DX	452	5.0	45	2	2	4	5	8	12	29
" MULTIPLE DX	358	6.4	64	1	2	4	7	14	21	46
TOTAL 0-19 YRS	369	5.1	29	2	2	4	6	9	13	24
20-34	246	5.8	67	1	2	4	6	9	17	62
35-49	94	4.6	16	1	2	3	5	7	14	23
50-64	62	7.9	164	1	2	4	8	15	24	88
65+	39	9.2	101	1	2	5	12	19	34	46
GRAND TOTAL	810	5.6	54	1	2	4	6	10	15	44

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.6	37	<1	1	2	3	15	20	21
20-34	26	3.3	9	1	1	3	4	9	27	99+
35-49	19	4.6	27	1	1	3	5	15	18	18
50-64	15	2.9	5	<1	1	2	5	7	7	7
65+	8	4.6	9	2	2	3	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	32	2.4	5	<1	<1	2	3	5	9	11
20-34	74	7.2	201	1	1	3	5	17	40	98
35-49	54	7.7	159	<1	1	3	7	22	38	70
50-64	47	6.4	48	1	1	4	9	18	20	32
65+	31	11.3	242	1	1	5	13	49	57	99+
TOT. SINGLE DX	82	3.9	17	1	1	2	5	10	15	74
" MULTIPLE DX	238	7.0	144	1	1	3	7	18	34	92
TOTAL 0-19 YRS	46	3.1	16	<1	1	2	3	9	12	21
20-34	100	6.2	154	1	1	3	5	15	36	99+
35-49	73	6.9	126	1	1	3	7	18	33	64
50-64	62	5.6	40	1	1	3	7	16	19	31
65+	39	9.9	201	1	1	4	10	42	54	99+
GRAND TOTAL	320	6.2	113	1	1	3	6	16	29	93

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	35.0		35	35	35	35	35	35	35
65+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
0-19 YRS	4	16.8	334	5	5	9	27	44	44	44
20-34	8	15.3	140	1	2	12	28	30	30	30
35-49	6	10.2	71	1	1	9	18	22	22	22
50-64	6	15.5	752	<1	<1	5	10	65	71	71
65+	5	20.0	319	1	1	15	34	45	45	45
TOT. SINGLE DX	5	13.8	233	1	1	5	27	35	35	35
" MULTIPLE DX	29	15.3	273	1	1	9	23	39	46	71
TOTAL 0-19 YRS	6	12.2	253	1	1	7	10	41	44	44
20-34	9	13.9	139	1	2	11	27	30	30	30
35-49	6	10.2	71	1	1	9	18	22	22	22
50-64	7	18.3	681	<1	<1	7	29	64	71	71
65+	6	20.8	259	1	2	20	31	44	45	45
GRAND TOTAL	**34**	**15.1**	**260**	**1**	**1**	**9**	**25**	**36**	**45**	**71**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	6.1	34	2	2	3	8	16	20	21
20-34	20	5.3	26	1	1	3	7	13	18	20
35-49	15	7.5	83	2	2	4	7	22	31	34
50-64	14	13.9	651	<1	1	5	12	31	84	99
65+	27	10.9	168	2	2	5	16	36	40	49
2. MULTIPLE DX										
0-19 YRS	16	12.1	75	2	3	10	20	25	26	27
20-34	41	17.1	359	1	2	9	26	53	67	99+
35-49	24	18.6	448	1	2	12	28	85	99+	99+
50-64	51	20.4	417	2	3	14	29	58	93	99+
65+	106	19.2	280	2	3	16	34	69	99+	99+
TOT. SINGLE DX	93	8.7	173	1	2	4	8	21	33	77
" MULTIPLE DX	238	18.5	325	2	3	14	28	57	99+	99+
TOTAL 0-19 YRS	33	9.0	62	2	2	5	14	22	25	27
20-34	61	13.2	280	1	2	7	15	42	57	97
35-49	39	14.4	332	1	2	7	24	49	93	99+
50-64	65	19.0	466	2	3	12	25	53	96	99+
65+	133	17.5	267	2	3	14	28	50	99+	99+
GRAND TOTAL	**331**	**15.8**	**301**	**2**	**2**	**10**	**23**	**48**	**86**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	17.5	107	5	5	18	25	29	29	29
35-49	4	31.8	364	8	8	34	47	50	50	50
50-64	7	33.3	893	3	4	21	61	76	78	78
65+	13	32.9	289	12	15	33	52	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	3	31.0	228	17	17	29	42	47	47	47
20-34	8	36.8	212	16	20	38	51	84	99+	99+
35-49	11	39.3	738	12	13	34	66	99	99+	99+
50-64	47	35.1	432	13	14	29	52	72	95	99+
65+	114	38.1	547	11	16	36	73	99+	99+	99+
TOT. SINGLE DX	28	30.6	410	5	7	27	50	72	99+	99+
" MULTIPLE DX	183	37.2	503	12	15	35	63	99+	99+	99+
TOTAL 0-19 YRS	3	31.0	228	17	17	29	42	47	47	47
20-34	12	30.3	254	6	12	29	47	69	94	99+
35-49	15	37.3	617	9	12	34	54	95	99	99+
50-64	54	34.8	477	10	14	29	53	73	90	99+
65+	127	37.6	521	11	15	36	72	99+	99+	99+
GRAND TOTAL	**211**	**36.4**	**494**	**11**	**14**	**33**	**60**	**99+**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	2	26.5	145	18	18	26	35	35	35	35
35-49										
50-64	1	13.0		13	13	13	13	13	13	13
65+	15	21.8	151	7	8	20	27	40	47	49
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	2	57.0	2738	20	20	57	94	94	94	94
35-49	6	28.5	401	11	11	26	57	93	99+	99+
50-64	24	39.4	726	5	13	43	84	99+	99+	99+
65+	130	27.4	325	6	8	26	45	86	99+	99+
TOT. SINGLE DX	19	21.5	135	7	9	18	27	38	45	49
" MULTIPLE DX	163	29.5	420	6	9	27	50	99+	99+	99+
TOTAL 0-19 YRS	2	16.5	1	16	16	16	17	17	17	17
20-34	4	41.8	1271	18	18	27	64	94	94	94
35-49	6	28.5	402	11	11	26	57	93	99+	99+
50-64	25	38.3	724	5	13	40	84	99+	99+	99+
65+	145	26.8	310	7	8	25	43	79	99+	99+
GRAND TOTAL	**182**	**28.7**	**395**	**7**	**9**	**26**	**48**	**99+**	**99+**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	1	50.0		50	50	50	50	50	50	50
35-49	1	28.0		28	28	28	28	28	28	28
50-64	3	16.0	169	3	3	16	26	29	29	29
65+	3	21.7	522	7	7	29	74	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	7	25.7	376	7	7	23	41	54	57	57
20-34	6	24.3	258	4	5	25	31	47	49	49
35-49	10	20.5	299	5	7	15	23	48	64	64
50-64	10	28.7	254	7	14	24	54	99+	99+	99+
65+	24	45.3	738	12	13	49	81	90	99+	99+
TOT. SINGLE DX	10	19.8	328	2	3	16	43	70	97	99+
" MULTIPLE DX	57	33.4	566	7	9	27	54	86	99+	99+
TOTAL 0-19 YRS	9	20.8	379	2	3	10	34	52	57	57
20-34	7	28.0	309	4	6	31	45	50	50	50
35-49	11	21.2	275	5	7	16	27	45	62	64
50-64	13	25.8	250	4	6	23	51	99+	99+	99+
65+	27	42.7	751	8	11	48	81	95	99+	99+
GRAND TOTAL	**67**	**31.4**	**549**	**5**	**7**	**26**	**52**	**85**	**99+**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.3	6	1	1	1	3	7	7	7
20-34	3	10.3	2	9	9	10	11	12	12	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	9	6.0	18	1	1	6	9	11	12	12
20-34	11	7.7	22	<1	1	10	12	13	13	13
35-49	5	14.4	111	4	4	12	18	32	32	32
50-64	4	7.3	25	2	2	6	10	14	14	14
65+	2	5.5	25	2	2	5	9	9	9	9
TOT. SINGLE DX	11	4.5	18	1	1	3	8	11	12	12
" MULTIPLE DX	31	8.1	39	1	1	9	11	13	14	32
TOTAL 0-19 YRS	15	4.5	16	1	1	3	8	10	11	12
20-34	14	8.3	19	<1	2	10	12	13	13	13
35-49	6	12.7	107	4	4	11	14	30	32	32
50-64	4	7.3	25	2	2	6	10	14	14	14
65+	3	4.0	19	1	1	2	7	9	9	9
GRAND TOTAL	**42**	**7.2**	**35**	**1**	**1**	**7**	**10**	**13**	**14**	**32**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.6	4	<1	1	2	3	7	7	7
20-34	8	2.6	2	<1	<1	2	3	5	6	6
35-49	5	2.4	2	1	1	2	3	5	5	5
50-64	13	13.5	146	2	3	7	20	35	37	37
65+	10	18.2	355	1	1	11	25	50	51	51
2. MULTIPLE DX										
0-19 YRS	12	4.8	16	1	1	3	7	11	13	13
20-34	24	6.2	23	<1	1	5	8	15	16	18
35-49	20	9.9	81	1	2	9	15	31	63	99+
50-64	27	16.8	249	2	3	12	26	51	60	99+
65+	28	16.2	200	1	1	14	26	35	45	50
TOT. SINGLE DX	50	8.5	148	1	1	3	7	25	37	51
" MULTIPLE DX	111	11.8	153	1	1	7	17	33	44	99+
TOTAL 0-19 YRS	26	3.6	11	<1	1	2	6	8	11	13
20-34	32	5.3	21	<1	1	4	7	12	15	18
35-49	25	8.4	74	1	2	6	11	28	46	99+
50-64	40	15.7	214	2	3	12	25	39	55	99+
65+	38	16.7	234	1	1	13	25	42	50	51
GRAND TOTAL	**161**	**10.8**	**153**	**1**	**1**	**6**	**15**	**31**	**43**	**94**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	3	6.0	25	1	1	6	10	11	11	11
" MULTIPLE DX	4	8.3	57	3	3	6	13	19	19	19
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	19.0		19	19	19	19	19	19	19
65+	2	7.0	2	6	6	7	8	8	8	8
GRAND TOTAL	**7**	**7.3**	**38**	**1**	**1**	**6**	**10**	**17**	**19**	**19**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	1.9		<1	<1	2	2	3	4	6
20-34	535	2.1	1	<1	<1	2	2	3	4	7
35-49	831	2.5	4	<1	<1	2	3	4	6	10
50-64	427	3.3	11	<1	1	2	4	7	8	14
65+	208	4.6	27	1	2	3	5	9	12	31
2. MULTIPLE DX										
0-19 YRS	14	2.8	3	<1	<1	2	3	4	7	8
20-34	185	2.8	6	<1	<1	2	3	5	7	14
35-49	359	3.9	27	<1	<1	2	4	8	11	26
50-64	318	5.1	32	<1	1	3	6	12	17	30
65+	257	8.5	125	2	2	5	9	19	31	86
TOT. SINGLE DX	2082	2.7	8	<1	<1	2	3	5	7	12
" MULTIPLE DX	1133	5.1	51	<1	1	3	5	10	16	38
TOTAL 0-19 YRS	95	2.0	1	<1	<1	2	2	3	4	7
20-34	720	2.2	3	<1	<1	2	3	4	5	8
35-49	1190	2.9	12	<1	<1	2	3	5	8	14
50-64	745	4.1	21	<1	1	3	4	8	12	25
65+	465	6.7	85	1	2	4	8	14	22	50
GRAND TOTAL	**3215**	**3.6**	**24**	**<1**	**<1**	**2**	**4**	**7**	**10**	**25**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	2.7	2	<1	<1	3	4	5	5	7
20-34	25	5.3	80	<1	1	3	5	7	19	47
35-49	39	5.4	12	<1	2	5	8	10	12	14
50-64	44	7.9	40	2	2	6	10	14	17	40
65+	80	8.8	43	1	2	8	10	19	22	35
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	16	3.7	3	1	2	3	5	7	8	8
35-49	35	9.3	70	2	4	8	10	16	17	52
50-64	53	8.4	38	2	2	7	10	17	20	34
65+	97	13.2	184	3	4	10	15	27	33	85
TOT. SINGLE DX	226	6.6	39	<1	1	5	8	13	18	39
" MULTIPLE DX	203	10.4	119	2	3	8	12	19	29	66
TOTAL 0-19 YRS	40	2.7	2	<1	<1	3	4	5	5	7
20-34	41	4.7	50	1	1	3	5	7	9	47
35-49	74	7.2	43	1	2	6	9	13	16	44
50-64	97	8.2	39	2	2	7	10	16	18	37
65+	177	11.2	125	2	3	8	13	22	29	73
GRAND TOTAL	**429**	**8.4**	**80**	**1**	**2**	**6**	**10**	**16**	**22**	**48**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	26	8.6	7	5	5	8	11	13	13	14
35-49	145	8.7	11	5	5	8	10	13	15	21
50-64	207	9.5	19	5	6	8	11	14	17	31
65+	137	10.9	20	6	6	10	13	16	20	27
2. MULTIPLE DX										
0-19 YRS										
20-34	31	9.0	10	4	6	8	11	14	14	19
35-49	163	9.4	15	5	6	9	11	15	17	22
50-64	276	11.1	50	5	6	9	12	17	22	39
65+	278	12.8	53	6	7	11	15	21	25	45
TOT. SINGLE DX	515	9.6	18	5	6	9	11	14	17	27
" MULTIPLE DX	748	11.3	44	5	6	9	13	18	22	38
TOTAL 0-19 YRS										
20-34	57	8.8	9	4	6	8	11	13	14	19
35-49	308	9.1	14	5	5	8	10	14	16	22
50-64	483	10.4	38	5	6	9	11	16	19	37
65+	415	12.2	43	6	7	10	14	20	24	36
GRAND TOTAL	**1263**	**10.6**	**34**	**5**	**6**	**9**	**12**	**17**	**21**	**32**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	3.5	3	1	1	3	4	6	7	9
20-34	486	3.7	4	1	1	3	5	6	7	9
35-49	190	4.1	6	1	2	4	5	7	9	15
50-64	80	4.8	7	<1	1	4	6	8	10	13
65+	22	4.1	3	1	2	4	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	41	4.1	5	1	2	4	5	7	8	14
20-34	310	4.0	15	<1	1	3	4	6	8	24
35-49	235	5.3	51	<1	1	4	6	9	12	29
50-64	109	6.5	69	2	2	5	7	12	15	86
65+	32	7.3	44	1	2	5	9	16	24	30
TOT. SINGLE DX	910	3.9	5	1	1	4	5	7	8	12
" MULTIPLE DX	727	5.0	37	<1	1	4	5	8	12	30
TOTAL 0-19 YRS	173	3.6	4	1	1	3	4	6	7	11
20-34	796	3.8	8	1	1	3	5	6	7	17
35-49	425	4.8	32	1	2	4	5	9	11	20
50-64	189	5.8	44	1	2	4	7	9	13	61
65+	54	6.0	30	1	2	4	7	10	18	30
GRAND TOTAL	**1637**	**4.4**	**19**	**1**	**1**	**4**	**5**	**7**	**9**	**20**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	457	4.8	9	1	2	4	6	9	11	16
20-34	783	4.4	9	1	2	4	5	8	10	16
35-49	97	4.6	6	2	2	4	6	8	9	15
50-64	17	6.6	30	1	2	5	9	13	19	22
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	39	6.2	19	2	2	5	7	10	13	27
20-34	136	5.7	19	1	2	5	7	11	12	24
35-49	31	8.5	63	2	2	6	9	20	21	40
50-64	11	8.6	76	2	3	5	9	22	32	33
65+	12	13.7	141	2	2	11	22	33	33	33
TOT. SINGLE DX	1355	4.6	9	1	2	4	5	8	10	16
" MULTIPLE DX	229	6.7	37	2	2	5	8	12	16	35
TOTAL 0-19 YRS	496	4.9	10	1	2	4	6	9	11	16
20-34	919	4.6	11	1	2	4	6	8	10	16
35-49	128	5.6	22	2	2	5	6	9	13	25
50-64	28	7.4	47	2	2	5	9	14	23	33
65+	13	12.8	141	2	2	10	19	33	33	33
GRAND TOTAL	**1584**	**4.9**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	493	2.9	24	<1	<1	2	3	6	9	25
20-34	421	3.5	33	<1	<1	2	4	7	11	24
35-49	269	3.6	17	<1	<1	2	4	7	11	21
50-64	225	5.7	65	<1	<1	3	6	16	20	41
65+	180	7.4	93	<1	1	3	9	19	25	54
2. MULTIPLE DX										
0-19 YRS	148	8.6	147	<1	1	4	9	18	34	69
20-34	266	9.8	158	<1	1	5	12	24	40	98
35-49	211	10.1	123	<1	1	7	14	25	35	99+
50-64	324	12.0	181	1	2	8	15	28	42	99+
65+	500	16.9	304	2	3	11	22	41	72	99+
TOT. SINGLE DX	1588	4.1	41	<1	<1	2	4	9	15	31
" MULTIPLE DX	1449	12.7	218	1	2	8	16	32	51	99+
TOTAL 0-19 YRS	641	4.2	58	<1	<1	2	4	9	16	36
20-34	687	6.0	91	<1	<1	3	7	14	22	63
35-49	480	6.5	75	<1	<1	3	8	17	24	70
50-64	549	9.4	143	<1	1	4	13	22	36	89
65+	680	14.4	267	1	2	9	19	36	57	99+
GRAND TOTAL	**3037**	**8.2**	**144**	**<1**	**<1**	**4**	**10**	**21**	**33**	**85**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	387	4.9	31	<1	1	3	6	10	15	26
20-34	327	5.3	32	<1	1	4	7	12	15	25
35-49	199	6.9	87	1	1	4	8	15	21	49
50-64	136	7.4	54	1	1	5	10	16	20	40
65+	117	9.9	116	1	2	7	11	25	34	79
2. MULTIPLE DX										
0-19 YRS	1036	5.8	80	<1	1	3	6	13	21	52
20-34	1255	6.4	117	<1	1	3	6	15	26	63
35-49	577	8.8	160	<1	1	5	11	23	39	99+
50-64	527	11.0	187	1	1	6	13	27	40	96
65+	611	17.7	378	1	2	12	27	63	96	99+
TOT. SINGLE DX	1166	6.1	55	<1	1	4	8	14	19	41
" MULTIPLE DX	4006	8.9	180	<1	1	4	10	24	40	99+
TOTAL 0-19 YRS	1423	5.5	67	<1	1	3	6	12	20	48
20-34	1582	6.2	100	<1	1	3	7	15	23	60
35-49	776	8.3	143	<1	1	5	10	20	36	95
50-64	663	10.2	162	1	1	6	12	24	38	88
65+	728	16.4	344	1	2	10	24	53	91	99+
GRAND TOTAL	**5172**	**8.3**	**153**	**<1**	**1**	**4**	**9**	**21**	**36**	**97**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	11.6	172	2	2	8	12	27	51	57
20-34	52	8.5	70	1	1	6	13	18	24	47
35-49	31	14.6	200	2	2	10	20	31	51	59
50-64	33	15.7	230	2	2	13	21	29	39	82
65+	43	25.0	394	3	5	20	35	53	80	99+
2. MULTIPLE DX										
0-19 YRS	95	22.0	337	1	2	18	31	56	72	99+
20-34	138	19.5	310	1	3	14	26	45	64	99+
35-49	62	17.7	263	<1	2	13	26	41	62	96
50-64	77	24.2	321	2	3	21	34	48	60	76
65+	136	34.3	510	5	8	29	54	89	99+	99+
TOT. SINGLE DX	208	14.7	236	1	2	9	19	36	50	83
" MULTIPLE DX	508	24.4	402	1	3	21	35	60	82	99+
TOTAL 0-19 YRS	144	18.4	304	1	2	14	25	50	59	99+
20-34	190	16.5	268	1	2	12	22	41	57	94
35-49	93	16.7	242	<1	2	13	23	41	58	86
50-64	110	21.7	307	2	3	18	30	44	59	80
65+	179	32.1	496	3	7	28	49	85	99+	99+
GRAND TOTAL	716	21.6	373	1	2	17	30	55	73	99+

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	8.9	148	<1	1	4	7	28	41	46
20-34	26	10.7	133	1	1	7	16	23	34	52
35-49	7	11.9	212	<1	<1	5	18	37	41	41
50-64	8	6.6	36	2	2	4	9	17	19	19
65+	4	26.5	853	<1	<1	24	51	57	57	57
2 MULTIPLE DX										
0-19 YRS	16	12.4	290	1	1	6	19	60	88	99+
20-34	36	14.5	165	1	2	12	23	37	49	99+
35-49	17	21.1	643	1	1	14	23	70	75	77
50-64	15	16.9	293	1	1	11	30	55	87	99+
65+	11	46.6	1017	3	13	45	93	99+	99+	99+
TOT. SINGLE DX	65	10.7	179	1	1	5	16	29	46	56
" MULTIPLE DX	95	19.4	475	1	1	14	31	69	97	99+
TOTAL 0-19 YRS	36	10.5	208	1	1	6	12	36	60	99+
20-34	62	12.9	154	1	1	8	19	31	45	94
35-49	24	18.4	521	<1	1	11	20	66	73	77
50-64	23	13.3	223	1	2	7	23	43	70	99+
65+	15	41.3	995	<1	1	45	89	99	99+	99+
GRAND TOTAL	160	15.9	372	1	1	8	23	49	80	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	247	3.4	15	<1	<1	2	4	7	12	21
20-34	278	3.3	6	<1	<1	3	5	7	8	12
35-49	163	4.1	8	<1	1	4	5	7	10	14
50-64	140	4.1	11	<1	<1	3	6	8	10	20
65+	74	5.9	58	<1	1	4	7	10	15	51
2. MULTIPLE DX										
0-19 YRS	83	6.0	69	<1	<1	3	8	13	18	51
20-34	185	6.7	92	1	1	5	7	11	21	83
35-49	205	5.5	47	<1	1	4	6	9	14	30
50-64	152	6.3	30	<1	2	4	8	15	21	26
65+	154	11.8	140	2	2	9	15	28	37	99
TOT. SINGLE DX	902	3.8	15	<1	<1	3	5	8	10	19
" MULTIPLE DX	779	7.2	81	<1	1	5	8	16	24	63
TOTAL 0-19 YRS	330	4.1	31	<1	<1	2	4	10	14	26
20-34	463	4.7	43	<1	<1	4	6	8	11	35
35-49	368	4.9	31	<1	1	4	6	9	12	23
50-64	292	5.3	23	<1	1	4	6	11	16	24
65+	228	9.8	121	1	2	7	12	23	35	90
GRAND TOTAL	1681	5.4	48	<1	<1	4	6	11	16	36

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	3	3.3		3	3	3	4	4	4	4
50-64	4	5.3	22	1	1	4	8	12	12	12
65+	5	7.2	111	1	1	3	9	26	26	26
2. MULTIPLE DX										
0-19 YRS	4	16.3	333	2	2	10	27	43	43	43
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	2	20.5	481	5	5	20	36	36	36	36
TOT. SINGLE DX	16	5.8	47	1	1	3	4	16	23	26
" MULTIPLE DX	12	10.3	196	1	2	4	10	38	42	43
TOTAL 0-19 YRS	6	12.0	243	2	2	6	11	40	43	43
20-34	5	5.0	47	1	1	2	7	17	17	17
35-49	4	3.5		3	3	3	4	4	4	4
50-64	6	4.7	14	1	1	4	4	11	12	12
65+	7	11.0	196	1	1	3	21	34	36	36
GRAND TOTAL	**28**	**7.7**	**111**	**1**	**1**	**4**	**7**	**23**	**37**	**43**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	5.9	33	1	1	4	7	14	20	26
20-34	606	4.5	19	1	1	3	6	10	14	21
35-49	737	4.7	24	1	1	3	6	10	14	29
50-64	409	4.9	36	1	1	3	6	11	15	31
65+	103	7.5	92	1	1	4	9	18	27	52
2. MULTIPLE DX										
0-19 YRS	52	9.7	249	1	2	5	9	14	54	79
20-34	369	7.3	74	1	1	5	9	15	19	36
35-49	514	6.8	43	1	1	4	9	15	19	35
50-64	467	8.5	86	1	1	6	11	19	25	48
65+	210	13.3	250	1	1	9	16	30	47	82
TOT. SINGLE DX	1916	4.9	30	1	1	3	6	11	15	27
" MULTIPLE DX	1612	8.3	101	1	1	5	10	18	24	55
TOTAL 0-19 YRS	113	7.6	136	1	2	4	9	13	25	74
20-34	975	5.5	42	1	1	3	7	12	17	25
35-49	1251	5.6	33	1	1	3	7	12	16	29
50-64	876	6.8	66	1	1	4	9	16	22	46
65+	313	11.4	205	1	1	7	14	26	43	75
GRAND TOTAL	**3528**	**6.4**	**65**	**1**	**1**	**4**	**8**	**14**	**19**	**41**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	7.0	38	1	2	5	9	13	23	27
20-34	78	5.4	30	1	2	4	6	9	11	37
35-49	119	6.2	29	1	2	5	8	13	15	28
50-64	174	5.4	23	1	1	4	7	11	14	35
65+	112	4.8	27	1	1	3	7	11	14	27
2. MULTIPLE DX										
0-19 YRS	17	15.9	414	2	3	9	22	31	68	87
20-34	94	9.0	94	1	2	6	11	18	27	58
35-49	160	9.6	111	1	2	7	11	19	28	43
50-64	370	9.2	105	1	2	6	11	18	27	58
65+	315	10.7	145	1	1	8	13	24	37	87
TOT. SINGLE DX	506	5.5	28	1	1	4	7	11	14	32
" MULTIPLE DX	956	9.9	124	1	2	7	12	21	32	66
TOTAL 0-19 YRS	40	10.8	211	2	2	7	10	25	29	87
20-34	172	7.4	68	1	2	5	8	15	24	49
35-49	279	8.2	79	1	2	6	10	17	23	42
50-64	544	8.0	83	1	1	5	10	16	24	56
65+	427	9.2	121	1	1	6	12	20	35	75
GRAND TOTAL	**1462**	**8.4**	**95**	**1**	**1**	**5**	**10**	**17**	**26**	**61**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	6	4.2	8	1	1	4	5	9	9	9
50-64	11	9.0	78	1	1	5	12	24	28	28
65+	5	6.0	29	1	1	5	8	15	15	15
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	11	7.6	31	1	1	7	10	15	20	21
50-64	29	9.3	55	1	1	8	14	19	22	32
65+	18	11.9	125	<1	1	8	21	29	35	37
TOT. SINGLE DX	22	7.0	50	1	1	5	9	17	24	28
" MULTIPLE DX	58	9.8	72	1	1	7	13	21	29	37
TOTAL 0-19 YRS										
20-34										
35-49	17	6.4	25	1	1	5	9	11	17	21
50-64	40	9.3	60	1	1	6	13	20	25	32
65+	23	10.7	108	<1	1	7	18	26	33	37
GRAND TOTAL	**80**	**9.1**	**67**	**1**	**1**	**6**	**13**	**21**	**26**	**35**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	5.3	17	1	1	4	7	11	15	16
20-34	187	7.0	45	1	1	5	10	15	18	36
35-49	216	7.4	40	1	1	6	11	15	19	29
50-64	352	5.3	26	1	1	3	7	13	17	22
65+	297	6.7	84	1	1	3	9	15	18	53
2. MULTIPLE DX										
0-19 YRS	26	11.0	312	2	2	6	11	19	43	91
20-34	161	8.0	54	1	2	7	10	16	23	38
35-49	295	9.6	85	1	1	8	12	19	26	44
50-64	747	8.3	78	1	1	5	12	19	27	48
65+	941	10.0	113	1	1	7	14	23	30	84
TOT. SINGLE DX	1083	6.4	49	1	1	4	9	14	17	28
" MULTIPLE DX	2170	9.2	96	1	1	7	13	21	28	54
TOTAL 0-19 YRS	57	7.9	157	1	1	5	9	16	18	87
20-34	348	7.5	50	1	1	6	10	15	20	38
35-49	511	8.7	67	1	1	7	12	17	22	40
50-64	1099	7.4	64	1	1	4	10	17	23	41
65+	1238	9.2	108	1	1	6	13	21	28	75
GRAND TOTAL	**3253**	**8.3**	**82**	**1**	**1**	**5**	**11**	**18**	**25**	**47**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7777	4.4	20	1	1	3	5	8	11	22
20-34	7502	4.6	25	1	1	3	6	9	12	23
35-49	4277	5.6	35	1	1	4	7	11	15	27
50-64	4043	7.1	52	1	2	5	9	14	19	36
65+	4742	9.6	93	2	2	7	12	19	28	62
2. MULTIPLE DX										
0-19 YRS	7740	5.6	47	1	1	4	7	11	16	36
20-34	6644	5.8	51	1	1	4	7	12	18	42
35-49	5271	7.7	69	1	2	5	10	16	22	43
50-64	8486	10.1	91	2	2	8	13	21	28	57
65+	17964	13.5	166	2	3	10	17	29	43	99+
TOT. SINGLE DX	28341	5.9	44	1	1	4	7	12	17	34
" MULTIPLE DX	46105	9.8	116	1	2	7	12	21	31	75
TOTAL 0-19 YRS	15517	5.0	34	1	1	4	6	10	14	30
20-34	14146	5.2	38	1	1	4	6	10	15	33
35-49	9548	6.8	55	1	1	5	8	14	19	37
50-64	12529	9.1	81	1	2	7	11	19	25	52
65+	22706	12.6	153	2	3	9	16	28	40	99+
GRAND TOTAL	**74446**	**8.3**	**92**	**1**	**1**	**5**	**10**	**18**	**26**	**62**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2246	5.7	37	1	1	4	7	11	16	34
20-34	963	7.2	57	1	2	5	9	14	20	44
35-49	853	8.5	65	1	2	6	11	17	22	42
50-64	924	10.2	82	2	2	8	13	20	29	45
65+	1092	12.1	128	2	3	9	15	28	37	99+
2. MULTIPLE DX										
0-19 YRS	2171	7.8	93	1	2	5	8	17	28	58
20-34	1234	8.7	123	1	1	5	10	19	34	72
35-49	1015	10.7	141	1	2	7	13	23	35	70
50-64	1591	12.0	153	2	3	8	15	25	37	93
65+	3463	16.5	274	3	4	11	20	39	65	99+
TOT. SINGLE DX	6078	8.2	74	1	2	6	10	17	25	50
" MULTIPLE DX	9474	12.1	192	1	2	8	14	28	44	99
TOTAL 0-19 YRS	4417	6.8	66	1	1	4	7	13	21	46
20-34	2197	8.0	95	1	1	5	9	16	25	59
35-49	1868	9.7	108	1	2	7	12	19	29	60
50-64	2515	11.3	128	2	3	8	14	23	32	78
65+	4555	15.4	243	3	4	11	19	36	58	99+
GRAND TOTAL	**15552**	**10.6**	**149**	**1**	**2**	**7**	**13**	**24**	**36**	**87**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12629	4.5	16	1	1	4	6	8	11	19
20-34	4139	4.5	30	<1	1	3	5	8	12	30
35-49	1940	5.8	37	1	1	4	7	11	16	33
50-64	2073	7.3	53	1	2	5	9	15	20	37
65+	2805	8.8	86	2	2	6	11	18	27	64
2. MULTIPLE DX										
0-19 YRS	13085	6.4	48	1	2	5	7	12	17	38
20-34	3927	5.9	61	1	1	4	6	12	19	42
35-49	2779	7.8	74	1	2	5	10	16	24	46
50-64	4973	9.2	75	2	2	7	12	19	26	50
65+	10501	12.1	156	2	3	8	15	27	41	99+
TOT. SINGLE DX	23586	5.4	34	1	1	4	6	11	15	31
" MULTIPLE DX	35265	8.5	94	1	2	6	10	18	27	66
TOTAL 0-19 YRS	25714	5.5	34	1	1	4	7	10	14	30
20-34	8066	5.2	46	1	1	3	6	10	16	38
35-49	4719	7.0	60	1	1	5	9	14	21	43
50-64	7046	8.7	70	1	2	6	11	18	24	45
65+	13306	11.4	143	2	3	8	14	25	38	99+
GRAND TOTAL	58851	7.3	73	1	2	5	8	15	22	53

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction – *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
575	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia — *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin